

Schellenberg 60911

Schellenberg Smart Drive Garage Door Opener Instruction Manual

Model: 60911

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Schellenberg Smart Drive Garage Door Opener. Please read this manual thoroughly before beginning installation or operation to ensure safe and efficient use of the product.

The Schellenberg Smart Drive garage door opener is designed for convenient and secure automation of sectional and up-and-over garage doors. It offers easy operation via remote control and can be integrated into the Schellenberg Smart Home System for enhanced comfort.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety instructions may result in serious injury or property damage.

- Ensure the garage door is in good working condition and balanced before installing the opener.
- Installation should be performed by qualified personnel.
- Do not allow children to play with the garage door opener or its controls.
- Keep remote controls out of reach of children.
- Never walk or stand under a moving garage door.
- Regularly inspect the opener and door for signs of wear or damage.
- Disconnect power before performing any maintenance or repairs.

3. PACKAGE CONTENTS

Verify that all components listed below are present in your package:



Figure 3.1: Overview of all included components for the Schellenberg Smart Drive garage door opener.

- Garage Door Opener Motor Unit
- Rail Sections (pre-assembled to 90%)
- Chain Drive System
- 2 x Hand Transmitters (Remote Controls)
- Mounting Hardware (brackets, screws, nuts)
- Emergency Release (for interior use)
- Instruction Manual

4. SPECIFICATIONS

Feature	Value
Manufacturer	Alfred Schellenberg GmbH
Model Number	60911
Product Dimensions	112.6 x 23 x 19 cm
Weight	15 kg
Color	Grey
Style	Smart DRIVE 10
Max. Door Surface Area	10 m ²

Feature	Value
Max. Door Width	4.25 m
Max. Force	600 N / 60 kg
Lighting	Integrated LED (with automatic shut-off)
Compatibility	Sectional and Up-and-Over Doors, Schellenberg Smart Home System




Figure 4.1: Dimensions of the Smart Drive garage door opener unit and rail.

5. SETUP AND INSTALLATION

The Schellenberg Smart Drive garage door opener is 90% pre-assembled for quick and easy installation. Follow these steps carefully:

1. **Prepare the Garage Door:** Ensure your garage door operates smoothly manually and is properly balanced. Lubricate any moving parts if necessary.
2. **Mount the Rail System:** Attach the rail sections together. Securely mount the rail system to the ceiling of your garage, centered above the garage door opening. The rail should extend towards the back of the garage.



Figure 5.1: Ensure adequate clearance for door movement.

3. **Attach the Motor Unit:** Connect the motor unit to the rail system. The motor unit typically sits at the end of the rail closest to the garage door opening.



Figure 5.2: Motor unit attached to the rail.

4. **Connect to Garage Door:** Attach the trolley on the rail to the garage door itself using the provided door arm and mounting bracket. Ensure the connection is secure and allows for smooth operation.

5. **Electrical Connection:** Plug the garage door opener into a grounded electrical outlet. Ensure the power supply is stable.



Figure 5.3: Electrical connection points on the unit.

6. **Limit Switch Adjustment:** Follow the instructions in the separate quick start guide (if provided) or the full manual for setting the open and close limits of the garage door. This is crucial for proper operation and safety.
7. **Test Operation:** After installation and limit setting, test the opener multiple times using the remote control. Ensure the door opens and closes fully and smoothly.

6. OPERATING INSTRUCTIONS

The Schellenberg Smart Drive garage door opener can be operated using the included hand transmitters (remote controls) or integrated into a Schellenberg Smart Home System.

6.1 Using the Hand Transmitters

- Press the designated button on the hand transmitter to open or close the garage door.
- Pressing the button again during operation will stop the door.
- The opener features a "Soft Start/Soft Stop" function for smooth and quiet operation.



Figure 6.1: Smart Drive opener with included remote controls.

6.2 Emergency Release

In case of power failure or malfunction, use the internal emergency release to manually open or close the garage door. Pull the emergency release cord to disengage the door from the opener trolley.

6.3 Integrated LED Lighting

The opener features an integrated LED light that illuminates the garage when the door is operated. The light will automatically turn off after a set period.



Figure 6.2: Integrated LED lighting in operation.

7. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your garage door opener.

- **Monthly:** Inspect the garage door and opener for any signs of wear, loose parts, or damage. Check the balance of the door.
- **Annually:** Lubricate moving parts of the garage door (hinges, rollers, springs) according to the garage door manufacturer's recommendations. Do not lubricate the opener's rail or chain unless specifically instructed by Schellenberg.
- **Cleaning:** Keep the opener unit clean and free from dust and debris. Use a soft, dry cloth.
- **Safety Reversal Test:** Periodically test the safety reversal system. Place a 2x4 piece of wood flat on the floor in the path of the door. The door should reverse upon contact with the wood. If it does not, adjust or repair the system immediately.

8. TROUBLESHOOTING

Here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Opener does not respond to remote.	No power; remote battery dead; remote out of range; remote not programmed.	Check power supply; replace remote battery; move closer to opener; reprogram remote.
Door opens partially or reverses.	Obstruction in door path; safety sensors misaligned/dirty; limit settings incorrect; door balance issue.	Remove obstruction; clean/align safety sensors; readjust limit settings; check door balance.
Opener makes noise but door doesn't move.	Door disengaged from opener (emergency release pulled); motor issue.	Re-engage door to opener; contact customer support if motor issue suspected.
LED light not working.	LED bulb failure; electrical connection issue.	Check connections; contact customer support for replacement if needed.


9. WARRANTY AND SUPPORT


For warranty information, please refer to the documentation included with your purchase or visit the official Schellenberg website. Keep your proof of purchase for warranty claims.

If you encounter issues not covered in this troubleshooting section or require further assistance, please contact Schellenberg customer support:

- **Website:** www.schellenberg.de (or relevant regional website)
- **Contact Information:** Refer to the product packaging or official website for phone numbers and email addresses.

Related Documents

	Schellenberg Funk-Handsender 5 Kanal Manual User manual for the Schellenberg 5-channel radio remote control, detailing installation, operation, and technical specifications. Learn how to pair the remote with Schellenberg radio motors and other devices.
	Schellenberg Rollladen-Gurtwickler Maxi Safety Instructions and Warnings Read important safety precautions and warnings for the Schellenberg Rollladen-Gurtwickler Maxi (model 10425049) from Alfred Schellenberg GmbH. Ensure safe usage and handling.
	Schellenberg Garagentor Antrieb 600P, 700P, 850P Bedienungsanleitung Umfassende Anleitung für den Schellenberg Garagentor Antrieb Modelle 600P, 700P und 850P. Enthält Informationen zu Montage, Bedienung, Sicherheitshinweisen und Fehlerbehebung.
	SCHELLENBERG ROLLODRIVE 45 - Bedienungsanleitung Umfassende Anleitung für den SCHELLENBERG ROLLODRIVE 45, einen automatischen Rollladenantrieb. Erfahren Sie mehr über Installation, Bedienung und Sicherheit.



[pdf]

Herunterladen 651 20 KB Innentaster für Torantriebe AP Zur elektrischen Steuerung von Garagentoren

SCHELLENBERG montageanleitung 60060 mta1 de schellenberg fileadmin Products DE All |||

INNENTASTER FR GARAGENTORANTRIEBE 60060, 60061 SCHAUBILD


SICHERHEIT UND HINWEISE Sehr geehrte Kundi ... ner Elektrofachkraft durchgeführt

werden. SD-Antriebe Art. Nr. DE 60560, 60910, 60915, 60912, 60916 **60911**, 60914

SLIDE 400 Art. Nr. DE / 60804 PB GND PE 24 TWIN 300 Art. Nr. DE / 60820 12V G

F01...

lang:de score:21 filesize: 651.2 K page_count: 2 document date: 2019-11-18



[pdf]

MON TA 60910 Montageanleitungen Garagentorantrieb Smart Drive 10 Schellenberg SDE AIN V1

schellenberg de 80 tx nxsp product |||

Garagentorantrieb Smart DRIVE 10, 14 DE I N H A L T S V E R Z E I C H N I S DE


Sicherheit und Hinw ... ehmen wir keine Haftung. 17 N EU-

KONFORMITTSEKLRUNG Der Antrieb Art. Nr. DE 60560/60910/60915,

60911/60914 erfüllt die geltenden Anforderungen der europäischen und nationalen

Richtlinien. Die Konf...

lang:de score:21 filesize: 1.33 M page_count: 20 document date: 2019-04-03



[pdf]

Bedienungsanleitung SCHELLENBERG Schalter Â»Innentaster AufputzÂ« fÃ¼r die elektrische

Steuerung von Garagentoren online kaufen OTTO bb0e33d8 b110 5208 980c 2ff075da9502 d otto de

files |||

INNENTASTER FR GARAGENTORANTRIEBE 60060, 60061 SCHAUBILD

SICHERHEIT UND HINWEISE Sehr geehrte Kundi ... ner Elektrofachkraft durchgeführt


werden. SD-Antriebe Art. Nr. DE 60560, 60910, 60915, 60912, 60916 **60911**, 60914

SLIDE 400 Art. Nr. DE / 60804 PB GND PE 24 TWIN 300 Art. Nr. DE / 60820 12V G

F01...

lang:de score:19 filesize: 651.2 K page_count: 2 document date: 2019-11-18

DRIVE Action




17

[\[pdf\]](#)

MA201 60560 2018 12 K3 indd Aufbauanleitung SCHELLENBERG Garagentorantrieb Ä»DRIVE ActionÄ« mit GestÄ¼nge Beleuchtung online kaufen OTTO b5897458 1176 56ae 9106 7c8546b50934 d otto de files |||

DRIVE Action DE I N H A L T S V E R Z E I C H N I S DE Sicherheit und Hinweise 4 Grundfunktionen ... ehmen wir keine Haftung. 17 N EU-KONFORMITÄTSERKLRUNG Der Antrieb Art. Nr. DE 60560/60910/60915, **60911**/60914 erfüllt die geltenden Anforderungen der europäischen und nationalen Richtlinien. Die Konf...
lang:de score:18 filesize: 2.98 M page_count: 20 document date: 2018-12-13

SMARTPHONE GARAGE DOOR OPENER 60990



17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100


[\[pdf\]](#)

MA114 60990 2020 09 indd Montageanleitung Schellenberg Smartphone GaragentorÄ¼ffner mit LED Passend fÄ¼r Garagen und AuÄ¼entorantriebe Interne Stromversorgung BAUHAUS 1 media bahag cloud m 717486 ||| ||| SMARTPHONE GARAGE DOOR OPENER 60990 Art. Nr. 60990 6 V-36 V --- IP 20 -20 55 C max. 5 mA 2,4 GHz, 10 mW Alfred Schellenberg GmbH An den Weiden 31 . D-57078 Siegen DE GB FR NL PL IT

SMARTPHONE GARAGE DOOR OPENER 60990 Art. Nr. 60990 6 V-36 V --- IP 20 -20 55 C max. 5 mA 2,4 ... rive 800 U 60958 D rive Action 60560 S mart Drive 10 INT S mart Drive 14 INT 60912 60916 **60911** 60914 A4 PB GND PE 24V yellow green brown white 520B 6 00P 8 50P 60953 60960 60985...

lang:de score:16 filesize: 5.87 M page_count: 136 document date: 2020-10-26

SMARTPHONE GARAGE DOOR OPENER 60990, 60991




17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

[\[pdf\]](#)

MA114 60990 60991 2021 03 K1 indd smartphone garage door opener OTTO SMARTPHONE GARAGE DOOR OPENER Nov 2 — τ irir montageanleitung mta1 de schellenberg fileadmin Products DE All ||| SMARTPHONE GARAGE DOOR OPENER 60990, 60991 Art. Nr. 6 V-36 V --- IP 20 -20 55 C max 5 mA 2,4 ... rive 800 U 60958 D rive Action 60560 S mart Drive 10 INT S mart Drive 14 INT 60912 60916 **60911** 60914 C4 PB GND PE 24V yellow green brown white 520B 6 00P 8 50P 60953 60960 60985...


lang:de score:15 filesize: 6.01 M page_count: 140 document date: 2021-05-11



[pdf]

MA1 14 60990 60991 2021 03 K1 indd Bedienungsanleitung SCHELLENBERG Tor Funksteuerung
Smartphone Garagentoröffner PLUS mit LED für Garagentorantrieb Torantrieb Fernbedienung universal
zum Öffnen und Schließen per App 58ce75c9 44e4 52f5 b251 d64dd77b81c8 d otto de files |||
SMARTPHONE GARAGE DOOR OPENER 60990, 60991 Art. Nr. 6 V-36 V --- IP 20 -
20 55 C max 5 mA 2,4 ... rive 800 U 60958 D rive Action 60560 S mart Drive 10 INT S
mart Drive 14 INT 60912 60916 **60911** 60914 C4 PB GND PE 24V yellow green brown
white 520B 6 00P 8 50P 60953 60960 60985...


lang:de score:15 filesize: 5.99 M page_count: 140 document date: 2022-11-15



[pdf] Specifications

Technical SpecificationSchellenberg 60060 Wall Switch Surface Mount Indoor Use White Key Rapid
Electronics10 5333 v1static rapidonline 10 v1 |||
INNENTASTER FR GARAGENTORANTRIEBE 60060, 60061 SCHAUBILD
SICHERHEIT UND HINWEISE Sehr geehrte Kundin ... ner Elektrofachkraft durchgeführt
werden. SD-Antriebe Art. Nr. DE 60560, 60910, 60915, 60912, 60916 **60911**, 60914
SLIDE 400 Art. Nr. DE / 60804 PB GND PE 24 TWIN 300 Art. Nr. DE / 60820 12V G
F01...


lang:de score:14 filesize: 651.2 K page_count: 2 document date: 2019-11-18



[pdf] User Manual

operador de puerta garaje Unidad inteligente 10 14 Cuando utilice el desbloqueo emergencia tenga en
cuenta que la del abierta puede caer repentinamente debido a resortes débiles o rotos A1nPVL3jIL ref
dp product quick view m media amazon images I |||
Machine Translated by Google operador de puerta de garaje Unidad inteligente 10,
14 DE Machine Tra ... by Google NUEVA DECLARACION DE CONFORMIDAD DE LA
UE El accionamiento Art. No. DE 60560/60910/60915, **60911**/60914 cumple los
requisitos aplicables de las directivas europeas y nacionales. Se ha demostr...
lang:es score:13 filesize: 1.66 M page_count: 20 document date: 2023-05-08

operador de puerta de garaje
Unidad inteligente 10, 14




10

[\[pdf\]](#) User Manual

operador de puerta garaje Unidad inteligente 10 14 Cuando utilice el desbloqueo emergencia tenga en cuenta que la del abierta puede caer repentinamente debido a resortes débiles o rotos A1nPVL3jILm media amazon images | A1nPVL3jIL |||

Machine Translated by Google operador de puerta de garaje Unidad inteligente 10, 14 DE Machine Tra ... by Google NUEVA DECLARACION DE CONFORMIDAD DE LA UE El accionamiento Art. No. DE 60560/60910/60915, **60911**/60914 cumple los requisitos aplicables de las directivas europeas y nacionales. Se ha demostr...
lang:es score:13 filesize: 1.66 M page_count: 20 document date: 2023-05-08

SMARTPHONE GARAGE DOOR OPENER
60990, 60991



10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100


[\[pdf\]](#)

MA114 60990 60991 2021 03 K1 indd smartphone garage door opener OTTO Nov 2 — τ irit 08a16f8b 6156 51de 824b 6e9cd38550ed d otto de files |||

SMARTPHONE GARAGE DOOR OPENER 60990, 60991 Art. Nr. 6 V-36 V --- IP 20 - 20 55 C max 5 mA 2,4 ... rive 800 U 60958 D rive Action 60560 S mart Drive 10 INT S mart Drive 14 INT 60912 60916 **60911** 60914 C4 PB GND PE 24V yellow green brown white 520B 6 00P 8 50P 60953 60960 60985...

lang:de score:11 filesize: 6.01 M page_count: 140 document date: 2021-05-11

SMARTPHONE GARAGE DOOR OPENER
60990, 60991



10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

[\[pdf\]](#)

MA114 60990 60991 2021 03 K1 indd smartphone garage door opener Jul 20 — D Raccordement électrique à des automatismes de porte d autres fabricants D1 Chamberlain ML510EV D2 ML700EV ML1000EV D3 Hörmann media bahag cloud m 980865 1 |||

SMARTPHONE GARAGE DOOR OPENER 60990, 60991 Art. Nr. 6 V-36 V --- IP 20 - 20 55 C max 5 mA 2,4 ... rive 800 U 60958 D rive Action 60560 S mart Drive 10 INT S mart Drive 14 INT 60912 60916 **60911** 60914 C4 PB GND PE 24V yellow green brown white 520B 6 00P 8 50P 60953 60960 60985...

lang:de score:11 filesize: 5.67 M page_count: 140 document date: 2021-07-13