

Parryware C847K46

PARRYWARE Entice Range One Piece Floor Mounted Western Commode (White) User Manual

Model: C847K46

PRODUCT OVERVIEW

The PARRYWARE Entice Range One Piece Floor Mounted Western Commode is designed to save space while enhancing bathroom decor. It features a soft-close seat cover and a glossy white ceramic finish. This one-piece unit offers a sleek aesthetic and is easy to clean and maintain.



Image: Front view of the PARRYWARE Entice One Piece Floor Mounted Western Commode, showcasing its integrated design and white ceramic finish.

KEY FEATURES

- **One-Piece Floor-Mounted Design:** Seamless ceramic construction (630x370x690mm) for a sleek look and easy cleaning.
- **Soft-Close Slim Seat Cover:** Provides a quiet, anti-slam experience with durable seat and robust hinges.
- **Efficient S-Trap Outlet & Washdown Flushing:** Reliable S-Trap design ensures versatile plumbing fit and effective waste removal.
- **Premium Ceramic with Long-Term Warranty:** High-gloss, chip-resistant ceramic backed by a 10-year warranty on the bowl and 2-year on fixtures.
- **Elegant "Entice" Range Aesthetics:** Modern style with a captivating finish, suited for luxurious bathroom settings.

PRODUCT SPECIFICATIONS

Attribute	Detail
Brand	Parryware
Model Number	C847K46
Colour	White
Material	Ceramic (Commode), Plastic (Seat)
Dimensions (LxWxH)	630x370x690mm (Product), 28 x 17 x 6 cm (Package)
Item Weight	34 Kilograms
Installation Type	Floor Mounted
Shape	Oval
Included Components	Closet
Country of Origin	India

SETUP AND INSTALLATION

Installation of the PARRYWARE Entice One Piece Commode should ideally be performed by a qualified plumber to ensure proper function and adherence to local plumbing codes. The commode is designed for floor-mounted installation with an S-trap outlet.

General Installation Steps (Consult a Professional):

1. **Preparation:** Ensure the floor is level and the waste pipe (S-trap) is correctly positioned according to the

commode's dimensions.

2. **Flange Installation:** Install the floor flange securely to the waste pipe and floor.
3. **Wax Ring Placement:** Place a new wax ring over the flange.
4. **Setting the Commode:** Carefully lower the commode onto the wax ring and flange bolts, ensuring it is level and stable.
5. **Securing:** Hand-tighten the nuts onto the flange bolts, then use a wrench for a final snug fit, being careful not to overtighten and crack the ceramic.
6. **Water Supply Connection:** Connect the water supply line to the fill valve inlet on the commode tank.
7. **Testing:** Turn on the water supply and check for leaks. Flush the commode several times to ensure proper operation.
8. **Seat Cover Installation:** Attach the soft-close seat cover according to its specific instructions.

Note: Specific installation instructions may vary. Always refer to the detailed guide provided with the product packaging or consult a professional.

OPERATING INSTRUCTIONS

The PARRYWARE Entice One Piece Commode operates with a standard washdown flushing system. To flush, simply press the flush button located on top of the tank. The soft-close seat cover is designed to lower gently and quietly on its own, preventing slamming and extending the life of the seat.

- **Flushing:** Press the flush button firmly to activate the washdown flush.
- **Soft-Close Seat:** To close the seat, gently push it downwards. The soft-close mechanism will engage, allowing the seat and lid to lower slowly and silently. Do not force the seat down, as this can damage the mechanism.

CARE AND MAINTENANCE

Proper care and maintenance will ensure the longevity and pristine appearance of your PARRYWARE Entice Commode. The ceramic surface is extremely easy to maintain.

- **Regular Cleaning:** Use a mild bathroom cleaner or floor cleansing liquid periodically to keep the ceramic clean and sparkly.
- **Avoid Harsh Chemicals:** Do not use harsh acids, abrasive cleaners, or bleaching agents as prolonged use of these may result in surface corrosion, discoloration, or damage to the ceramic glaze and seat material.
- **Seat Cleaning:** Clean the plastic seat cover with a soft cloth and mild soap and water. Avoid abrasive pads or harsh chemicals that can scratch or damage the finish.
- **Soft-Close Mechanism:** Do not apply excessive force when closing the seat, as this can damage the soft-close mechanism.
- **Water Spots:** Wipe down the commode after use to prevent water spots and mineral buildup, especially in hard water areas.

TROUBLESHOOTING

If you encounter issues with your commode, refer to the common problems and solutions below. For complex issues, contact a qualified plumber or customer support.

- **Toilet Not Flushing Properly:**

- Check if the water supply valve behind the toilet is fully open.
- Ensure the flush chain inside the tank is not too loose or too tight.
- Inspect the flapper or flush valve for any obstructions or wear.

- **Toilet Running Continuously:**

- Check the flapper for a proper seal. It might be worn or misaligned.
- Adjust the fill valve to ensure the water level is not too high, causing overflow into the overflow tube.
- Inspect the fill valve for any debris or malfunction.

- **Leaks Around the Base:**

- This often indicates a faulty wax ring or loose flange bolts. This issue typically requires professional attention.
- Check the water supply line connection for tightness.

- **Slow Tank Filling:**

- Ensure the water supply valve is fully open.
- Check the fill valve for mineral buildup or obstructions.

WARRANTY AND SUPPORT

The PARRYWARE Entice Range One Piece Commode comes with a comprehensive warranty to ensure your peace of mind:

- **10-Year Warranty:** On the ceramic bowl against manufacturing defects.
- **2-Year Warranty:** On fixtures, including the soft-close seat cover and internal tank components.

For warranty claims, technical assistance, or any product-related inquiries, please contact Parryware customer support. Keep your purchase receipt as proof of purchase for warranty validation.

Manufacturer: Roca Bathroom Products Pvt. Ltd., Parryware

For support, visit the official Parryware website or contact their customer service helpline.