

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Richelieu](#) /

› [Richelieu Hardware BP78035195 Brossard Collection Cabinet Knob Instruction Manual](#)

Richelieu BP78035195

Richelieu Hardware BP78035195 Brossard Collection Cabinet Knob Instruction Manual

Model: BP78035195

PRODUCT OVERVIEW

The Richelieu Hardware BP78035195 Brossard Collection cabinet and drawer knob is a traditional hardware piece designed for use on kitchen, bathroom, and furniture cabinets. This knob features a classic round shape with subtle dotted details, providing a functional and aesthetic enhancement to your cabinetry. It is finished in Brushed Nickel and constructed from Zamak (zinc alloy).



Image: Richelieu Brossard Collection Brushed Nickel Cabinet Knob. This image displays the front view of the round knob with its brushed nickel finish and subtle dotted texture.

SETUP AND INSTALLATION

This cabinet knob is designed for straightforward installation. Each unit includes the necessary mounting hardware: 8/32 screws with a standard length of 1 inch (25 mm), featuring a quadrex pan head. These screws are compatible with most common melamine thicknesses, typically ranging from 5/8 inch to 3/4 inch (16 mm to 19 mm).

Installation Steps:

- Determine Spacing and Placement:** Before drilling, decide on the optimal placement for your knob on the cabinet door or drawer. Consider the center-to-center spacing if installing multiple pulls or the diameter for single knobs.
- Use a Drilling Template:** To ensure accurate and consistent placement, utilize a drilling template. This tool simplifies marking the precise location for the screw hole.
- Drill Holes:** Carefully drill a pilot hole at the marked location. Ensure the drill bit size is appropriate for the included

8/32 screws to prevent splitting the wood or creating an oversized hole.

4. **Install Knob:** Insert the screw through the back of the cabinet door or drawer and thread it into the knob. Tighten securely until the knob is firm, but avoid over-tightening to prevent damage.

Cabinet Hardware *in 4 Steps*


1 Determine pull and knob spacing



2 Choose placement



3 Use a drilling template to simplify the installation



4 Drill holes and install knobs or pulls with screws



Image: Visual guide for cabinet hardware installation. This graphic illustrates four key steps: determining spacing, choosing placement, using a drilling template, and drilling holes for installation.

Installation Video Guide:

Your browser does not support the video tag.

Video: Richelieu Hardware Installation Template for Knobs on Cabinet Door. This video demonstrates the process of using an installation template to mark and drill holes for cabinet knobs, ensuring precise placement.

OPERATION

To operate the cabinet knob, simply grasp the knob and pull or push the cabinet door or drawer to open or close it. Ensure the knob is securely fastened to allow for smooth and reliable operation.

MAINTENANCE

To maintain the appearance and longevity of your Richelieu cabinet knob, follow these guidelines:

- Clean regularly with a soft, damp cloth.
- Avoid using abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the Brushed Nickel finish.
- For stubborn marks, a mild soap solution can be used, followed by rinsing with clean water and drying thoroughly.
- Periodically check the tightness of the mounting screw and re-tighten if necessary to ensure the knob remains secure.

TROUBLESHOOTING

- **Knob is Loose:** If the knob feels loose, gently tighten the screw from the inside of the cabinet door or drawer using an appropriate screwdriver. Do not overtighten.
- **Knob Does Not Sit Flush:** Ensure the mounting surface is flat and free of debris. If the screw is too long for the cabinet thickness, it may prevent the knob from sitting flush. Verify the cabinet thickness is within the recommended 5/8 in to 3/4 in (16 mm to 19 mm) range for the included screws.
- **Difficulty Opening/Closing Cabinet:** Check if the knob is properly aligned and not obstructing the cabinet's movement. Ensure the cabinet hinges are functioning correctly.

SPECIFICATIONS

Model Number	BP78035195
Brand	Richelieu Hardware
Collection	Brossard Collection
Finish	Brushed Nickel
Material	Zamak (Zinc Alloy)
Dimensions (Length x Width)	1 3/8 in (35 mm) x 1 3/8 in (35 mm)
Projection	1 5/16 in (33 mm)
Included Screws	8/32 x 1 in (25 mm) Quadrex Pan Head
UPC	773199325482
Item Weight	2.83 ounces

Coordinate your Cabinet Hardware Finishes

Brushed Nickel



Image: Guide for coordinating cabinet hardware finishes. This image shows the Brushed Nickel knob against various cabinet finishes, illustrating its versatility.

WARRANTY INFORMATION

Specific warranty details for the Richelieu Hardware BP78035195 knob are not provided in this manual. For comprehensive warranty information, please refer to the official Richelieu Hardware website or contact their customer service directly.

SUPPORT AND CONTACT

For further assistance, technical support, or inquiries regarding the Richelieu Hardware BP78035195 Brossard Collection cabinet knob, please visit the official Richelieu Hardware website or contact their customer support department through the channels provided on their site.

Official Richelieu Website: www.richelieu.com

IMPORTANT SAFETY INFORMATION

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

© 2026 Richelieu Hardware. All rights reserved.