**Saved from manuals.plus.**
**Open the live page for links to other documents and user manuals.**



**FreedConn TCOM-SC**

# FreedConn TCOM-SC Bluetooth Motorcycle Helmet Intercom User Manual

## 1. Introduction

The FreedConn TCOM-SC is a Bluetooth intercom system designed for motorcycle helmets, offering seamless communication, mobile phone connectivity, music streaming, and FM radio functionality. This device enhances your riding experience by providing clear audio and reliable communication on the road.

## 2. Package Contents

Please check the package contents to ensure all items are present:




Image: All components included in the FreedConn TCOM-SC package.

- Bluetooth Headset Receiver (Host)
- Stereo Headphones with Microphone
- USB Charging Cable
- Helmet Clip with Fastening Screws
- Velcro Pads for Speakers
- Screwdriver
- User Manual

## 3. Product Overview and Controls

Familiarize yourself with the main unit and its controls:




Image: Diagram showing the buttons and LCD screen on the FreedConn TCOM-SC unit.

- **Multi-functional Button (Phone Icon):** Used for answering/ending calls, playing/pausing music, and pairing.
- **Wheel Control Button:** Rotate to adjust volume (up/down). Press to navigate menus or change functions.
- **LCD Screen:** Displays operational status, battery level, FM frequency, and other information.
- **Power/Intercom Button:** Used to power the device on/off and initiate/end intercom conversations.

## 4. Setup and Installation

### 4.1 Mounting the Intercom Unit

1. Choose a suitable location on the left side of your helmet.
2. Use the provided helmet clip to securely attach the intercom unit to the helmet shell. Ensure it is firmly in place.
3. Alternatively, use the adhesive bracket if the clip is not suitable for your helmet type.

### 4.2 Installing Speakers and Microphone

1. Attach the speaker with the microphone to the left ear area inside the helmet using the Velcro pads.
2. Attach the second speaker to the right ear area.
3. Position the microphone in front of your mouth, ensuring it is close enough for clear voice pickup but not obstructing your vision.
4. Connect the speaker/microphone cable to the main intercom unit.

## 5. Operating Instructions

### 5.1 Charging the Device

Connect the USB charging cable to the intercom unit and a USB power source. The LCD screen will indicate charging status. A full charge typically takes a few hours.

### 5.2 Power On/Off

- **Power On:** Press and hold the **Power/Intercom Button** for approximately 3 seconds until the LCD screen lights up.
- **Power Off:** Press and hold the **Power/Intercom Button** for approximately 3 seconds until the LCD screen turns off.

### 5.3 Bluetooth Pairing with Mobile Phone

1. Ensure the TCOM-SC is powered off.
2. Press and hold the **Multi-functional Button** (phone icon) for about 5-7 seconds until the LCD screen shows


## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

**Open the live page**

**https://manuals.plus/asin/B01KNWNTVQ**

More documents and user manuals: **https://manuals.plus/**