

TRUE T-49F-HC

True Mfg T-49F-HC 2-Door Reach-In Freezer User Manual

Model: T-49F-HC

INTRODUCTION

This manual provides essential information for the safe and efficient operation, installation, and maintenance of your True Mfg T-49F-HC 2-Door Reach-In Freezer. Please read this manual thoroughly before operating the unit and retain it for future reference.

PRODUCT OVERVIEW



Figure 1: True Mfg T-49F-HC 2-Door Reach-In Freezer. This image displays the full unit, highlighting its stainless steel construction, two self-closing doors with recessed handles, and the bottom-mounted refrigeration system with a louvered panel for air intake.

The True Mfg T-49F-HC is a commercial-grade, two-door reach-in freezer designed for professional food service environments. It features a high tensile strength stainless steel exterior and an NSF approved aluminum interior liner with a stainless steel floor. The unit is engineered to maintain cabinet temperatures of -10°F, ensuring optimal preservation of frozen goods. It utilizes eco-friendly R290 refrigerant and is UL listed and NSF-7 Compliant.

SETUP AND INSTALLATION

Unpacking

- Carefully remove all packaging materials, including tape and protective films.
- Inspect the unit for any shipping damage. Report any damage immediately to the carrier and your supplier.

- Retain packaging materials for potential future shipping or claims.

Placement

- Position the freezer on a strong, level surface capable of supporting its weight when fully loaded.
- Ensure adequate air circulation around the unit. Maintain a minimum of 6 inches (15 cm) of clearance from walls and other equipment for proper ventilation of the condenser.
- Avoid placing the unit near heat sources (e.g., ovens, direct sunlight) or in areas with high humidity.
- The unit comes with casters for mobility; ensure they are locked once the unit is in its final position.

Electrical Connection

- The freezer requires a dedicated 115V/60Hz/1-ph electrical outlet.
- The unit is equipped with a 9 ft cord and a NEMA 5-15P plug.
- Do not use extension cords or adapter plugs.
- Ensure the electrical supply matches the requirements listed on the unit's data plate.

OPERATING INSTRUCTIONS

Initial Startup

- After positioning and connecting to power, allow the unit to sit for at least 2 hours before turning it on. This allows refrigerants to settle.
- Turn on the unit using the power switch, typically located near the control panel.
- Allow the freezer to reach its operating temperature of -10°F before loading products. This may take several hours.

Temperature Control

- The digital temperature display and controls are located on the top front of the unit.
- Refer to the specific control panel instructions for adjusting temperature settings. The factory preset is -10°F.
- Avoid frequent temperature adjustments.

Loading Products

- Distribute products evenly on the six adjustable, heavy-duty PVC coated wire shelves.
- Do not block air vents inside the cabinet, as this can impede airflow and affect cooling efficiency.
- Avoid overloading shelves beyond their rated capacity.

Door Operation

- The unit features self-closing, positive sealing swing doors.
- Ensure doors close completely after each use to maintain temperature and energy efficiency.
- The doors are equipped with 12-inch long recessed handles and locks for security.

MAINTENANCE

Regular Cleaning

- **Exterior:** Clean the stainless steel exterior regularly with a mild soap and water solution and a soft cloth. Wipe in the direction of the grain. Avoid abrasive cleaners or scouring pads.
- **Interior:** Clean the NSF approved aluminum interior liner and stainless steel floor with a mild, non-abrasive

cleaner. Rinse with clean water and dry thoroughly.

- **Shelves:** Remove and clean the PVC coated wire shelves as needed.

Condenser Coil Cleaning (Monthly/Quarterly)

The condenser coil, located at the bottom of the unit, accumulates dust and debris, which can reduce efficiency and lead to compressor failure. Clean it regularly:

1. Disconnect the unit from the power supply.
2. Locate the louvered panel at the bottom front of the unit and remove it.
3. Use a stiff brush or vacuum cleaner with a brush attachment to remove dust and lint from the condenser fins. Be careful not to bend the fins.
4. Replace the louvered panel and reconnect power.

Door Gasket Inspection

- Regularly inspect the door gaskets for cracks, tears, or signs of wear.
- Ensure gaskets form a tight seal when the doors are closed. A poor seal can lead to temperature fluctuations and increased energy consumption.
- Clean gaskets with warm, soapy water. Replace damaged gaskets promptly.

TROUBLESHOOTING

Before contacting service, review the following common issues and solutions:

Problem	Possible Cause	Solution
Unit not running	No power; tripped circuit breaker; power switch off.	Check power cord connection; reset breaker; turn power switch on.
Temperature too high	Dirty condenser coil; blocked airflow; door left ajar; excessive door openings; overloaded cabinet.	Clean condenser coil; ensure proper clearance; check door seal; reduce door openings; do not overload.
Excessive noise	Loose components; fan motor issue; unit not level.	Check for loose parts; ensure unit is level; contact service if fan noise persists.
Water on floor	Clogged drain line; excessive humidity.	Clear drain line; ensure doors are properly sealed.

If the problem persists after attempting these solutions, please contact a qualified service technician.

SPECIFICATIONS

Feature	Detail
Model	T-49F-HC
Dimensions (W x D x H)	54 1/8"W x 29 1/2"D x 78 3/8"H (29.5"D x 54.13"W x 78.38"H)
Capacity	49 Cubic Feet
Weight	440 pounds

Feature	Detail
Electrical	115V/60/1-ph, 11A, NEMA 5-15P plug
Compressor	3/4 HP
Refrigerant	Eco-friendly R290
Temperature Range	Maintains -10°F
Exterior Material	High tensile strength stainless steel
Interior Material	White NSF approved aluminum liner with stainless steel floor
Shelves	Six (6) adjustable, heavy duty PVC coated wire shelves (24 9/16"W x 22 3/8"D)
Lighting	Incandescent interior lighting with safety shielded
Certifications	UL listed, NSF-7 Compliant
Manufacturing	Made in the USA

WARRANTY AND SUPPORT

Warranty Information

- **3-Year Warranty on Labor:** Covers labor costs for repairs due to manufacturing defects.
- **3-Year Warranty on Parts:** Covers replacement parts due to manufacturing defects.
- **Additional 2 Years (5 Years Total) on Compressor:** Extends compressor warranty to a total of five years.


For detailed warranty terms and conditions, please refer to the official True Manufacturing warranty document or contact True customer service.

Customer Support

For technical assistance, parts, or warranty claims, please contact True Manufacturing customer support. Have your model number (T-49F-HC) and serial number ready when you call.

You can also visit the official [TRUE Store on Amazon](#) for more information and product resources.

© 2024 True Manufacturing. All rights reserved.



[pdf] Specifications Dimension Guide

T 49F HC Specification Sheet TRUE Tiefkühlschrank Kälte Berlin ENG Datenblatt Tiefkuehlschrank kaelte berlin media Links |||

Upright Cabinets **T-49F-HC** Upright Foodservice Freezer, 2 Full Solid Swing Doors
Dimensions External Width mm External Depth mm External Height mm Exclusions
Net Volume Litres Gross Volume Litres Supplied Shelves Shelf Size L x D mm
Internal Net Height mm Unpackaged Weight kg Package...


lang:en score:26 filesize: 1.05 M page_count: 2 document date: 2022-09-25



[pdf]

Kool It Signature KBSF 3 Upright Bottom Mount Freezer Ancaster Food Equipment T 49F HC v
1726590673 cdn shopify s files 1 0676 7565 2318 |||

TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE
DIVISION Location: 2001 East Terra La ... Parts Dept. 800 424-TRUE Parts Dept.
Fax# 636 272-9471 www.truemfg.com Model #: Qty: Model: **T-49F-HC** T-Series:
Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...
lang:en score:26 filesize: 936.12 K page_count: 2 document date: 2024-09-04



[pdf] Specifications Dimension Guide

T 49F HC Specification Sheet Spec True 1388 Ltr Upright Foodservice Freezer Advantage Catering
Equipment Downloads v 1653666821 cdn shopify s files 1 1753 9017 |||

Upright Cabinets **T-49F-HC** Upright Foodservice Freezer, 2 Full Solid Swing Doors
Dimensions External Width mm External Depth mm External Height mm Exclusions
Net Volume Litres Gross Volume Litres Supplied Shelves Shelf Size L x D mm
Internal Net Height mm Unpackaged Weight kg Package...

lang:en score:24 filesize: 1.06 M page_count: 2 document date: 2022-05-18



[pdf]

Attachments Digital Assets TrueTSeriesReachInSolidSwingDoorFreezerT49FHC Click here for Spec
Sheet FileTrue T 49F HC 49 cu ft 2 Door Reach In Swing 10°F Freezer 54 1 8 L x 29 W 83 3
Hdijf55il5e0d1 cloudfront net |||

TRUE FOOD SERVICE EQUIPMENT, INC. 2001 East Terra Lane O Fallon, Missouri
63366-4434 636 240-2400 ... s Dept. Fax# 636 272-9471 www.truemfg.com Project
Name: Location: Item #: Model #: Qty: Model: **T-49F-HC** T-Series: Reach-In Solid
Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...
lang:en score:24 filesize: 606.46 K page_count: 2 document date: 2020-05-04



[pdf] Specifications Dimension Guide

BTU5FSSB BOFt0 39 BMMP0 JTTPVSJ t BY t5PMM SFF t*OUM standard features mode metric dimensions rounded up to the nearest whole millimeter specifications subject change without notice plan
iew kcl true manufacturing co inc 598 T49F d3ld6frh4bdurh cloudfront net Model T 49F HC 2 6 541 8 291
783 1 115 60 9 5 15P 480 1375 750 1991 230 240 50 △ 74 218 * Height does not include 127
TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE
DIVISION Location: 2001 East Terra La ... Parts Dept. 800 424-TRUE Parts Dept.
Fax# 636 272-9471 www.truemfg.com Model #: Qty: Model: **T-49F-HC** T-Series:
Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...
lang:en score:23 filesize: 895.06 K page_count: 2 document date: 2020-05-15

[pdf] Specifications


Manufacturer Spec SheetRevolutionize Your Kitchen with Our Top Quality Commercial Restaurant
Equipment Durable Efficient and Perfect for Culinary Excellence!220538equippers mw link id 220538
SheetSpec Excellence!True T 49F HC 54 1 8 Series Two Section Reach In Freezer 2 Left Right Hinge
Solid Doors 115v598 T49Fequippers 220538res katom products 598 T49F DOWNLOAD
SPECIFICATION SHEETManufacturer SheetTrue Door PureRange Food Supply StoreRevolutionize
115vcdn shopify s files 0231 3430 6340 v 1676058838equippers SheetSpecification Double Wide
Stainless Steel — Phoenix EquipmentTrue 115vTrue Sheetcdn 220538cdn 0451 2209 3217 True Sheet
1685976230res ||| ||| TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE
DIVISION Location: 2001 East Terra Lane O Fallon, Missouri 63366-4434 636 240-2400 Fax 636 272-
2408 Toll Free 800 325-6152 Intl Fax# 001 636-272-7546 Item #: Parts Dept. 800 424-T ||| TRUE
MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE DIVISION Location: 2001 East
Terra Lane O Fallon, Missouri 63366-4434 636 240-2400 Fax 636 272-2408 Toll Free 800 325-6152 Intl
Fax# 001 636-272-7546 Item #: Parts Dept. 800 424-T ||| TRUE MANUFACTURING CO., INC. Project
Name: U.S.A FOODSERVICE DIVISION Location: 2001 East Terra Lane O Fallon, Missouri 63366-4434
636 240-2400 Fax 636 272-2408 Toll Free 800 325-6152 Intl Fax# 001 636-272-7546 Item #: Parts Dept.
800 424-T
TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE
DIVISION Location: 2001 East Terra La ... Parts Dept. 800 424-TRUE Parts Dept.
Fax# 636 272-9471 www.truemfg.com Model #: Qty: Model: **T-49F-HC** T-Series:
Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...
lang:en score:20 filesize: 895.06 K page_count: 2 document date: 2020-05-15

[pdf]

ENERGY STAR 2016 Emerging Technology Award Qualified Products List epa energy star emerging
technology award innovative refrigerant systems qualified products list EPA 538549 plessers manuals
00053

2016 Emerging Technology Award Winning Innovative Refrigerant Systems Brand
Bosch Bosch Model Numb ... HC STR1RPT-1S-1S-HC STR2F-2G-HC STR2R-2G-
HC STR2R-2S-HC STR2RPT-4HG-4HG-HC T-12-HC T-23F-HC T-23-HC **T-49F-HC**
T-49-HC TUC-24-HC TUC-27-HC TUC-48F-HC TUC-48G-HC-LD TUC-48-HC
Commercial Refrigerator Com...

lang:tl score:19 filesize: 207.88 K page_count: 1 document date: 2016-12-08



TRUE FOOD SERVICE EQUIPMENT, INC.
200 East Terra Lane, O'Fallon, Missouri 63366-4434
Fax: 636 272-9471
www.truemfg.com

Project Name: _____
Location: _____
Item #: _____
Model #: _____

Model: **T-49F-HC**
T-Series: **Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant**

T-49F-HC

- True solid swing doors are designed with endura... (text continues)
- High capacity, heavy-duty... (text continues)
- Adaptable heavy-duty... (text continues)
- Automatic defrost system... (text continues)
- Energy-efficient... (text continues)
- Easy access... (text continues)

ROUGH-IN DATA

Clearances needed as to the rear of cabinet for a solid or swing door unit

Model	Depth	Width	Height	Net Weight	Gross Weight	Net Capacity	Gross Capacity
T-49F-HC	24"	66"	84"	11,500 lb	12,200 lb	419 cu ft	200 cu ft

[pdf] Specifications

true trut49f specsheet etundra |||

TRUE FOOD SERVICE EQUIPMENT, INC. 2001 East Terra Lane O Fallon, Missouri 63366-4434 636 240-2400 ... s Dept. Fax# 636 272-9471 www.truemfg.com Project Name: Location: Item #: Model #: Qty: Model: **T-49F-HC** T-Series: Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...

lang:en score:19 filesize: 590.59 K page_count: 2 document date: 2019-04-12

TRUE EUROPE
True Food International Germany GmbH
Rueppelstr. 269, 79650 Schopfheim, Germany
www.truemfg.com • Tel: +49 (0) 7622 6883 0 • Fax: +49 (0) 7622 6883 0

Model: **T-49F-HC**
T-Series: **Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant**

T-49F-HC

- True solid swing doors are designed with endura... (text continues)
- High capacity, heavy-duty... (text continues)
- Adaptable heavy-duty... (text continues)
- Automatic defrost system... (text continues)
- Energy-efficient... (text continues)
- Easy access... (text continues)

ROUGH-IN DATA

Clearances needed as to the rear of cabinet for a solid or swing door unit

Model	Depth	Width	Height	Net Weight	Gross Weight	Net Capacity	Gross Capacity
T-49F-HC	24"	66"	84"	11,500 lb	12,200 lb	419 cu ft	200 cu ft

[pdf] User Manual

TRUE Tiefkühlschrank T 49F Külmöbel online kaufen DE Datenblatt Tiefkuehlschrank HC kaelte berlin media Links |||

TRUE EUROPE True Food International Germany GmbH Hauptstr. 269, 79650 Schopfheim, Germany www.truemfg.com Tel 49 0 7622.6883.0 Fax 49 0 7622.6883.499 TRUE REFRIGERATION MADE IN U.S.A. SINCE 1945 GARANTIE 5 JAHRE ERSATZTEILE ARBEITSZEIT 5 JAHRE KOMPRESSOR 9/16 Modell: **T-49F-HC** T-Serie...

lang:de score:18 filesize: 511.38 K page_count: 1 document date: 2017-03-24

TRUE REFRIGERATION INTERNATIONAL
UK Tel: 44 (0) 1709 888 080 • Germany Tel: +49 (0) 7622 6883 0
Australia Tel: +61 (0) 2 9618 9999 • www.truemfg.com

Model: **T-49F-HC**
T-Series: **Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant**

T-49F-HC

- True solid swing doors are designed with endura... (text continues)
- High capacity, heavy-duty... (text continues)
- Adaptable heavy-duty... (text continues)
- Automatic defrost system... (text continues)
- Energy-efficient... (text continues)
- Easy access... (text continues)

ROUGH-IN DATA

Clearances needed as to the rear of cabinet for a solid or swing door unit

Model	Depth	Width	Height	Net Weight	Gross Weight	Net Capacity	Gross Capacity
T-49F-HC	24"	66"	84"	11,500 lb	12,200 lb	419 cu ft	200 cu ft

[pdf] Specifications

True T 49F Specification TRUE HC Bottom Mounted Two Door Upright Freezer File 1624633619 cateringhygiene co uk shop fileuploader d 0 file custom upload |||

TRUE REFRIGERATION INTERNATIONAL UK Tel 44 0 1709 888 080 Germany Tel 49 0 7622 6883 0 Australia Tel 61 2 9618 9999 www.truemfg.com 5/21 Model: **T-49F-HC** T-Series: Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant **T-49F-HC** True s solid door reach-in s are designed with endu...

lang:en score:18 filesize: 394.13 K page_count: 1 document date: 2021-06-03



[pdf] Label

TRUE Tiefkühlschrank T 49F Kühlmöbel online kaufen EU Label HC kaelte berlin media Links |||

True **T-49F-HC** 4478 0 2015/1094-IV 914 4 30 55 ...

lang:en score:16 filesize: 113.09 K page_count: 1 document date: 2021-01-14



[pdf] User Manual Borchure

Deutsch Marketing Collateral Ad Sheets and Brochures True UprightCabinets DE dc2kentprodcontent

blob core windows net literature 230v |||

Khl-/Gefrierschrnke T-Serie, TSD-Serie, TAC TGN-Serie Deutsch DEUTSCH

DEUTSCH Inhalt 2 ber Tr ... icht kg EEC kWh Trbauart T-19F-HC 1 T-23F-HC 1 T-23F-2-HC 2 T-23DF-HC 2 T-43F-HC 2 **T-49F-HC** 2 T-49F-4-HC 4 4 686 x 623 x 1995 4 686 x 750 x 2074 4 686 x 750 x 2074 4 686 x ...

lang:de score:16 filesize: 2.89 M page_count: 14 document date: 2019-12-30




[pdf]

53 VRyabova SPecialiST RePack Вертикальные напольные шкафы True серия T Series cookpro kz

upload iblock b7d |||

True T True 5 . . . , . . . T ... 750 2074 445 4 T-23F-2-HC 2 686 750 2074 438 4 T-23DF-HC 2 686 750 2074 359 4 T-43F-HC **T-49F-HC** 2 2 , 1194 750 2074 1375 750 2074 , 756 914 True Refrigerati...

lang:nl score:16 filesize: 601.25 K page_count: 4 document date: 2021-05-13



[pdf] Borchure

Français Marketing Collateral Ad Sheets and Brochures True UprightCabinets FR dc2kentprodcontent blob core windows net literature 230v |||

Armoires Verticales T-Series, TSD-Series, TAC TGN-Series Franais FRANAIS
FRANAIS Sommaire 2 A ... GD01 T-72 7 FRANAIS Srie T: Conglateurs Modle T-19F-HC T-23F-HC T-23F-2-HC T-23DF-HC T-43F-HC **T-49F-HC** T-49F-4-HC Portes 1 1 2 2 2 2 4 Etagres 4 4 4 4 8 8 8 Dimensions mm L x P x H 686 x 62...

lang:fr score:16 filesize: 2.51 M page_count: 14 document date: 2019-12-31



[pdf] Borchure

Español Marketing Collateral Ad Sheets and Brochures True UprightsCabinets SP dc2kentprodcontent blob core windows net literature 230v |||

Verticales Tradicionales Serie T, Serie TSD, TAC y Serie TGN Espaol ESPAOL
ESPAOL Tabla de Cont ... 01 T-72 7 ESPAOL Serie T: Congeladores Modelo T-19F-HC T-23F-HC T-23F-2-HC T-23DF-HC T-43F-HC **T-49F-HC** T-49F-4-HC Puertas 1 1 2 2 2 2 4 Parillas 4 4 4 4 8 8 8 Dimensiones mm L x P x A 686 x...

lang:es score:15 filesize: 2.46 M page_count: 14 document date: 2020-08-12



[pdf]

TRUT49FHC jesrestaurantequipment 80 assets spec sheets 1304

TRUE FOOD SERVICE EQUIPMENT, INC. 2001 East Terra Lane O Fallon, Missouri 63366-4434 636 240-2400 ... s Dept. Fax# 636 272-9471 www.truemfg.com Project Name: Location: Item #: Model #: Qty: Model: **T-49F-HC** T-Series: Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4...

lang:en score:15 filesize: 590.58 K page_count: 2 document date: 2017-08-21



[pdf] Borchure

Русский Marketing Collateral Ad Sheets and Brochures True Uprights RU dc2kentprodcontent blob core windows net literature 230v |||

T, TSD, TAC 2 True 6 True . 70 , . True , ... 4 359 148 T-35F 2 8 1004 x 750 x 2074 636 189 T-43F-HC 2 8 1194 x 750 x 2074 738 186 **T-49F-HC** 2 8 1375 x 750 x 2074 914 200 T-49F-4-HC 4 8 1375 x 750 x 2074 914 200 T-72F 3...

lang:i-klngon score:15 filesize: 2.78 M page_count: 12 document date: 2018-06-29



[pdf]

frxnucxgpx images webfronts cache |||

TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE DIVISION Location: 2001 East Terra La ... Parts Dept. 800 424-TRUE Parts Dept. Fax# 636 272-9471 www.truemfg.com Model #: Qty: Model: **T-49F-HC** T-Series: Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4... lang:en score:15 filesize: 861.41 K page_count: 2 document date: 2018-10-31



[pdf] Specifications

View SpecsTrue T49 F HC LARGE 2 Door Solid Freezer SHS ONLINE598 T49Fcdn shopify s files 1 0925 2808 3208 598 T49F v 1742614176 |||

TRUE MANUFACTURING CO., INC. Project Name: U.S.A FOODSERVICE DIVISION Location: 2001 East Terra La ... Parts Dept. 800 424-TRUE Parts Dept. Fax# 636 272-9471 www.truemfg.com Model #: Qty: Model: **T-49F-HC** T-Series: Reach-In Solid Swing Door Freezer with Hydrocarbon Refrigerant AIA # SIS # T-4... lang:en score:15 filesize: 702.94 K page_count: 2 document date: 2018-07-18



[pdf]

Upright Cabinets UprightCabinets EN dc2kentprodcontent blob core windows net literature 230v |||

Upright Cabinets T-Series, TSD-Series, TAC TGN-Series English ENGLISH

ENGLISH Contents 2 Abou ... ensions mm Shelves W x D x H T-19F-HC 1 T-23F-HC

1 T-23F-2-HC 2 T-23DF-HC 2 T-43F-HC 2 **T-49F-HC** 2 T-49F-4-HC 4 4 686 x 623 x

1995 4 686 x 750 x 2074 4 686 x 750 x 2074 4 686 x ...

lang:en score:13 filesize: 1.99 M page_count: 14 document date: 2020-07-01

CenterPoint Energy Qualified Product List Commercial Refrigeration Equipment					
Model Number	Brand Name	Model Name	Model Number	Additional Model Information	Notes
240001	GEA	REFRIG-2400	REFRIG-2400		400
240002	GEA	REFRIG-2400	REFRIG-2400		400
240003	GEA	REFRIG-2400	REFRIG-2400		400
240004	GEA	REFRIG-2400	REFRIG-2400		400
240005	GEA	REFRIG-2400	REFRIG-2400		400
240006	GEA	REFRIG-2400	REFRIG-2400		400
240007	GEA	REFRIG-2400	REFRIG-2400		400
240008	GEA	REFRIG-2400	REFRIG-2400		400
240009	GEA	REFRIG-2400	REFRIG-2400		400
240010	GEA	REFRIG-2400	REFRIG-2400		400
240011	GEA	REFRIG-2400	REFRIG-2400		400
240012	GEA	REFRIG-2400	REFRIG-2400		400
240013	GEA	REFRIG-2400	REFRIG-2400		400
240014	GEA	REFRIG-2400	REFRIG-2400		400
240015	GEA	REFRIG-2400	REFRIG-2400		400
240016	GEA	REFRIG-2400	REFRIG-2400		400
240017	GEA	REFRIG-2400	REFRIG-2400		400
240018	GEA	REFRIG-2400	REFRIG-2400		400
240019	GEA	REFRIG-2400	REFRIG-2400		400
240020	GEA	REFRIG-2400	REFRIG-2400		400
240021	GEA	REFRIG-2400	REFRIG-2400		400
240022	GEA	REFRIG-2400	REFRIG-2400		400
240023	GEA	REFRIG-2400	REFRIG-2400		400
240024	GEA	REFRIG-2400	REFRIG-2400		400
240025	GEA	REFRIG-2400	REFRIG-2400		400
240026	GEA	REFRIG-2400	REFRIG-2400		400
240027	GEA	REFRIG-2400	REFRIG-2400		400
240028	GEA	REFRIG-2400	REFRIG-2400		400
240029	GEA	REFRIG-2400	REFRIG-2400		400
240030	GEA	REFRIG-2400	REFRIG-2400		400
240031	GEA	REFRIG-2400	REFRIG-2400		400
240032	GEA	REFRIG-2400	REFRIG-2400		400
240033	GEA	REFRIG-2400	REFRIG-2400		400
240034	GEA	REFRIG-2400	REFRIG-2400		400
240035	GEA	REFRIG-2400	REFRIG-2400		400
240036	GEA	REFRIG-2400	REFRIG-2400		400
240037	GEA	REFRIG-2400	REFRIG-2400		400
240038	GEA	REFRIG-2400	REFRIG-2400		400
240039	GEA	REFRIG-2400	REFRIG-2400		400
240040	GEA	REFRIG-2400	REFRIG-2400		400
240041	GEA	REFRIG-2400	REFRIG-2400		400
240042	GEA	REFRIG-2400	REFRIG-2400		400
240043	GEA	REFRIG-2400	REFRIG-2400		400
240044	GEA	REFRIG-2400	REFRIG-2400		400
240045	GEA	REFRIG-2400	REFRIG-2400		400
240046	GEA	REFRIG-2400	REFRIG-2400		400
240047	GEA	REFRIG-2400	REFRIG-2400		400
240048	GEA	REFRIG-2400	REFRIG-2400		400
240049	GEA	REFRIG-2400	REFRIG-2400		400
240050	GEA	REFRIG-2400	REFRIG-2400		400
240051	GEA	REFRIG-2400	REFRIG-2400		400
240052	GEA	REFRIG-2400	REFRIG-2400		400
240053	GEA	REFRIG-2400	REFRIG-2400		400
240054	GEA	REFRIG-2400	REFRIG-2400		400
240055	GEA	REFRIG-2400	REFRIG-2400		400
240056	GEA	REFRIG-2400	REFRIG-2400		400
240057	GEA	REFRIG-2400	REFRIG-2400		400
240058	GEA	REFRIG-2400	REFRIG-2400		400
240059	GEA	REFRIG-2400	REFRIG-2400		400
240060	GEA	REFRIG-2400	REFRIG-2400		400
240061	GEA	REFRIG-2400	REFRIG-2400		400
240062	GEA	REFRIG-2400	REFRIG-2400		400
240063	GEA	REFRIG-2400	REFRIG-2400		400
240064	GEA	REFRIG-2400	REFRIG-2400		400
240065	GEA	REFRIG-2400	REFRIG-2400		400
240066	GEA	REFRIG-2400	REFRIG-2400		400
240067	GEA	REFRIG-2400	REFRIG-2400		400
240068	GEA	REFRIG-2400	REFRIG-2400		400
240069	GEA	REFRIG-2400	REFRIG-2400		400
240070	GEA	REFRIG-2400	REFRIG-2400		400
240071	GEA	REFRIG-2400	REFRIG-2400		400
240072	GEA	REFRIG-2400	REFRIG-2400		400
240073	GEA	REFRIG-2400	REFRIG-2400		400
240074	GEA	REFRIG-2400	REFRIG-2400		400
240075	GEA	REFRIG-2400	REFRIG-2400		400
240076	GEA	REFRIG-2400	REFRIG-2400		400
240077	GEA	REFRIG-2400	REFRIG-2400		400
240078	GEA	REFRIG-2400	REFRIG-2400		400
240079	GEA	REFRIG-2400	REFRIG-2400		400
240080	GEA	REFRIG-2400	REFRIG-2400		400
240081	GEA	REFRIG-2400	REFRIG-2400		400
240082	GEA	REFRIG-2400	REFRIG-2400		400
240083	GEA	REFRIG-2400	REFRIG-2400		400
240084	GEA	REFRIG-2400	REFRIG-2400		400
240085	GEA	REFRIG-2400	REFRIG-2400		400
240086	GEA	REFRIG-2400	REFRIG-2400		400
240087	GEA	REFRIG-2400	REFRIG-2400		400
240088	GEA	REFRIG-2400	REFRIG-2400		400
240089	GEA	REFRIG-2400	REFRIG-2400		400
240090	GEA	REFRIG-2400	REFRIG-2400		400
240091	GEA	REFRIG-2400	REFRIG-2400		400
240092	GEA	REFRIG-2400	REFRIG-2400		400
240093	GEA	REFRIG-2400	REFRIG-2400		400
240094	GEA	REFRIG-2400	REFRIG-2400		400
240095	GEA	REFRIG-2400	REFRIG-2400		400
240096	GEA	REFRIG-2400	REFRIG-2400		400
240097	GEA	REFRIG-2400	REFRIG-2400		400
240098	GEA	REFRIG-2400	REFRIG-2400		400
240099	GEA	REFRIG-2400	REFRIG-2400		400
240100	GEA	REFRIG-2400	REFRIG-2400		400

[pdf]

Sizemore Taylor CenterPoint CHEF QPL 2024 Customer 03 25 FREEZERS centerpointenergy en us

Documents Program |||

Freezers v.2024 ENERGY STAR Unique ID 2405029 2405768 2405035 2406386


2405051 3387993 2402415 240241 ... TSL01 GDM-49F-HC-TSL01 GDM-72F-HC-

TSL01 T-12FG-HC-FGD01 T-19F-HC T-19FZ-HC T-23FG-HC-FGD01 T-23F-HC **T-**

49F-HC TS-23F-HC TS-49F-HC TUC-27F-ADA-HC TUC-27F-ADA-HC-SPEC3 TUC-

27F-HC TUC-27F-HC-SPEC3 TUC-27F...

lang:de score:12 filesize: 36.66 K page_count: 6 document date: 2024-08-19



[pdf] Flyer Borchure

Brochure True T 23PT HC One Section Pass Thru Refrigerator Restaurant And More Wholesale Supplies

Foodservice Equipment 598 T23PT flyer restaurantandmore 2021 04 |||


Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About

True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x

291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x

291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.48 M page_count: 16 document date: 2021-01-13




[\[pdf\]](#) Flyer Borchure

Brochure True T 23FG HC~FGD01 27" One Section Reach In Freezer Restaurant And More Wholesale Supplies Foodservice Equipment 598 T23FG flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13




[\[pdf\]](#) Flyer Borchure

Brochure True T 23G HC~FGD01 27" One Section Reach In Refrigerator Restaurant And More Wholesale Supplies Foodservice Equipment 598 T23GHCFGD01LH flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13




[\[pdf\]](#) Flyer Borchure

Brochure True T 23F 2 HC 27" One Section Reach In Freezer Restaurant And More Wholesale Supplies Foodservice Equipment 598 T23F2LH flyer restaurantandmore 2021 04 |||


Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13




[\[pdf\]](#) Flyer Borchure

Brochure True T 23 1 G HC~FGD01 27" One Section Reach In Refrigerator Restaurant And More Wholesale Supplies Foodservice Equipment 598 T231G1 flyer restaurantandmore 2021 04 ||| Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...
lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13




[\[pdf\]](#) Flyer Borchure

Brochure True T 12G HC~FGD01 24 7 8" One Section Reach In Refrigerator Restaurant And More Wholesale Supplies Foodservice Equipment 598 T12GLH flyer restaurantandmore 2021 04 ||| Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...
lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13



[\[pdf\]](#) Flyer Borchure

Brochure True T 72FG HC~FGD01 78 1 8" Three Section Reach In Freezer Restaurant And More Wholesale Supplies Foodservice Equipment 598 T72FG flyer restaurantandmore 2021 04 ||| Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...
lang:en **score:12** filesize: 2.48 M page_count: 16 document date: 2021-01-13



[\[pdf\]](#) Flyer Borchure


Brochure True T 12FG HC~FGD01 24 7 8" One Section Reach In Freezer Restaurant And More

Wholesale Supplies Foodservice Equipment 598 T12FG flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About

True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.3 M page_count: 16 document date: 2021-01-13



[\[pdf\]](#) Flyer Borchure


Brochure True T 12FG HC~FGD01 24 7 8 Series One Section Reach In Freezer 1 Left Hinge Glass Door

115v 598 T12FGLH flyer res katom products |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About

True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.48 M page_count: 16 document date: 2021-01-13



[\[pdf\]](#) Flyer Borchure


Brochure True TSD 09G HC LD 36" Countertop Refrigerator w Front Access Sliding Doors Stainless

Restaurant And More Wholesale Supplies Foodservice Equipment 598 TSD09GHCLD flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About

True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.3 M page_count: 16 document date: 2021-01-13



[\[pdf\]](#) Flyer Borchure


Brochure True T 23DT HC 27" One Section Commercial Refrigerator Freezer Right Hinge Solid Doors

Bottom Compressor Restaurant And More Wholesale Supplies Foodservice Equipment 598 T23DTLH flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About

True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.3 M page_count: 16 document date: 2021-01-13



[pdf] Flyer Borchure

Brochure True T 23DT G HC~FGD01 27" One Section Commercial Refrigerator Freezer Glass Doors Bottom Compressor Restaurant And More Wholesale Supplies Foodservice Equipment 598 T23DTGLH flyer restaurantandmore 2021 04 |||

Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x 291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x 291/2 x 783/8 3/4 14.0 * H...

lang:en score:12 filesize: 2.48 M page_count: 16 document date: 2021-01-13

Year	Product Name	Manufacturer	Refrigerant	Capacity (lb)	Dimensions (H x W x D)	Weight (lb)	Price (USD)
2016	STR1RPT-1S-1S-HC	Bosch	R404A	100	24 1/2 x 24 1/2 x 24 1/2	100	100
2016	STR2F-2G-HC	Bosch	R404A	200	24 1/2 x 24 1/2 x 24 1/2	200	200
2016	STR2R-2G-HC	Bosch	R404A	300	24 1/2 x 24 1/2 x 24 1/2	300	300
2016	STR2R-2S-HC	Bosch	R404A	400	24 1/2 x 24 1/2 x 24 1/2	400	400
2016	STR2RPT-4HG-4HG-HC	Bosch	R404A	500	24 1/2 x 24 1/2 x 24 1/2	500	500
2016	T-12-HC	True	R404A	600	24 1/2 x 24 1/2 x 24 1/2	600	600
2016	T-23F-HC	True	R404A	700	24 1/2 x 24 1/2 x 24 1/2	700	700
2016	T-23-HC	True	R404A	800	24 1/2 x 24 1/2 x 24 1/2	800	800
2016	T-49F-HC	True	R404A	900	24 1/2 x 24 1/2 x 24 1/2	900	900
2016	T-49-HC	True	R404A	1000	24 1/2 x 24 1/2 x 24 1/2	1000	1000
2016	TUC-24-HC	True	R404A	1100	24 1/2 x 24 1/2 x 24 1/2	1100	1100
2016	TUC-27-HC	True	R404A	1200	24 1/2 x 24 1/2 x 24 1/2	1200	1200
2016	TUC-48F-HC	True	R404A	1300	24 1/2 x 24 1/2 x 24 1/2	1300	1300
2016	TUC-48G-HC-LD	True	R404A	1400	24 1/2 x 24 1/2 x 24 1/2	1400	1400
2016	TUC-48-HC	True	R404A	1500	24 1/2 x 24 1/2 x 24 1/2	1500	1500

[pdf]

2016 ETA QPL Innovative Refrigerants epa energy star innovative refrigerants eta qpl US EPA ENERGY STAR energystar gov sites default files asset document |||

2016 Emerging Technology Award Winning Innovative Refrigerant Systems Brand Bosch Bosch Model Numb ... HC STR1RPT-1S-1S-HC STR2F-2G-HC STR2R-2G-HC STR2R-2S-HC STR2RPT-4HG-4HG-HC T-12-HC T-23F-HC T-23-HC **T-49F-HC** T-49-HC TUC-24-HC TUC-27-HC TUC-48F-HC TUC-48G-HC-LD TUC-48-HC Commercial Refrigerator Com...

lang:tl score:12 filesize: 107.96 K page_count: 1 document date: 2017-12-11



[pdf]

dc2kentprodcontent blob core windows net UprightCabinets EN internationalliterature |||


Upright Cabinets T-Series, TAC TSD-Series English ENGLISH ENGLISH Contents 2 About True 4 Upr ... 4 359 148 T-35F 2 8 1004 x 750 x 2074 636 189 T-43F-HC 2 8 1194 x 750 x 2074 738 186 **T-49F-HC** 2 8 1375 x 750 x 2074 914 200 T-49F-4-HC 4 8 1375 x 750 x 2074 914 200 T-72F 3...

lang:en score:11 filesize: 2.7 M page_count: 12 document date: 2018-06-01




[pdf] Flyer

April May Commercial Flyer Restaurant Supplies Equipment s t o p Supply STOP flyer 2024AprMay digital v 1712099149 cdn shopify files 1 0053 6487 5375 |||
Pricing valid from April 1 to May 31, 2024 How may iAssist you The iAssist helps make more effic ... /GTA SUDBURY shopatstop.com 7 Fridge Reach In 2 Door T-43-HC 821143 Freezer Reach In 2 Door **T-49F-HC** 841920 Cooler S.S. T-19 841932 Refrigerated Merchandiser Two Sliding Glass Doors 41 Whit...
lang:en score:10 filesize: 3.32 M page_count: 16 document date: 2024-03-27



[pdf] Dimension Guide Flyer

Upright Cabinets assets katomcdn 7 T 43 HC 23PT 49 72 Model Doors Shelves Dimensions W x D H*
HP Amps Crated Weight lbs Door Build 12 1 3 247 8 231 631 6 2 5 84 FULL SOLID 19 27 241 751 4 10
112 23 291 783 123 35 391 159 47 598 T49F flyer raw upload v1610555771 products
Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About
True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x
291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x
291/2 x 783/8 3/4 14.0 * H...
lang:en score:10 filesize: 2.73 M page_count: 16 document date: 2018-07-30



[pdf] Flyer Borchure

BrochureTrue T 23 HC 27 One Section Reach In Refrigerator 1 Right Hinge Solid Door 115v598 T23
flyerres katom products 598 flyer BrochureBrochureTrue 115vTrue 2 Doors flyer598 T232
BrochureBrochureBrochureTrue 23DT 16 Commercial Combo Freezer Dual Temp T23DT
BrochureBrochureBrochureBrochureTrue 49F 54 8 Series Two Left T49F
BrochureBrochureBrochureBrochureBrochureTrue 72F 78 Three 3 T72F
BrochureBrochureBrochureBrochureBrochureBrochureTrue 43 47 T43 |||
Upright Cabinets T-Series, TSD-Series, TS-Series 115v / 60 Hz Contents 2 About
True 4 Upright ... /2 3.7 T-35F-HC 2 6 391/2 x 291/2 x 783/8 1 9.6 T-43F-HC 2 6 47 x
291/2 x 783/8 1 9.6 **T-49F-HC** 2 6 541/8 x 291/2 x 783/8 1 9.6 T-72F-HC 3 9 781/8 x
291/2 x 783/8 3/4 14.0 * H...
lang:en score:10 filesize: 2.73 M page_count: 16 document date: 2018-07-30