

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Schulte](#) /

› [Schulte Vertical Shower Door Seal Instruction Manual for 6mm Glass, 200cm, Transparent \(Model 4056397001126\)](#)

Schulte 4056397001126

Schulte Vertical Shower Door Seal Instruction Manual

Model: 4056397001126 | For 6mm Glass, 200cm, Transparent

1. PRODUCT OVERVIEW

The Schulte Vertical Shower Door Seal (Model D2900) is a transparent PVC sealing profile designed for shower doors and fixed glass panels. This high-quality seal effectively prevents water leakage between two framed glass elements, directing water back into the shower area.

It is flexible and can be easily cut to the desired length, making it suitable for various shower configurations. This seal is specifically designed for glass panels with a thickness of 6 mm.




Image 1.1: Schulte Vertical Shower Door Seal (Model D2900).

2. COMPATIBILITY

This vertical seal is compatible with glass panels that have a thickness of 6 mm. It is designed to fit models from the Schulte MasterClass and Garant series. Please verify your shower door's glass thickness before installation to ensure proper fit.

The seal is 210 cm long and can be shortened to match your specific shower door height.

3. INSTALLATION INSTRUCTIONS

Installation of the Schulte Vertical Shower Door Seal is designed to be straightforward and does not require special tools or adhesives. Follow these steps for a secure fit:

1. **Preparation:** Ensure the glass edges where the seal will be applied are clean and dry. Remove any old, worn seals.

2. **Measure and Cut:** Measure the exact height of your shower door or glass panel. Using a sharp utility knife or appropriate cutting tool, carefully cut the new seal to the measured length.
3. **Positioning:** Identify the correct orientation of the seal. The profile is designed to fit snugly onto the edge of the glass, with the sealing lips facing the interior of the shower to deflect water.
4. **Clip-on Installation:** Starting from one end, gently push the seal onto the edge of the glass panel. Apply even pressure along the entire length until the seal is fully seated. The seal is designed for a clip-on installation, ensuring a firm grip without the need for glue.
5. **Check Fit:** Once installed, check that the seal is uniformly attached along the entire glass edge and that there are no gaps.



Image 3.1: Cross-section diagram of the D2900 seal, illustrating its fit on 6mm glass panels with a 4mm gap between them.

4. MAINTENANCE

To ensure the longevity and effectiveness of your Schulte shower door seal, regular cleaning is recommended:

- **Cleaning:** Clean the seal regularly with mild soap and water. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the PVC material and reduce its transparency and flexibility.
- **Drying:** After cleaning, rinse thoroughly with clean water and wipe dry to prevent water spots and mineral buildup.
- **Inspection:** Periodically inspect the seal for any signs of wear, cracking, or discoloration. While durable, seals can degrade over time due to exposure to water, soap, and cleaning agents. Replace the seal if it shows significant signs of wear to maintain optimal water tightness.

5. TROUBLESHOOTING

- **Water Leakage:** If water leakage occurs after installation, check the following:
 - Ensure the seal is fully and evenly seated along the entire glass edge.
 - Verify that the seal's length matches the glass panel height precisely.
 - Confirm that the glass thickness is indeed 6 mm.
 - Inspect the seal for any damage or deformities that might compromise its sealing function.
- **Seal Not Fitting:** If the seal does not fit onto the glass, double-check the glass thickness. This seal is specifically designed for 6 mm glass.
- **Seal Appears Loose:** If the seal feels loose, it might not be fully clipped onto the glass. Apply firm, even pressure along its length to ensure it snaps into place.

6. SPECIFICATIONS

Product Name	Schulte Vertical Shower Door Seal
Model Number	4056397001126 (D2900)
Material	Polyvinyl Chloride (PVC)
Color	Transparent
Length	210 cm (can be shortened)
Compatible Glass Thickness	6 mm
Installation Type	Clip-on
Dimensions (L x W x H)	210 x 0.6 x 0.4 cm
Weight	100 grams
Components Included	1 D2900 Seal

7. WARRANTY INFORMATION

This Schulte product comes with a manufacturer's warranty of 2 years. Please retain your proof of purchase for any warranty claims. The warranty covers defects in materials and workmanship under normal use. It does not cover damage resulting from improper installation, misuse, or normal wear and tear.

8. SUPPORT AND CONTACT

For further assistance, questions, or to report any issues with your Schulte Vertical Shower Door Seal, please contact Schulte customer support. You can find contact information on the official Schulte website or through your retailer.

Manufacturer: Gebrüder Schulte

For more information about Schulte products, visit the [Schulte Brand Store](#).