

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Yardworks](#) /
- › [Yardworks Replacement Spool Instruction Manual](#)

## Yardworks 0602352

# Yardworks Replacement Spool Instruction Manual

Model: 0602352 (Primary Compatible Model)

## PRODUCT OVERVIEW

The Yardworks Replacement Spool is an essential accessory designed for use with compatible Yardworks string trimmers. This high-quality component features a durable ABS spool and a robust polyamide nylon line, engineered to provide efficient cutting and long-lasting performance for your lawn care needs.



This image displays the retail packaging for the Yardworks Replacement Spools. The package contains two black spools, each pre-wound with red trimmer line. The packaging highlights the 10-foot length of line per spool and indicates that it is a patented blend of

nylon and synthetic material designed for durability and impact absorption.

## SAFETY INFORMATION

### General Safety Precautions

**Warning:** This product can produce flying debris and sharp cut hazards. Always use appropriate safety gear during operation of your string trimmer. This includes, but is not limited to, safety glasses or goggles, hearing protection, sturdy footwear, long pants, and gloves. Ensure the work area is clear of bystanders and pets before operating the trimmer.

## COMPATIBILITY

This replacement spool is specifically designed to be compatible with the following Yardworks string trimmer models:

- Yardworks 24V Demand Feed Cordless Trimmer (Model 0602352)
- Yardworks 20V Telescopic Grass Trimmer (Model 060-2341)
- Yardworks 20V Non-Telescopic Grass Trimmer (Model 060-2342)

Always verify your trimmer's model number to ensure proper fit and function.

## KEY FEATURES

- **Easy Replacement:** Designed for quick and straightforward installation, minimizing downtime.
- **High-Quality Materials:** Constructed with a durable ABS spool and a robust polyamide nylon filament for an extended lifespan.
- **Aerodynamic Design:** Utilizes centrifugal force and aerodynamics to reduce drag and achieve efficient, fast cutting.
- **Flexible and Resistant:** The twisted line adds strength and durability, allowing the line to stretch and absorb impact when encountering hard surfaces.
- **Pre-wound Line:** Each spool comes pre-wound with 10 feet (approximately 3 meters) of trimmer line, ready for immediate use.

## INSTALLATION INSTRUCTIONS

### Replacing the Spool

To replace the spool on your Yardworks string trimmer, follow these steps carefully:

1. **Disconnect Power:** Before performing any maintenance, ensure the trimmer is unplugged from its power source or the battery pack is removed to prevent accidental startup.
2. **Remove Spool Cap:** Locate the spool cap on the trimmer head. Depending on your model, this may involve

pressing release tabs on the sides of the cap or twisting it counter-clockwise to unlock and remove.

- 3. Remove Old Spool:** Carefully lift out the old, empty, or damaged spool from the trimmer head. Note how the line was routed.
- 4. Insert New Spool:** Place the new Yardworks Replacement Spool into the trimmer head. Ensure the end of the trimmer line is fed through the eyelet on the trimmer head. Align any notches or guides on the spool with corresponding features inside the trimmer head.
- 5. Reattach Spool Cap:** Securely reattach the spool cap. Ensure it clicks firmly into place or is tightened properly by twisting clockwise until secure.
- 6. Test:** Reconnect power to the trimmer. Briefly activate the trimmer to ensure the line feeds correctly and the spool is securely seated.

## OPERATING GUIDELINES

### Using Your Trimmer with the New Spool

Once the replacement spool is correctly installed, operate your string trimmer according to its original instruction manual. The pre-wound line on this spool is designed for optimal performance with Yardworks trimmers. If your trimmer features an auto-feed mechanism, ensure proper line feeding by gently tapping the trimmer head on a firm surface as needed during operation.

## MAINTENANCE AND STORAGE

### Spool Care

- Storage:** Store unused replacement spools in a cool, dry place, away from direct sunlight and extreme temperatures. This helps maintain the flexibility and integrity of the trimmer line.
- Inspection:** Before each use, visually inspect the installed spool and line for any signs of damage, excessive wear, or tangles. Replace the spool if the line is brittle or significantly worn.
- Cleaning:** Periodically clean any grass clippings or debris from the trimmer head area to ensure smooth line feeding and prevent obstructions.

## TROUBLESHOOTING

### Common Issues and Solutions

Issue	Possible Cause	Solution
Line not feeding	Incorrect spool installation, tangled line inside spool, debris obstructing line exit.	Reinstall spool correctly, untangle any visible line, clear debris from trimmer head and eyelets.

Issue	Possible Cause	Solution
Line breaks frequently	Old or brittle line, repeatedly hitting hard surfaces (concrete, rocks), incorrect line type for application.	Ensure line is fresh and not degraded, avoid contact with hard surfaces, verify spool compatibility for your trimmer.
Spool does not fit	Incorrect model number or brand of replacement spool.	Verify your trimmer model number against the compatible models listed in this manual. Ensure you have a genuine Yardworks replacement spool.

## PRODUCT SPECIFICATIONS

Attribute	Detail
Brand	Yardworks
Model Number	0602352 (Primary compatible model)
Line Length	10 feet (approximately 3 meters) per spool
Line Material	Polyamide Nylon
Spool Material	ABS (Acrylonitrile Butadiene Styrene)
Color	Black (Spool), Red (Line)
Product Dimensions	Approximately 16.51 x 3.81 x 12.7 cm
Item Weight	Approximately 27.22 g (0.06 Pounds)
UPC	772418427006

## WARRANTY INFORMATION

Yardworks products are typically covered by a limited warranty. For specific details regarding the warranty period and terms for your replacement spool, please refer to the documentation included with your original string trimmer or visit the official Yardworks website. It is recommended to keep your purchase receipt as proof of purchase for any warranty claims.

## CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact Yardworks customer service. Contact information can usually be found on the official Yardworks website or on the packaging of your original product. You may also visit the [product page on Amazon.ca](#) for additional information and resources.

