

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Tribord](#) /

› [Tribord LJ100 100N AD Life Jacket User Manual](#)

Tribord LJ100 100N AD

Tribord LJ100 100N AD Life Jacket User Manual

Model: LJ100 100N AD

INTRODUCTION

This manual provides essential instructions for the safe and effective use, maintenance, and storage of your Tribord LJ100 100N AD Life Jacket. Please read this manual thoroughly before using the product. Proper use ensures your safety and extends the life of the jacket.



Image: The Tribord LJ100 100N AD Life Jacket, featuring a bright orange body, grey adjustable straps with orange buckles, and reflective elements on the shoulders. This image illustrates the front view of the life jacket.

SAFETY INFORMATION

The Tribord LJ100 100N AD Life Jacket is designed to provide buoyancy and assist in keeping a person afloat in water. It is a personal flotation device (PFD) and not a substitute for swimming ability or constant supervision.

- **Always wear the life jacket correctly:** Ensure all straps are securely fastened and adjusted for a snug fit.
- **Regular inspection:** Before each use, check for tears, punctures, damaged straps, or buckles. Do not use if damaged.
- **Weight and size limits:** This life jacket is designed for individuals weighing over 70 kg (154 lbs). Ensure it is appropriate for the user's weight.
- **Adult supervision:** Children and non-swimmers must always be supervised by a competent adult, even when wearing a life jacket.
- **Storage:** Store in a cool, dry place away from direct sunlight and chemicals.
- **Do not alter:** Never modify or attempt to repair the life jacket. This can compromise its effectiveness.

SETUP AND FITTING

1. **Unpack:** Remove the life jacket from its packaging.
2. **Inspect:** Visually inspect the life jacket for any signs of damage or wear before first use.
3. **Donning:** Put on the life jacket as you would a vest.
4. **Fasten Buckles:** Securely fasten all front buckles.
5. **Adjust Straps:** Tighten the adjustable straps around the waist and chest until the jacket fits snugly. The jacket should not ride up over your ears when you lift your arms.
6. **Leg Strap (if applicable):** If equipped with a leg strap, pass it between your legs and secure it to prevent the jacket from riding up.

A properly fitted life jacket should feel secure but not restrictive, allowing for full range of motion.

OPERATING INSTRUCTIONS

Once the life jacket is correctly fitted, it is ready for use in water activities.

- **Entry into Water:** Enter the water carefully. The life jacket will provide immediate buoyancy.
- **Buoyancy Test:** For first-time users, perform a buoyancy test in shallow, calm water to ensure proper fit and function. The jacket should keep your head above water.
- **Movement:** The design allows for freedom of movement while providing flotation.
- **Emergency Whistle:** If equipped, use the emergency whistle to attract attention in distress situations.

MAINTENANCE AND CARE

Proper maintenance will prolong the life of your Tribord LJ100 100N AD Life Jacket.

- **Rinsing:** After each use in salt water or chlorinated water, rinse the life jacket thoroughly with fresh water.
- **Cleaning:** Clean with mild soap and water. Do not use harsh detergents, bleach, or solvents, as these can degrade the material.
- **Drying:** Hang to air dry completely in a well-ventilated area, away from direct sunlight or heat sources. Do not machine wash or tumble dry.
- **Storage:** Store in a cool, dry place. Avoid folding or compressing for long periods, which can damage the buoyancy material.
- **Inspection:** Periodically check for signs of wear, such as fading, tears, loose stitching, or damaged buckles and straps.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Life jacket rides up excessively.	Straps are too loose or incorrect size.	Tighten all adjustable straps for a snug fit. Ensure the jacket is the correct size for the user's weight.

Problem	Possible Cause	Solution
Reduced buoyancy.	Damage to flotation material, waterlogging, or age.	Inspect for tears or punctures. Ensure proper drying after use. If buoyancy is significantly reduced, replace the life jacket.
Difficulty fastening buckles.	Buckles are dirty or damaged.	Clean buckles with fresh water. If damaged, the life jacket should be replaced.

SPECIFICATIONS

- **Model:** Tribord LJ100 100N AD
- **Buoyancy:** 100 Newton (N)
- **User Weight:** >70 kg (>154 lbs)
- **ASIN:** B01LEC54GC
- **Material:** Durable synthetic fabric with foam flotation.
- **Color:** Orange

WARRANTY AND SUPPORT

For information regarding warranty coverage or technical support, please refer to the official Tribord website or contact your retailer. Keep your proof of purchase for any warranty claims.

Online Resources: For additional information, safety tips, and product updates, visit the official [Tribord website](#).