

[Manuals.plus](#) /

› [Emsco Group](#) /

› Emsco Group Spigot Mounted Expandable Hose Hanger (Model 1586D) Instruction Manual

Emsco Group 1586D

Emsco Group Spigot Mounted Expandable Hose Hanger Instruction Manual

Model: 1586D

1. INTRODUCTION

The Emsco Group Spigot Mounted Expandable Hose Hanger provides a convenient and efficient solution for storing your garden hose. Designed for easy installation directly onto your outdoor spigot, this hanger keeps your hose neatly coiled and readily accessible. Its durable, weather-resistant construction ensures long-lasting performance.





Figure 1: Emsco Group Spigot Mounted Expandable Hose Hanger in use.

2. PRODUCT FEATURES

- **Spigot Mounted Design:** Easily attaches directly to your existing hose bibb or spigot, eliminating the need for additional hardware.
- **Lightweight and Durable:** Constructed from tough polyethylene, ensuring it will not kink or damage your faucet connection.
- **Weatherproof and Safe:** Impervious to water, weather, and corrosion. It will not rust like metal alternatives and features smooth edges to prevent hose punctures or skin scratches.
- **High Capacity:** Capable of storing up to 100 feet of standard garden hose without bending, cracking, or splitting.
- **Optional Screw Mounts:** Includes additional screw mount holes for securing the hanger to a post or wall for enhanced stability.

3. SAFETY INFORMATION

Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

Always handle the product with care. Ensure the hose is properly coiled to prevent tripping hazards.

4. SETUP AND INSTALLATION

1. **Identify Mounting Location:** Choose an outdoor spigot or a suitable wall/post near your watering area.
2. **Spigot Mounting (Primary Method):**
Simply slide the top opening of the hose hanger over your existing outdoor spigot. Ensure it sits securely and is level.




Figure 2: Attaching the hanger to a spigot.

3. Optional Wall/Post Mounting:

If you prefer a more permanent installation or additional stability, the hanger includes two pre-drilled screw mount holes. Position the hanger against the desired surface (wall or post) and mark the screw locations. Use appropriate screws (not included) to secure the hanger firmly.



Figure 3: Screw mounting holes for alternative installation.

4. **Verify Stability:** After installation, gently tug on the hanger to ensure it is securely attached and can support the weight of a coiled hose.

5. OPERATING INSTRUCTIONS

Using your Emsco Group Hose Hanger is straightforward:

1. **Coil Your Hose:** After use, coil your garden hose starting from the nozzle end, working your way back towards the spigot.
2. **Place on Hanger:** Loop the coiled hose around the hanger. The hanger is designed to accommodate up to 100 feet of hose.
3. **Ensure Even Distribution:** Distribute the hose weight evenly on the hanger to maintain balance and prevent stress on the spigot or mounting points.



Figure 4: Proper hose storage on the hanger.

6. MAINTENANCE

The Emsco Group Hose Hanger requires minimal maintenance due to its durable construction.

- **Cleaning:** Wipe the hanger with a damp cloth as needed to remove dirt or debris. Avoid harsh abrasive cleaners.
- **Inspection:** Periodically check the hanger for any signs of damage or wear. Ensure it remains securely attached to the spigot or mounting surface.
- **Weather Resistance:** The polyethylene material is weatherproof and freeze-proof, designed to withstand various outdoor conditions without corroding or rusting.

7. TROUBLESHOOTING

- **Hanger feels unstable:** Ensure the hanger is fully seated on the spigot. If using optional screw mounts, verify screws are tight and the mounting surface is solid.
- **Hose slips off:** Ensure the hose is coiled properly and evenly distributed on the hanger. Avoid overfilling beyond the recommended 100-foot capacity.
- **Damage to hanger:** While durable, extreme force or impact can cause damage. Inspect for cracks or breaks. If severely damaged, replacement may be necessary.

8. SPECIFICATIONS

Model Number:	1586D
Brand:	Emsco Group
Material:	Plastic (Polyethylene)
Color:	Gray
Hose Capacity:	Up to 100 feet
Item Weight:	0.25 Pounds
Item Dimensions (L x W x H):	8.5 x 3 x 4.5 inches
UPC:	072358015869

9. WARRANTY AND SUPPORT

For warranty information or product support, please contact Emsco Group customer service. Refer to your purchase documentation for specific warranty terms and contact details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question