

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

> [Symmons](#) /

> Symmons Identity S-6702-TRM-STN 1-Handle Tub & Shower Faucet Trim Kit User Manual

Symmons S-6702-TRM-STN

Symmons Identity S-6702-TRM-STN 1-Handle Tub & Shower Faucet Trim Kit

USER MANUAL

Introduction

This manual provides comprehensive instructions for the installation, operation, maintenance, and troubleshooting of your Symmons Identity S-6702-TRM-STN 1-Handle Tub & Shower Faucet Trim Kit. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your product. This trim kit requires a Symmons valve, which is not included.

Safety Information

- Always turn off the main water supply before installing or servicing the faucet.
- Wear appropriate personal protective equipment, such as safety glasses, during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Ensure all connections are secure to prevent leaks.
- Do not use harsh chemicals or abrasive cleaners on the product finish.

Package Contents

Verify that all components are present before beginning installation:

- Shower Valve Trim (Handle and Escutcheon)
- Shower Arm and Flange
- Showerhead (1 mode with easy-to-clean nozzles)
- Tub Spout (5 1/4 inch non-diverter)
- Installation Guide







Image: The Symmons Identity S-6702-TRM-STN 1-Handle Tub & Shower Faucet Trim Kit, showcasing the showerhead, single-handle control with diverter lever, and tub spout, all in a satin nickel finish.

Tools Required

The following tools are typically required for installation:

- Adjustable Wrench
- Phillips Head Screwdriver
- Flat Head Screwdriver
- Plumber's Tape (Thread Seal Tape)
- Caulk Gun and Silicone Sealant
- Safety Glasses

Installation Instructions

This trim kit is designed to be installed with a compatible Symmons valve (not included). Refer to your Symmons valve installation manual for rough-in and valve body installation. The following steps cover the trim kit installation.

1. **Prepare the Installation Area:** Ensure the main water supply is turned off. Clear the work area and have all necessary tools and components ready.
2. **Install the Tub Spout:** Apply plumber's tape to the threads of the tub spout pipe extending from the wall. Thread the non-diverter tub spout onto the pipe, ensuring it is hand-tight, then tighten with a wrench until secure and properly oriented. Do not overtighten.
3. **Install the Shower Arm and Flange:** Apply plumber's tape to the threads of the shower arm. Thread the shower arm into the shower pipe connection in the wall. Slide the shower arm flange against the wall, covering the opening.
4. **Attach the Showerhead:** Thread the showerhead onto the shower arm. Hand-tighten, then use a wrench to secure, ensuring the showerhead is facing downwards.
5. **Install the Valve Trim (Escutcheon and Handle):** Follow the specific instructions provided with your Symmons valve for attaching the escutcheon (cover plate) and handle. Typically, this involves securing the escutcheon to the valve body with screws, then attaching the handle to the valve stem. Ensure the handle operates smoothly and the diverter lever functions correctly.
6. **Seal Gaps:** Apply a bead of silicone sealant around the base of the tub spout, shower arm flange, and escutcheon where they meet the wall to prevent water penetration.
7. **Test for Leaks:** Once all components are installed and sealed, slowly turn on the main water supply and check all connections for leaks. Operate the faucet handle and diverter to ensure proper water flow from both the tub spout and showerhead.



Image: A modern bathroom featuring the Symmons Identity tub and shower trim kit, demonstrating its aesthetic integration into a shower-over-tub setup.



Image: A wider view of a bathroom, highlighting the Symmons Identity faucet trim kit as part of a complete bathroom design, including a vanity and mirror.

Operating Instructions

The Symmons Identity S-6702-TRM-STN features a single lever handle for temperature and flow control, and a secondary lever for diverter function.

- **Water Flow and Temperature:** Rotate the main lever handle to control water temperature (typically counter-clockwise for hot, clockwise for cold) and pull it out to increase flow. Push it in to decrease flow and turn off the water.
- **Diverter Function:** The small lever located below the main handle controls the water output. Move this lever to direct water flow between the tub spout and the showerhead.

Maintenance

Proper care and maintenance will ensure the lasting beauty and performance of your Symmons faucet trim kit.

- **Cleaning:** Clean the product regularly with a soft cloth and warm, soapy water. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, ammonia-based products, or scouring pads, as these can damage the finish.
- **Nozzle Cleaning:** The showerhead features easy-to-clean nozzles. Periodically rub the rubber nozzles to dislodge any mineral buildup.

Troubleshooting

Refer to the table below for common issues and their potential solutions.

Problem	Possible Cause	Solution
Low Water Flow	Clogged showerhead nozzles or aerator; partially closed shut-off valve.	Clean showerhead nozzles. Ensure shut-off valves are fully open.
Leaking from Connections	Loose connections; worn O-rings or seals.	Tighten connections. Inspect and replace O-rings or seals if damaged. Ensure plumber's tape was used.
Water Temperature Issues	Valve cartridge issue; water heater settings.	Consult your Symmons valve manual for cartridge troubleshooting. Check water heater settings.
Diverter Not Working	Diverter mechanism obstruction or wear.	Inspect diverter for debris. If issue persists, the diverter may need replacement.

Specifications

Feature	Detail
---------	--------

Feature	Detail
Model Number	S-6702-TRM-STN
Brand	Symmons
Color	Satin Nickel
Material	Metal
Finish Type	Satin Nickel
Number of Handles	1
Mounting Type	Wall Mount
Showerhead Flow Rate	2.0 gpm (7.6 L/min) standard
Tub Spout Length	5 1/4 inches (non-diverter)
Item Weight	2.96 pounds
Product Dimensions	3.75 x 6.38 x 6.38 inches
UPC	671256975284

Warranty Information

Symmons products are manufactured under the highest standards of quality and workmanship. For detailed warranty information, please refer to the official Symmons website or contact their customer support. Keep your proof of purchase for warranty claims.

Customer Support

If you have any questions, require technical assistance, or need to order replacement parts, please contact Symmons customer support:

- **Website:** Visit the official Symmons website for support resources and contact details.
- **Phone:** Refer to the Symmons website for the most current customer service phone numbers.