

Helinox Chair Zero

Helinox Chair Zero Ultralight Compact Camping Chair Instruction Manual

Model: Chair Zero (A1900600-CHA0BL)

Brand: Helinox

1. INTRODUCTION

The Helinox Chair Zero is an ultralight and compact camping chair designed for portability and comfort in outdoor environments. It is ideal for activities such as camping, backpacking, hiking, and motorcycle touring where minimizing weight and packed size is crucial. This manual provides essential information for the safe and effective use and maintenance of your Chair Zero.

2. SAFETY INFORMATION

- Do not exceed the recommended maximum weight of 265 pounds (111 kg).
- Follow all assembly instructions carefully to ensure safe installation and stability.
- Ensure the chair is placed on a stable, level surface to prevent tipping.

3. PRODUCT FEATURES

- **Ultralight Design:** Weighs approximately 1.1 pounds (500g) and packs down to a size smaller than a water bottle (4 x 4 x 14 inches packed).
- **Durable Construction:** Frame made from advanced DAC aluminum alloy for an optimal strength-to-weight ratio.
- **High-Performance Fabric:** Seat and carry sack are constructed from ultra-durable, lightweight, UV-resistant ripstop polyester.
- **Quick Setup:** Features a single internal bungee cord that self-assembles the poles for fast and easy setup.
- **Weight Capacity:** Supports up to 265 pounds.

4. SETUP INSTRUCTIONS

The Helinox Chair Zero is designed for quick and intuitive assembly. The frame poles are connected by an internal bungee cord, allowing them to self-assemble into the correct configuration.

1. **Unpack the Chair:** Remove the chair frame and seat fabric from the included carrying sack.
2. **Assemble the Frame:** Hold the center hub of the frame and gently shake it. The bungee-corded poles will snap into place, forming the chair's base. Ensure all connections are secure.
3. **Attach the Seat Fabric:** The seat fabric has sleeves at each corner. Identify the top of the seat, indicated by the "THIS SIDE UP" text and arrow. Begin by attaching the two top corners of the seat fabric to the longer poles of the frame.
4. **Secure Bottom Corners:** Once the top corners are attached, stretch the fabric down and attach the two bottom corners to the shorter poles of the frame. This may require a slight pull to ensure a snug fit.



Figure 1: Fully assembled Helinox Chair Zero.



Figure 2: Attaching the seat fabric to the frame.

Your browser does not support the video tag.

Video 1: Demonstration of Helinox Chair Zero assembly and disassembly.

5. OPERATING INSTRUCTIONS

Once assembled, the Chair Zero is ready for use. Simply sit down and enjoy the comfort. Due to its lightweight design, it is recommended to use the chair on relatively stable and even ground. While designed for outdoor use, avoid placing it on extremely uneven or soft surfaces that could compromise stability.



Figure 3: User enjoying the Helinox Chair Zero in an outdoor setting.

6. MAINTENANCE AND CARE

- **Cleaning the Seat Fabric:** The ripstop polyester seat and carry sack are machine washable. Use a gentle cycle with cold water and mild detergent. Line dry only; do not tumble dry.
- **Cleaning the Frame:** Wipe the DAC aluminum alloy frame with a damp cloth as needed. Avoid harsh chemicals or abrasive cleaners.

- **Storage:** When not in use, disassemble the chair and store it in its carrying sack in a cool, dry place away from direct sunlight to prolong its lifespan.

7. TROUBLESHOOTING

If you encounter any issues with your Helinox Chair Zero, please review the following common solutions:

- **Difficulty Assembling Frame:** Ensure all bungee-corded poles are fully extended and securely seated into their connectors. A gentle shake can help align them.
- **Difficulty Attaching Seat Fabric:** Make sure you are attaching the fabric with the "THIS SIDE UP" label facing upwards. Start with the top two corners, then stretch the fabric to attach the bottom two. The fabric is designed to fit snugly.
- **Chair Instability:** Verify that the chair is placed on a firm, level surface. Check all frame connections to ensure they are fully engaged.

8. SPECIFICATIONS

Feature	Specification
Brand	Helinox
Model Name	Chair Zero
Product Dimensions (Assembled)	20.5" W x 19" D x 25" H
Seat Height	8.5 inches
Packed Dimensions	4" x 4" x 14"
Item Weight	1.1 pounds (approx. 500g)
Maximum Weight Recommendation	265 Pounds (111 kg)
Frame Material	DAC Aluminum Alloy
Fabric Type	Lightweight Ripstop Polyester
Color	Black
Country of Origin	Vietnam



Figure 4: Detailed specifications for Chair Zero.

9. WARRANTY AND SUPPORT

The Helinox Chair Zero is backed by a manufacturer’s five-year warranty. For warranty claims, product support, or any inquiries, please refer to the official Helinox website or contact their customer service directly.