



[Manuals.plus](#) /

> [MARATHON](#) /

> MARATHON CL030025 Jumbo Atomic Wall Clock Instruction Manual

MARATHON CL030025

MARATHON CL030025 Jumbo Atomic Wall Clock Instruction Manual

Model: CL030025

INTRODUCTION

This manual provides instructions for the setup, operation, and maintenance of your MARATHON CL030025 Jumbo Atomic Wall Clock. This digital clock features self-setting atomic time, a large display for easy readability, and includes temperature and date functions. It is designed for indoor use and can be wall-mounted or used with its integrated stand.



Image: The CL030025 Jumbo Atomic Wall Clock held by a person, highlighting its large display and sleek design.

PACKAGE CONTENTS

- MARATHON CL030025 Jumbo Atomic Wall Clock
- AA Batteries (Quantity: 1)
- Instruction Manual (this document)

DELIVERED IN
PREMIUM PACKAGING
GREAT FOR GIFT GIVING!



Image: The CL030025 clock shown in its premium retail packaging.

SETUP

1. Battery Installation

1. Locate the battery compartment on the back of the clock.
2. Open the battery compartment cover.
3. Insert one AA battery, ensuring the correct polarity (+ and -).
4. Close the battery compartment cover.

2. Initial Atomic Signal Reception

Upon battery installation, the clock will automatically begin searching for the WWVB atomic time signal from Fort Collins, Colorado. This process may take several minutes to several hours, depending on your location and environmental conditions. A signal strength indicator (often a tower icon with waves) will appear on the display once a signal is received.

- For best reception, place the clock near a window and away from electronic devices that may cause interference.
- Avoid placing the clock on or near metal surfaces.

3. Time Zone and DST Setting

The clock typically defaults to Pacific Standard Time (PST). You may need to manually set your time zone and Daylight Saving Time (DST) preference. Refer to the buttons on the back of the clock for specific controls (e.g., "TIME ZONE", "DST").

4. Mounting the Clock

The clock can be wall-mounted or placed on a flat surface using its integrated stand.

- **Wall Mounting:** Use a screw (not included) and the keyhole slot on the back of the clock to securely hang it on a wall.
- **Tabletop Use:** Extend the integrated stand on the back of the clock to place it on a desk or shelf.



Image: The CL030025 clock displayed on an office wall, showing its suitability for various environments.

OPERATING INSTRUCTIONS

1. Reading the Display

The large digital display shows the current time (with AM/PM indicator), seconds, month, date, day of the week, and indoor temperature.



Image: A user interacting with a tablet, with the CL030025 clock clearly visible on the wall in the background, demonstrating its readability.

2. Temperature Unit Selection

To switch between Celsius (°C) and Fahrenheit (°F) temperature display, locate the "°C/°F" button on the back of the clock and press it.

3. Manual Time Setting (If Atomic Signal Unavailable)

In areas where the atomic signal cannot be received, you can manually set the time. Refer to the buttons on the back of the clock, typically labeled "SET", "HOUR", "MINUTE", etc., to adjust the time manually.

MAINTENANCE

1. Battery Replacement

When the battery low indicator appears on the display, replace the AA battery promptly to ensure continuous operation and accurate timekeeping. Follow the battery installation steps outlined in the Setup section.

2. Cleaning

Wipe the clock's display and frame with a soft, dry cloth. Do not use abrasive cleaners or solvents, as these may damage the surface.

TROUBLESHOOTING

- **Clock not displaying time:** Ensure batteries are correctly installed and not depleted. Replace if necessary.
- **No atomic signal reception:**
 - Relocate the clock to a different position, preferably near a window and away from electronic interference.
 - Allow up to 24 hours for the clock to receive the signal, especially during initial setup or after battery replacement.
 - Manually set the time if consistent signal reception is not possible in your location.
- **Incorrect time displayed:**
 - Verify that the correct time zone is selected.
 - Check DST settings if applicable to your region.
 - Ensure the atomic signal is being received (check signal indicator).

SPECIFICATIONS

Model Number	CL030025
Brand	MARATHON
Display Type	Digital
Power Source	Battery Powered (1 x AA)
Operation Mode	Atomic (Self-Setting)
Indoor/Outdoor Usage	Indoor
Mounting Type	Wall Mount / Tabletop Stand
Item Weight	1152 Grams
Dimensions	Approximately 16.65 inches (42.3 cm) x 10.62 inches (26.97 cm)
UPC	063442321058

10.62 inches
26.97 cm



16.65 inches
42.3 cm

Image: Dimensional drawing of the CL030025 clock, indicating its width and height.

PRODUCT VIDEO

Your browser does not support the video tag.

Video: An official product video demonstrating the features and functionality of the MARATHON CL030025 Jumbo Atomic Wall Clock, including its self-setting capabilities and display of time, date, and temperature.

WARRANTY AND SUPPORT

MARATHON products are manufactured to high-quality standards. For information regarding warranty coverage, technical support, or service, please refer to the contact details provided on the product packaging or visit the official MARATHON website. Keep your purchase receipt as proof of purchase for warranty claims.



© 2023 MARATHON. All rights reserved.