

## Teka CNL 6815 PLUS

# Teka CNL 6815 PLUS Semi-Integrated Range Hood Instruction Manual

Model: CNL 6815 PLUS

## 1. IMPORTANT SAFETY INFORMATION

Please read this instruction manual carefully before installing, operating, or performing maintenance on your Teka CNL 6815 PLUS range hood. Keep this manual for future reference.


- Ensure the electrical installation complies with local regulations.
- Do not allow children to operate the appliance without supervision.
- Always disconnect the appliance from the power supply before cleaning or maintenance.
- Do not flambé under the range hood.
- The air must not be discharged into a flue that is used for exhausting fumes from appliances burning gas or other fuels.
- Regularly clean the grease filters to prevent fire hazards.

## 2. SETUP AND INSTALLATION

The Teka CNL 6815 PLUS is a semi-integrated range hood designed for under-cabinet mounting. Proper installation is crucial for optimal performance and safety.

### 2.1 Dimensions and Mounting

Refer to the technical diagram for precise dimensions required for installation. The hood measures 56 x 30 x 27.3 cm (Length x Width x Height) and weighs 9.63 kg. It is designed for under-cabinet mounting.



Technical diagram showing the dimensions (in millimeters) for installing the Teka CNL 6815 PLUS range hood. Key measurements include overall length, width, height, and ducting connection points.

## 2.2 Electrical Connection

The appliance requires a 230 Volts power supply. Ensure the electrical circuit is properly grounded and protected by a suitable circuit breaker.

## 3. OPERATING INSTRUCTIONS

The Teka CNL 6815 PLUS range hood offers efficient ventilation with user-friendly controls.

### 3.1 Power and Speed Control

The hood features five speed settings plus an intensive mode to adjust the suction power according to your cooking needs. The maximum airflow capacity is 730 cubic meters per hour.

TEKA



### **Turbina ECOPOWER**

Motor blindado de doble turbina

### **Frente inox**

Frente inox anti huella  
extraíble y sustituible

### **Velocidades**

Cinco velocidades + intensiva

Image of the Teka CNL 6815 PLUS range hood, emphasizing its ECOPOWER turbine for efficient operation and the control panel for selecting various speeds.

### **3.2 LED Lighting**

The integrated LED lighting provides clear illumination of your cooking area, enhancing visibility and energy efficiency.



The Teka CNL 6815 PLUS range hood, illustrating its LED illumination bar, suction time programmer, and A-class energy efficiency for optimal performance with minimal consumption.

### **3.3 Suction Timer**

Utilize the suction time programmer to set the hood to operate for a specific duration, automatically turning off after the set time.

## **4. MAINTENANCE**

---

Regular maintenance ensures the longevity and efficient operation of your range hood.

### **4.1 Cleaning the Grease Filters**

The hood is equipped with deflector type grease filters. These filters should be cleaned regularly, typically every 2-4 weeks depending on usage, to maintain optimal airflow and prevent grease buildup. They can usually be washed by hand with warm soapy water or in a dishwasher.

### **4.2 Exterior Cleaning**

Clean the stainless steel exterior with a soft cloth and a non-abrasive cleaner specifically designed for stainless

steel. Avoid harsh chemicals or abrasive pads that could scratch the surface.

### 4.3 LED Light Replacement

If an LED light requires replacement, contact a qualified service technician. Do not attempt to replace LED components yourself.

## 5. TROUBLESHOOTING

If you encounter issues with your range hood, refer to the following common troubleshooting steps:


- **Hood not turning on:** Check if the appliance is properly plugged in and if the circuit breaker has tripped.
- **Low suction power:** Ensure the grease filters are clean and not clogged. Check for any obstructions in the ducting.
- **Excessive noise:** Verify that the hood is securely mounted and that no components are loose. Check for obstructions in the fan or ducting.
- **Lights not working:** Check if the light switch is on. If individual LEDs are out, professional service may be required.

If the problem persists after performing these checks, contact customer support.

## 6. SPECIFICATIONS

Detailed technical specifications for the Teka CNL 6815 PLUS range hood:

Feature	Value
Model Number	40436840
Dimensions (L x W x H)	56 x 30 x 27.3 cm
Weight	9.63 Kilograms
Material	Stainless Steel
Airflow Capacity	730 Cubic Meters per Hour
Noise Level	70 Decibels
Voltage	230 Volts
Light Source Type	LED
LED Power	9 Watts
Filter Type	Deflector
Mounting Type	Under Cabinet
Energy Efficiency Class	A



The energy label for the Teka CNL 6815 PLUS, indicating its energy efficiency class A, annual energy consumption of 55 kWh, and noise level of 70 dB.



## Ficha de eficiencia energética europea

**Nombre o marca comercial del proveedor:** TEKA

**Identificador del modelo:** CNL 6815 PLUS

**Parámetros generales del producto:**

PARÁMETRO	VALOR	PARÁMETRO	VALOR
Consumo de energía anual (kWh)	54,5	Clase de eficiencia energética	A
Eficiencia fluidodinámica	33,07926829	Clase de eficiencia fluidodinámica	A
Eficiencia de iluminación (W)	43,3	Clase de eficiencia de iluminación	A
Eficiencia del filtrado de grasa	84	Clase de eficiencia del filtrado de grasa	C
Flujo de aire, velocidad mínima en utilización normal (m3/h)	295	Flujo de aire, velocidad mínima en utilización normal (m3/h)	555
Flujo de aire, uso ultrarrápido o reforzado (m3/h)	730	Ruido acústico aéreo emitido ponderado por el valor A, velocidad mínima de utilización normal (dB)	53,1
Ruido acústico aéreo emitido ponderado por el valor A, velocidad máxima de utilización normal (dB)	65,3	Ruido acústico aéreo emitido ponderado por el valor A, velocidad ultrarrápida o reforzada (dB)	70,4
Consumo eléctrico en modo apagado (W)	N/A	Consumo eléctrico en modo standby (W) (si procede)	-

A detailed European energy efficiency data sheet for the Teka CNL 6815 PLUS, listing parameters such as annual energy consumption, fluid dynamic efficiency, illumination efficiency, grease filtering efficiency, airflow rates, and acoustic noise levels.

## 7. WARRANTY

---

This Teka CNL 6815 PLUS range hood comes with a **2-year manufacturer warranty**. Please retain your proof of purchase for any warranty claims. The warranty covers manufacturing defects and malfunctions under normal use conditions.

## **8. CUSTOMER SUPPORT**

---

For further assistance, technical support, or to inquire about spare parts, please contact Teka customer service through their official website or the contact information provided with your purchase documentation.

You can also visit the official Teka website for FAQs and additional product information.