

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [AMIGO](#) /

> [AMIGO Force of Will Magic Circle Deck Box - Instruction Manual \(Model 84849\)](#)

AMIGO 84849

AMIGO Force of Will Magic Circle Deck Box - Instruction Manual

Model: 84849

1. INTRODUCTION

This manual provides instructions for the proper use and care of your AMIGO Force of Will Magic Circle Deck Box (Model 84849). This deck box is designed to protect and organize your standard-sized trading cards, such as those used in Force of Will, Magic: The Gathering, and Pokémon. It features a durable, archival-safe construction and a distinctive design.




Figure 1: AMIGO Force of Will Magic Circle Deck Box, featuring the multi-colored Magic Circle artwork on its front.

2. SETUP

The AMIGO Force of Will Magic Circle Deck Box is ready for immediate use upon unboxing. No assembly is required.

1. **Opening the Deck Box:** Gently lift the self-locking lid from the front of the box. The lid is designed to securely close to prevent accidental opening.
2. **Inserting Cards:** Place your standard-sized trading cards (up to 2.5" x 3.5" in sleeves) vertically into the main compartment. The box can hold approximately 80 cards in sleeves.
3. **Using the Divider:** A bonus deck divider is included. Insert this divider into the box to separate different card types, sideboards, or multiple decks.
4. **Closing the Deck Box:** Align the lid with the base and press down gently until the self-locking mechanism engages, securing your cards inside.

3. OPERATING

The deck box is designed for straightforward operation and reliable card protection.

- **Card Capacity:** The box is designed to comfortably hold up to 80 standard-sized cards when they are protected by sleeves.
- **Secure Closure:** The self-locking lid ensures that your cards remain safely inside the box during transport and storage.
- **Archival Safety:** Constructed from archival-safe, polypropylene materials, the deck box helps prevent damage and degradation to your valuable cards over time.

4. MAINTENANCE

To ensure the longevity and appearance of your deck box, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the exterior of the deck box with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as these may damage the material or artwork.
- **Storage:** Store the deck box in a cool, dry place away from direct sunlight and extreme temperatures to prevent material degradation.
- **Avoid Overfilling:** Do not force more cards into the box than its intended capacity, as this can stress the material and potentially damage the box or your cards.

5. TROUBLESHOOTING

Most issues with a deck box are minor and easily resolved.

- **Lid not closing securely:**
 - Ensure no cards or other objects are obstructing the lid's closing mechanism.
 - Check if the box is overfilled. Remove some cards if necessary.
- **Cards do not fit:**
 - Verify that your cards are standard-sized (up to 2.5" x 3.5"). This deck box is not designed for oversized or mini cards.
 - If using double sleeves, the capacity may be slightly reduced.

6. SPECIFICATIONS

| | |
|-------------------------------|--------------------------------------------|
| Brand | AMIGO |
| Model Number | 84849 |
| Material | Polypropylene |
| Card Capacity | Up to 80 standard-sized cards (in sleeves) |
| Compatible Card Size | Up to 2.5" x 3.5" |
| Product Dimensions | 3.6 x 3.2 x 5.8 inches |
| Item Weight | 1.06 ounces (0.03 Kilograms) |
| Water Resistance Level | Water Repellent |
| Opening Mechanism | Lift-Off Lid (Self-locking) |
| Number of Compartments | 2 (main compartment + divider) |

| | |
|-------------------------------------|----------------|
| Manufacturer Recommended Age | 6 years and up |
|-------------------------------------|----------------|

7. WARRANTY AND SUPPORT

For specific warranty information or product support, please refer to the manufacturer's official website or contact their customer service directly.

Manufacturer: Ultra Pro (as per product specifications).

