

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [STANLEY](#) /

› [STANLEY 10-788 Retractable Blade Utility Knife User Manual](#)

STANLEY 10-788

STANLEY 10-788 Retractable Blade Utility Knife User Manual

Model: 10-788

INTRODUCTION

Thank you for choosing the STANLEY 10-788 Retractable Blade Utility Knife. This manual provides essential information for the safe and effective use, maintenance, and care of your new tool. Please read these instructions thoroughly before operation and retain for future reference.

The STANLEY 10-788 is a contractor-grade utility knife designed for durability and ease of use. It features a robust cast metal core, bi-material soft panels for a secure grip, and a convenient tool-free push-button blade change mechanism.

IMPORTANT SAFETY INFORMATION

WARNING: Utility knives are sharp and can cause severe injury if not handled properly. Always exercise extreme caution.

- Always wear appropriate personal protective equipment, such as safety glasses and gloves, when using or changing blades.
- Keep fingers and body parts away from the blade's path.
- Ensure the blade is fully retracted when not in use.
- Do not use excessive force when cutting. Let the blade do the work.
- Never throw or drop the knife.
- Store the knife in a secure location, out of reach of children and unauthorized users.
- Dispose of dull or broken blades safely in a designated container.
- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm (Proposition 65 warning). Wash hands after handling.

PACKAGE CONTENTS

Verify that all items are present in your package:

- 1 x STANLEY 10-788 Retractable Blade Utility Knife
- 3 x Stainless Steel Utility Blades (pre-installed or in storage compartment)

SETUP: LOADING AND CHANGING BLADES

The STANLEY 10-788 features a tool-free push-button blade change mechanism and integrated blade storage.

- 1. Accessing Blade Storage:** Locate the swing-out blade storage compartment on the handle. Gently open it to access new blades. The knife can store up to 10 blades.
- 2. Removing an Old Blade:**
 - Ensure the blade is fully extended.
 - Press the yellow push-button located near the front of the knife.
 - While holding the button, carefully slide the old blade out from the front of the knife. Dispose of the old blade safely.
- 3. Inserting a New Blade:**
 - With the yellow push-button still pressed, insert a new standard utility blade into the front slot.
 - Slide the blade fully into position until it clicks securely.
 - Release the push-button. Gently pull on the blade to ensure it is locked in place.



Image 1: The STANLEY 10-788 Retractable Blade Utility Knife. Note the yellow push-button for blade release and the overall ergonomic design.

OPERATION

Retracting and Extending the Blade

- To extend the blade, push the black slider forward until the blade locks into the desired cutting position.
- To retract the blade, pull the black slider backward until the blade is fully enclosed within the handle. Always retract the blade when not actively cutting.

Using the Utility Knife

1. Ensure the blade is sharp and securely locked.
2. Place the material to be cut on a stable, protected surface.
3. Hold the knife firmly with a sure grip, utilizing the bi-material soft panels and curved handle for comfort and control.
4. Apply steady, even pressure and guide the blade along the cutting line. Make multiple passes if necessary for thicker materials.
5. After cutting, immediately retract the blade.

Integrated String Cutter

The STANLEY 10-788 includes an integrated string cutter located at the base of the blade housing. This feature allows for quick cutting of string, cord, or thin materials even when the main blade is fully retracted.

- To use, simply place the string or cord into the V-shaped notch of the cutter and pull.



Image 2: The STANLEY 10-788 Utility Knife held in a hand, illustrating its compact size and ergonomic design for comfortable use.

MAINTENANCE

- **Cleaning:** Periodically wipe down the knife with a dry cloth to remove dust, debris, or residue. Avoid using harsh chemicals or abrasive cleaners.
- **Blade Condition:** Regularly inspect the blade for dullness or damage. A dull blade requires more force and increases the risk of injury. Replace blades as needed.
- **Storage:** Store the utility knife in a dry environment to prevent corrosion. Ensure the blade is fully retracted before storage. The large hang hole allows for convenient pegboard storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Blade does not extend or retract smoothly.	Debris in the blade channel; damaged slider mechanism.	Clean the blade channel. If the issue persists, the mechanism may be damaged, and replacement might be necessary.
Blade feels loose or wobbly.	Blade not fully seated; incorrect blade type; worn blade retention mechanism.	Ensure the blade is correctly inserted and the push-button is released. Use standard utility blades. If the problem continues, the knife may need replacement.
Difficulty cutting materials.	Dull blade; incorrect cutting technique.	Replace the blade with a new, sharp one. Review operating instructions for proper cutting technique.

SPECIFICATIONS

Model Number	10-788
Brand	STANLEY
Style	Retractable
Blade Material	Metal, Stainless Steel
Handle Material	Rubber
Body Material	Alloy Steel (Cast Metal Core)
Color	Black/Silver
Item Length	140 Millimeters
Item Weight	4.54 g (0.16 ounces)
Blade Storage Capacity	Up to 10 blades
UPC	714602344645

WARRANTY AND SUPPORT


For information regarding warranty coverage, product support, or to purchase replacement parts, please visit the official STANLEY website or contact their customer service department.

Online Support: www.stanleytools.com

Please have your model number (10-788) and purchase date available when contacting support.


© 2025 STANLEY. All rights reserved. Information in this manual is subject to change without notice.

Related Documents - 10-788



[Stanley Knives and Blades: Innovation, Features, and Selection Guide](#)

Explore Stanley's comprehensive range of innovative utility knives and blades, featuring S³ Technology, SharpTooth™ technology, and a detailed selection guide. Find the perfect cutting tool for any task.



[\[pdf\]](#) Guide

2010 11 Anaheim Ducks Media Guide ana assets sbnation 474802 |||

TABLE OF CONTENTS Staff Directory 3 Media Information 5 Front Office Biographies 6 Coaches

lang:en score:20 filesize: 15.18 M page_count: 318 document date: 2010-09-27




[\[pdf\]](#) Catalog

enex market Catalogue 1 stanley eu ru |||

4 191 7 12 32 53 55 55 58 64 198 240 , , 260 261 2 ... 10-480 18- .

www.stanleyrussia.com , . 79 10-122 TITAN **10-788** INSTANT CHANGE 10-819 fatmax xtreme 10-778 FATMAX 10-499 499 10-020 INTERLOCK 10-189 10-099 ...

lang:en score:15 filesize: 11.09 M page_count: 111 document date: 2013-02-06



[\[pdf\]](#) Declaration of Conformity Borchure Catalog

STANLEY NEXT Launch Brochure ICSTNEXTBR13 STHT30825 100010373 McLendon Hardware Catalog

assets unilogcorp 187 ITEM DOC |||

THE NEXT GENERATION OF STANLEY TOOLS. stanleytools.com 1863 Stanley introduced hammers to their li ... 10828 DESCRIPTION QUICKSLIDETM KNIFE UPC 076174108286 EASY SLIDE MECHANISM BOTTLE OPENER SKU # **10-788** DESCRIPTION INSTANTCHANGETM KNIFE UPC 076174107883 Stores 10 Blades Stores 10 Blades STO...


lang:en score:15 filesize: 3.46 M page_count: 8 document date: 2014-04-02



[pdf] Catalog

Stanley Hand Tools Catalog The Works 0900766b80d46907docs rs online c526 0900766b80d46907 ||| FatMax Xtreme™ Retractable Utility Knife Rugged, all-metal construction stands up to the most extreme work conditions and retractable slide Large hang hole for pegboard storage Padded thumb rest Product SKU No. **10-788** Handle Inches mm 6-1/2 165 Box/Ctn 6 / 36 SWIVELS OPEN FOR QUICK BLADE CHANGE, NO TOOL...

lang:en score:14 filesize: 211.59 K page_count: 1 document date: 2009-08-14



[pdf] Stanley Knives and Blades: Innovation, Features, and Selection Guide

Explore Stanley's comprehensive range of innovative utility knives and blades, featuring S³ Technology, SharpTooth™ technology, and a detailed selection guide. Find the perfect cutting tool for any task.

lang:en score:14 filesize: 1.7 M page_count: 12 document date: 2006-05-15



[pdf] Borchure Catalog

Mini Catalog 2014 ind indd User stanley eu Stanley Bestsellers ru BROCHURES 2013 ||| Stanley 1843 . 0-14-206 0-14-207 0-14-208 2-14-563 2-14-566 2-14-562 2-14-564 2-14-56 ... 50 MM 260 250 . 0.7 - 1.2 , 1 0-10-819 0-10-789 0-10-778 0-**10-788** 0-10-707 2-10-099 0-10-088 0-10-818 0-10-780 0-10-705 2-10-199 0-10-820 2 FATMAX ...


lang:i-klngon score:14 filesize: 7.71 M page_count: 48 document date: 2014-05-26



[pdf] Specifications

SPECIFICATION 2 7 16 x 3 in Knife Stanley Ferguson 1595416 6458166 specification fergusonprod a bigcontent io v1 static ||| Knives Blades STANLEY InstantChange™ Retractable Blade Utility Knife Durable, all-metal knife b ... 11-921 : 3. Retractable Blade Positions: 3. Works with most standard utility blades. Product # **10-788** # of Blades 3 Overall Length in 6-1/2 Body Color Gray/Black STANLEY QuickChange™ Retra...

lang:en score:14 filesize: 548.25 K page_count: 1 document date: 2020-05-28



[pdf] Catalog

Stanley Hand Tools Catalog Knives Page Black Decker 11 041 STANLEY UTILITY BLADE FOR 10 049 1 PACK Rexel USA b38b8eb1b7f4bb4763507d25e327a0a1ba224f73 i 038A009A DCF6 4F38 9121 F01515F0EDA2 rexel cdn products |||

KNIVES BLADES Stanley manufactured its first utility knife back in 1935, and it didn't take long for ... n cause it to break, possibly resulting in bodily injury. Knives SKU # 10-789 SKU # 10-778 SKU # **10-788** SKU # 10-779 FatMax Xtreme Twin Blade Knife 2 knives in 1 - new twin blade design allows th...

lang:en score:14 filesize: 1.91 M page_count: 18 document date: 2011-10-04




[pdf] Brochure

Мы видели как трудно одному человеку измерить расстояние более 2 х ме Advices stanley eu ru BROCHURES 2013 |||

, 2- , 4- . . The Beast . , ... 10-480 18- . www.stanleyrussia.com , . 79 10-122 TITAN **10-788** INSTANT CHANGE 10-819 fatmax xtreme 10-778 FATMAX 10-499 499 10-020 INTERLOCK 10-189 10-099 ...


lang:da score:14 filesize: 19.7 M page_count: 72 document date: 2013-02-07



[pdf] Catalog

Stanley Hand Tools Catalog Knives StanleyHandToolsCatalog 2011 stanleytools 80 xhtml literature KNIVES BLADES Stanley manufactured its first utility knife back in 1935, and it didn't take long for ... n cause it to break, possibly resulting in bodily injury. Knives SKU # 10-789 SKU # 10-778 SKU # **10-788** SKU # 10-779 FatMax Xtreme Twin Blade Knife 2 knives in 1 - new twin blade design allows th...

lang:en score:14 filesize: 2 M page_count: 18 document date: 2011-03-01



[\[pdf\]](#) Borchure

stanley eu TOP Positions 2013 ru BROCHURES |||

2012 Stanley 1843 . 2-14-563 2-14-566 2-14-562 2-14-564 2-14-567 2-14-568 0-14-206 ... -, DYNAGRIP 18- 175 18 , 0-10-425 0-10-189 0-10-780 0-10-788 0-10-810 0-10-825 0-10-150 0-10-151 0-10-409 0-10-095 2-10-099 2-10-199 0-10-231 0-10-232 0-1...

lang:i-klingon score:14 filesize: 5.68 M page_count: 32 document date: 2012-10-29



[\[pdf\]](#)

stanley eu Stanley HT 2016 ua |||

SKELETON 175 : 115 . 0-10-253 FATMAX 60 HRC, . . . 991-1998, Carbide, 5192 DYNAGRIP 180 . . 8- . . Interlock 0-10-788 1991-1998, Carbide, 5192 QUICKSLIDE 110 , . . . 0-10-...

lang:i-klingon score:14 filesize: 8.81 M page_count: 64 document date: 2016-04-15



[\[pdf\]](#)

Безымянный 1 ehehe hfjd Stanley HT 2017 stanley eu ua |||

2 1843 2017 STANLEY , . . STANLEY RULE LEVEL.Co,1879. ... 991-1998, Carbide, 5192 DYNAGRIP 180 . 8- . . . Interlock 0-10-788 1991-1998, Carbide, 5192 FOLDING UTILITY 160 0-10...

lang:i-klingon score:14 filesize: 4.95 M page_count: 64 document date: 2017-04-27



[pdf] Borchure

ST HT Brochure 2018 stanley eu ru pt BROCHURES |||

STANLEY 1843 . STANLEY WORKS . , , . 1857 STANLEY RULE LEVEL CO . 1869

STAN ... ,2 , . 0-10-789 FMHT0-10288 0-10-778 0-10-810 0-10-788 FATMAX

XTREME 2- . . Interlock: . 5

lang:es score:14 filesize: 6.36 M page_count: 41 document date: 2018-11-12

MESSER
MIT EINZIEHBARER UND FESTSTEHENDER KLINGE

Arbeitsmesser mit einziehbarer Klinge ermöglichen das schnelle Verändern der Klinge bei Nichtgebrauch. Abhängig vom Modell können die Klänge in bis zu 5 verschiedenen Stufen einrasten und ermöglichen dem Anwender damit das präzise Schneiden verschiedener Materialien.

STANDARD							
Artikel-Nr.	Bezeichnung	Blattlänge	Schneidmaterial	Griffmaterial	Klingenanzahl	Aufhängen	Lieferumfang
STHT1004	Messer mit einziehbarer Klinge und Klappverschluss (mit Sicherheit)	100 mm	Zinkdruckguss	Bi-Material*	10 Stück in 10 Klappen	✓	30 Klappen
STHT1005	Messer mit einziehbarer Klinge und Klappverschluss (mit Sicherheit)	100 mm	Zinkdruckguss	Zinkdruckguss	10 Stück in 10 Klappen	✓	30 Klappen
STHT1006	Messer mit einziehbarer Klinge und Klappverschluss (mit Sicherheit)	100 mm	AlSi-Material	Kunststoff	10 Stück in 10 Klappen	✓	30 Klappen
STHT1007	Messer mit einziehbarer Klinge und Klappverschluss (mit Sicherheit)	100 mm	Zinkdruckguss	Zinkdruckguss	10 Stück in 10 Klappen	✓	30 Klappen
STHT1008	Messer mit einziehbarer Klinge und Klappverschluss (mit Sicherheit)	100 mm	Zinkdruckguss	Zinkdruckguss	10 Stück in 10 Klappen	✓	1 Klinge

ALLROUNDER							
Artikel-Nr.	Bezeichnung	Blattlänge	Schneidmaterial	Griffmaterial	Klingenanzahl	Aufhängen	Lieferumfang
STHT1009	Schnelldrehendes Profimesser mit einziehbarer Klinge	100 mm	Zinkdruckguss	Bi-Material*	10 Stück in 10 Klappen	✓	30 Klappen
STHT1010	Messer Typ mit einziehbarer Klinge	100 mm	Zinkdruckguss	Zinkdruckguss	10 Stück in 10 Klappen	✓	30 Klappen
STHT1011	Messer Typ mit einziehbarer Klinge	100 mm	Zinkdruckguss	Bi-Material*	10 Stück in 10 Klappen	✓	30 Klappen
STHT1012	Messer Typ mit einziehbarer Klinge	100 mm	Zinkdruckguss	Bi-Material*	10 Stück in 10 Klappen	✓	30 Klappen

PROFESSIONELL							
Artikel-Nr.	Bezeichnung	Blattlänge	Schneidmaterial	Griffmaterial	Klingenanzahl	Aufhängen	Lieferumfang
STHT1013	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 20 Klappen
STHT1014	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 20 Klappen
STHT1015	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 10 Klappen
STHT1016	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 10 Klappen
STHT1017	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 10 Klappen
STHT1018	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Kunststoff	10 Stück in 10 Klappen	✓	1 Klinge & 10 Klappen
STHT1019	Messer PROFIPRO mit einziehbarer Klinge	100 mm	Zinkdruckguss	Bi-Material*	10 Stück in 10 Klappen	✓	1 Klinge & 10 Klappen

THE MEASURE OF A PRO™
STANLEY PROFESSIONAL

[pdf]

ST Messer Matrix 2024 PRINT DE DMK1 stanley eu chde Matrizen |||


MESSER MIT EINZIEHBARER UND FESTSTEHENDER KLINGE Arbeitsmesser mit

einziehbarer Klinge ermöglichen d Bezeichnung Messerlinge Gehusematerial

Griffmaterial Klingensmagazin Aufhngese Lieferumfang 0-10-788 Schnellwechsel-

Profimesser mit einziehbarer Klinge 180 mm Zinkdruckguss Bi-Material* fr b...

lang:de score:14 filesize: 5.54 M page_count: 2 document date: 2024-06-14



[pdf] Guide Declaration of Conformity Annual Report

Aberdeen Standard SICAV I Morningstar Document Library recovery would hinge on how quickly an

effective Covid 19 vaccine Please remember that past performance is not a guide to future returns key

31a0f020286d95dafaeee22ff1e4fc525bfe850aab1d4c441f3bc33b47b0edc3 doc morningstar

d09039885dcfb2dd5b22277cd3062c3e msdoc LegalDocument content medirect azureedge net

getdocument.aspx?id=313808183 |||


A berdeen Standard Investments Aberdeen Standard SICAV I Annual Report and

Accounts For the year en ... ative instruments, converted into their corresponding

underlying equivalents as per ESMA Guidelines 10-788 BOX 2. Netting and Hedging

might be considered for financial derivative and their underlying...

lang:en score:14 filesize: 8.66 M page_count: 764 document date: 2020-12-18



[pdf] Catalog

griesanas instrumenti stanley eu lv catalogue |||

GRIESANAS INSTRUMENTI KxxxlxZVLTIES xxxx NxxxAZI UN ASMEUS Pasaul slaven Stanley naza radtji pi ... gas spiedienu Ergonomisks divu materiļu korpuss - precīzai griezumam kontrolei un rīta lietošanai 0-10-788 QuickSlide KABATAS NAZIS 180 mm X 6 3253560107888 Tikai metāla konstrukcija - izturīga, uz...

lang:id score:13 filesize: 3.72 M page_count: 39 document date: 2013-01-24




[pdf] Catalog

TIMOKATALOΓΟΣ 2012 Stanley Κατάλογος Εργαλείων Χειρός stanley eu gr Catalogues |||

2012 Stanley 2012. : . Stanley, 4993 5,95 . . intellock: . . . 8 . . . 0-10-788 1-98-456 180mm X 6 3253560107888 13,23 - 6 3253566984563 10,80 QUICKSLIDE ...

lang:i-klngon score:13 filesize: 29.93 M page_count: 348 document date: 2012-01-19



[pdf] Declaration of Conformity Catalog

Stanley Hand Tools Catalog Knives KNIFE LINOLEUM FLOORING 2 3 4 BLADE LENGTH STA 10 509

Ballard IndustrialStanley 399 Catalogassets unilogcorp ITEM DOC |||

KNIVES BLADES Stanley manufactured its first utility knife back in 1935, and it didn't take long for ... n cause it to break, possibly resulting in bodily injury. Knives SKU # 10-789 SKU # 10-778 SKU # 10-788 SKU # 10-779 FatMax Xtreme Twin Blade Knife 2 knives in 1 - new twin blade design allows th...

lang:en score:13 filesize: 2 M page_count: 18 document date: 2011-03-01



[\[pdf\]](#) Borchure Catalog

Mini Catalog 2014 2015 indd User Ручной инструмент Bestsellers stanley eu ru BROCHURES |||
 2014-2015 Stanley 1843 . 0-14-206 0-14-207 0-14-208 2-14-563 2-14-566 2-14-562 2-14- ... 50 MM 260 250 . 0.7 - 1.2 , 1 0-10-819 0-10-789 0-10-778 0-**10-788** 2-10-099 0-10-088 2-10-199 0-10-189 0-10-820 2 FATMAX XL 205 EU : , ...


lang:i-klngon score:13 filesize: 7.6 M page_count: 48 document date: 2014-10-10



[\[pdf\]](#)

STANLEY katalog 2018 19 stanley eu pl |||
 KATALOG NARZDZI 2018/2019 www.STANLEYWORKS.pl www.STANLEYWORKS.pl
 STANLEY I BDZIESZ LIDEREM Od 184 ... 9 10-189 10-193 10-199 10-237 10-242 10-243 10-245 10-299 10-499 10-704 10-705 10-707 10-778 10-780 **10-788** 10-789 10-810 10-812 10-813 10-818 10-819 10-825 10-855 STHT0-10192 STHT0-10193 STHT0-10194 F...

lang:pl score:13 filesize: 166.13 M page_count: 396 document date: 2018-03-23



[\[pdf\]](#) Specifications Datasheet

STANLEY® INSTANTCHANGE™ Retractable Blade Utility Knife with InstantChange™ tool free push button blade change for hassle changes datasheet 2501017847 01 filename* UTF 8 asset eezybridge ad7e7626 8f4a 4edb b78d 9ca040e321dd 2317219 |||

menu search person home chevron_left Utility Knives 0-**10-788** STANLEY INSTANTCHANGETM Retractable Blade Utility Knife ar ow_back_ios arow_forward_ios favorite_border Add to Wishlist How can we help STANLEY Retractable Blade Utility Knife with InstantChange™ tool-free, push-button, blade chang...

lang:en score:13 filesize: 217.13 K page_count: 3 document date: 2023-09-28



[\[pdf\]](#) Accessories Catalog

STANLEY TOOLS 2024 Catalog 3 1 stanley eu dk |||

STANLEY TOOLS 2024 THE MEASURE OF A PRO™

www.STANLEYWORKS.SDEK NO FI A STORY BEHIND EVERY TOOL ...

RETRACTABLE UTILITY KNIVES OVERVIEW TYPE 0-10-789 FATMAX PRO 0-10-819 FATMAX PRO 2-10-122 TITAN 0-10-788 INSTANT CHANGE 0-10-778 FATMAX 0-10-237 AUTOLOAD STH10432-0 COMPACT STH10479-0 SOFTGRIP STH...

lang:en score:13 filesize: 36.24 M page_count: 239 document date: 2024-03-18



[\[pdf\]](#) Catalog

Untitled knives blades stanley eu ro catalogue 2013 chapters |||

UNELTE DE TAIAT Profesionistii ne-au spus ca schimbarea frecventa a lamelor de cutter este o adeva ... ica bimateriala pentru o ghidare precisa a taieturii si confort in folosire 74 UNELTE DE TAIAT 0-10-788 180 mm X 6 3253560107888 www.sbdinc.ro CUTIT CU LAMA RETRACTABILA Original STANLEY 99E ...

lang:it score:13 filesize: 5.82 M page_count: 46 document date: 2013-12-04



[\[pdf\]](#) Catalog

stanley eu Catalogo Stanley 2022 pt doubles catalogo |||

CATLOGO GERAL TABELA 2022 MEDIDA DO PROFISSIONAL

www.STANLEYWORKS.pt www.STANLEYWORKS.pt NDICE GE ... O DUPLA LMINA XTHT0-10502 10-778 FATMAX FMHT0-10288 FATMAX EXO 10-825 DOBRVEL LMINA RETRCTIL FATMAX 10-788 CARGA FRONTAL 10-099 99E 10-088 ABS IMAGEM FMHT0-10827 10-550 TITAN 10-199 199E 10-299 INTE...

lang:es score:13 filesize: 40.51 M page_count: 197 document date: 2022-11-08



[pdf] Catalog

Catalog Stanley HT 2021 HR stanley eu ro |||

CATALOG SCULE DE MN 2021 www.STANLEYWORKS.ro

www.STANLEYWORKS.ro Din 1843 proiectm i producem inst ... ACTABIL 10-789

FATMAX CU LAM DUBL 10-778 FATMAX CU LAM RETRACTABIL 10-788 CU

SCHIMBARE RAPID 10-122 TITAN RB 10-189 DE SIGURAN 10-0...

lang:it score:13 filesize: 178.9 M page_count: 394 document date: 2020-10-16



[pdf]

SWEEPSTAKES NAME rpollard ms STANLEY TOOLS Build Your America Official Rules stanleytools 80

build your america buildyouamerica

STANLEY BLACK DECKER 2014 BUILD YOUR AMERICA CONTEST OFFICIAL

RULES NO PURCHASE NECESSARY TO ENTER ... - 6 Classic 99 Retractable Utility

Knife; 10-499 - 6-3/8 Quick Change Retractable Utility Knife; 10-788 - 6-5/8

InstantChange Knife; 15-334 - 15 Blade Length x 9 Points Per Inch SharpToothTM

Hand...

lang:en score:13 filesize: 165.35 K page_count: 5 document date: 2014-05-05



[pdf] Catalog

Catalogo Stanley 2022 pt precios SEP22 stanley eu catalogo |||

CATLOGO GERAL TABELA 2022 MEDIDA DO PROFISSIONAL


www.STANLEYWORKS.pt www.STANLEYWORKS.pt NDICE GE ... O DUPLA LMINA

XTHT0-10502 10-778 FATMAX FMHT0-10288 FATMAX EXO 10-825 DOBRVEL

LMINA RETRCTL FATMAX 10-788 CARGA FRONTAL 10-099 99E 10-088 ABS

IMAGEM FMHT0-10827 10-550 TITAN 10-199 199E 10-299 INTE...

lang:es score:13 filesize: 46.82 M page_count: 393 document date: 2022-08-24



[\[pdf\]](#) Declaration of Conformity Catalog

STANLEY 10 789 100073968 McLendon Hardware 100001363 Catalog assets unilogcorp 187 ITEM DOC

|||

CUTTING TOOLS HxOxWxxTO CHOOSE xxxx KxxxNIFE AND BLADES The originators of the famous Stanley kn ... body - for precise Thumb pressure pad guiding of the cut and comfort of use Interlock KINFE 0-**10-788** 180 mm X 6 3253560107888

Die cast metal body for strength and durability Locking wheel...

lang:en score:13 filesize: 6.15 M page_count: 40 document date: 2011-03-30



[\[pdf\]](#)

STANLEY 2014 Bộ Lọc Giác Stanley 69 257 Hệ Inch » BẢO ANH NTH shopdoluong 2022 11 |||

KATALOG NARZDZI 2014/2015 www.stanleyworks.pl HISTORIA W KADYM

NARZDZIU Z przyjemnoci przedstawiam ... ostrymi. 78 www.stanleyworks.pl Ostrza 10-818 10-819 10-810 10-129 10-099 10-189 10-499 10-088 **10-788** 10-189 10-299 10-780 10-778 10-813 10-812 10-199 10-789 10-705 10-704 10-855 STHT0-10192 STHT...

lang:pl score:13 filesize: 113.73 M page_count: 356 document date: 2022-11-19



[\[pdf\]](#) Catalog

CATALOGO LISTINO 2021 NEW Catalogo Listino STANLEY stanley eu it |||

CATALOGO-LISTINO 2021 THE MEASURE OF A PROT M www.STANLEY.it 2 Solido

e vero. Per quelli che non ... STICA 10-818 FATMAX L.FISSA 10-819 FATMAX L.RETR. 10-789 FATMAX L.DOPPIA 10-778 FATMAX L.RETRATTILE **10-788** A CAMBIO RAPIDO 10-122 TITAN RB 10-099 METALLICO PROFESS. 10-189 PER ANTINFORTUNISTICA 10-088...


lang:it score:13 filesize: 36.26 M page_count: 452 document date: 2020-12-16



[\[pdf\]](#) Catalog

OUTILLAGE À MAIN RANGEMENT 2014 CATALOGUE STANLEY stanley eu meafir Catalogue |||
OUTILLAGE MAIN RANGEMENT 2014 www.stanleyworks.ma SKU FMHT0-33856
SKU 0-10-417 SKU 0-71-699 ... AX COUTEAUX LAMES RETRACTABLE Corps
ergonomique bimatière - Réservoir de 8 lames | intérieur SKU 0-10-788 DESCRIPTION
COUTEAU A LAME RETRACTABLE INSTANT CHANGE 244 www.stanleyworks.ma
COUPE COU...


lang:fr score:13 filesize: 7.9 M page_count: 104 document date: 2014-04-17



[\[pdf\]](#) Catalog

Stanley® FMHT33338 Turtle Hughes Stanley Catalog externalassets unilogcorp ASSETS DOCUMENTS
ITEMS EN |||
PRODUCT CATALOG HAND TOOLS STORAGE stanleytools.com HAND TOOLS
STORAGE Tradition. Productivity ... for standard blade change Die-cast design with
soft grip handle for comfort SKU # STHT10237 SKU # 10-788 6-1/4 in LENGTH 159
mm Box Qty 4 CTN QTY 24 UPC 076174102376 InstantChange™ Retractable...

lang:en score:13 filesize: 19.77 M page_count: 199 document date: 2015-02-10



[\[pdf\]](#) Catalog

Catalogo Stanley 2022 es precios SEP22 stanley eu CATALOGOS Oriol |||
CATLOGO GENERAL TARIFA 2022 A LA MEDIDA DEL PROFESIONAL
www.STANLEYWORKS.es www.STANLEYWORKS.es ND ... RO DOBLE HOJA
XTHT0-10502 10-778 FATMAX FMHT0-10288 FATMAX EXO 10-825 PLEGABLE
HOJA RETRACTIL FATMAX 10-788 CARGA FRONTAL 10-099 99E 10-088 ABS
FMHT0-10827 10-550 TITAN 10-199 199E 10-299 INTERLOCK MET...

lang:es score:13 filesize: 40.28 M page_count: 393 document date: 2022-08-25



[pdf]

untitled STANLEY Katalog Q3 2022 CHDE ANSICHT DS stanley eu chde |||

UPDATE Preisanpassung ab 01.09.2022 AUSGABE 2022 / 2023 WERKZEUGE UND AUFBEWAHRUNG PROFESSIONALITÄT ... alten Integrierter Schnurtrimmer verwendbar nur bei vollständig eingezogener Klinge Artikel-Nr. 0-10-788 Länge in mm 180 CHF X 6 3253560107888 31,40 MESSER MIT FESTSTEHENDER KLINGE PASSEND FR ALLE...

lang:de score:12 filesize: 8.95 M page_count: 143 document date: 2022-08-18



[pdf] Declaration of Conformity Catalog

Proto Catalog Plumbing HVAC Tools The Stanley Works PROTO J848HD assets unilogcorp 2 ITEM DOC

|||

PLUMBING AND HVAC TOOLS Here at Stanley Proto we pride ourselves on having a line that's broad enough to cover the most common plumbing and HVAC needs. Our tools are built to last and are made from the highest quality materials. Our plumbing and HVAC tools are designed to be used in a variety of applications. They are built to last and are made from the highest quality materials. Our plumbing and HVAC tools are designed to be used in a variety of applications. They are built to last and are made from the highest quality materials.

lang:en score:12 filesize: 2.69 M page_count: 16 document date: 2008-06-09



[pdf]

untitled STANLEY Katalog Q3 2022 DE Ansicht DS stanley eu de katalog2022 |||

UPDATE Preisanpassung ab 01.09.2022 AUSGABE 2022 / 2023 WERKZEUGE UND AUFBEWAHRUNG PROFESSIONALITÄT ... alten Integrierter Schnurtrimmer verwendbar nur bei vollständig eingezogener Klinge Artikel-Nr. 0-10-788 Länge in mm 180 f X 6 3253560107888 21,45 MESSER MIT FESTSTEHENDER KLINGE PASSEND FR ALLE M...

lang:de score:12 filesize: 8.97 M page_count: 143 document date: 2022-08-08



[\[pdf\]](#) Datasheet Catalog

Stanley Hand Tools Catalog Knives KNIVES BLADES Farnell Toll Free Customer Service Number 1 800 262 2161 FAX 643 3756 35 FIXED BLADE Swivel Lock® Fixed Blade Knife 6 152mm handle length 1958360 farnell datasheets

KNIVES BLADES Stanley manufactured its first utility knife back in 1935, and it didn't take long for it to become a household name. In 1935, Stanley introduced the first utility knife with a fixed blade. The knife was made of steel and had a handle made of wood. It was a simple, practical tool that could be used for a wide variety of tasks. Over the years, Stanley has continued to improve its knives and blades, introducing new materials and designs. Today, Stanley offers a wide range of knives and blades, including fixed blades, folding blades, and specialty blades. Each knife is designed to be reliable and durable, and each blade is made to last. Stanley knives and blades are used by professionals and homeowners alike, and they are a testament to the company's commitment to quality and innovation.

lang:en score:12 filesize: 1.91 M page_count: 18 document date: 2015-08-27



[\[pdf\]](#)

KATALOG STANLEY HTS 2021 stanley eu pl |||

WYDANIE 2021 NARZĘDZIA I SYSTEMY PRZECHOWYWANIA MIARA

PROFESJONALISTY STANLEYWORKS.PL STANLEY NAS ... amiennych ostrzy

Wbudowany dodatkowy n - dajcy moliwo cicia przy schowanym ostrzu Nr katalogowy 0-10-788 Długo w mm 180 X 6 3253560107888 74 NOE Z OSTRZEM STALYM PASUJ DO WSZYSTKICH UNIWERSAL...

lang:pl score:12 filesize: 28.29 M page_count: 290 document date: 2021-02-04



[\[pdf\]](#)

untitled WERKZEUGE UND AUFBEWAHRUNG STANLEY Katalog 2022 CHDE DS Q2 stanley eu chde |||

AUSGABE 2022 / 2023 WERKZEUGE UND AUFBEWAHRUNG PROFESSIONALITÄT

IST UNSER STANDARD STANLEYWORKS.CH ... alten Integrierter Schnurtrenner

verwendbar nur bei vollstndig eingezogener Klinge Artikel-Nr. 0-10-788 Lnge in mm

180 CHF X 6 3253560107888 29,90 MESSER MIT FESTSTEHENDER KLINGE

PASSEND FR ALLE...

lang:de score:12 filesize: 8.95 M page_count: 143 document date: 2022-04-05



[pdf] Catalog

110401 00FR Cvr DIY v3 indd bgl couteaux cutters Bien que la lame soit fixe majorité des Stanley intègre un mécanisme de remplacement rapide CUTTERS 25 MM ET 18 Idéaux dans des La coupe stanley eu fr CATALOGUE GRAND PUBLIC |||

COUTEAUX - CUTTERS CHANGEMENT DE LAME Rapide et sans l aide d outil sur la plupart des couteaux S ... AMME DE COUTEAUX A LAME FIXE OU RETRACTABLE COUTEAUX A LAME RETRACTABLE TYPE IMAGE 10-122 TITAN **10-788** INSTANT CHANGE 10-778 FATMAX 10-499 COUTEAU AVEC COUPE-FIL 10-189 AUTO RTRACTABLE SHT0-10193...

lang:fr score:12 filesize: 4.6 M page_count: 59 document date: 2013-01-16



[pdf] Catalog

Stanley Automotive Tools Catalog Hand The Works StanleyAutomotiveToolsCatalogHandTools stanleytools.html literature

SCREWDRIVERS SCREWDRIVERS 62-545 60-060 PRODRIVERTM SCREWDRIVER SETS ITEM NO. DESCRIPTION 62-500 ... 0-777 FatMax Locking Retractable Utility Knife INSTANT CHANGETM UTILITY KNIFE ITEM NO. DESCRIPTION **10-788** Instant ChangeTM Utility Knife 80 Visit us at...

www.stanleyworks.com QUICK CHANGE RETRACT...

lang:en score:12 filesize: 1.15 M page_count: 18 document date: 2005-09-21



[pdf] Declaration of Conformity Catalog

STANLEY 43 525 100002779 McLendon Hardware Catalog assets unilogcorp 187 ITEM DOC |||

MAKE SOMETHING GREAT Stanley has a legacy of being at the cutting edge of hand tool new product des Being in touch with end users Stanley created number of innovative products: instant change knife **10-788**, AntiVibe hammer, DYNAGRIP PRO screwdriver or new kinds of mechanic tools. Positioning of St...

lang:en score:12 filesize: 5.94 M page_count: 40 document date: 2011-03-30



[\[pdf\]](#)

untitled OUTILS ET RANGEMENT STANLEY Katalog Q3 2022 CHFR ANSICHT DS stanley eu chde |||
UPDATE Ajustement de prix partir du 01.09.2022 DITION 2022 / 2023 OUTILS ET
RANGEMENT LE PROFESSIO ... ison Coupe-fils intgr utilisable seulement lorsque la
lame est compltement rentre Code Article 0-**10-788** Longueur mm 180 CHF X 6
3253560107888 31,40 COUTEAUX LAME FIXE CONVIENNENT POUR TOUTES
LE...

lang:fr score:12 filesize: 8.89 M page_count: 143 document date: 2022-08-18