

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

- › [Eventflo](#) /
- › Eventflo Vive Elite Travel System Linus User Manual

Eventflo 55411811

Eventflo Vive Elite Travel System Linus User Manual

Model: 55411811

1. PRODUCT OVERVIEW

The Eventflo Vive Elite Travel System in Linus is designed for convenient and safe transportation of your child. This system includes a stroller and an Embrace Infant Car Seat with a stay-in-car base, suitable for infants weighing 4-35 lbs. Key features include a compact fold, multi-position recline, and ample storage.



Image 1.1: The Evenflo Vive Elite Travel System, showing the stroller with the Embrace Infant Car Seat securely attached.

Features:

- **Embrace Infant Car Seat:** Features an extended weight rating from 4 to 35 lbs.
- **Easy Transfer:** Seamlessly move the car seat from the stay-in-car base to the stroller.
- **Ultra Slim Fold:** Double grip, 16-inch gravity fold/unfold for compact storage and transport.
- **Extra Storage Pocket:** Convenient pocket located on the seat back.
- **Large Canopy:** Provides extensive coverage to shield your child from environmental elements.
- **Multi-Position Recline:** Adjustable seat recline for enhanced comfort.
- **Removable Child Tray:** Two-way pivoting tray for easy child access.
- **Parent Console:** Includes deep storage and two cup holders.
- **Shock Absorbing System:** Front wheel system for increased stability and comfort.

2. SETUP INSTRUCTIONS

2.1 Stroller Assembly

1. **Unfold the Stroller:** Release the storage latch and lift the handlebar until the stroller frame locks into

place. Ensure all locking mechanisms are engaged.

2. **Attach Wheels:** Securely attach all four wheels until they click into position. Verify they are firmly attached by pulling on them.
3. **Install Child Tray:** Align the child tray with the designated slots on the stroller frame and push down until it locks.
4. **Install Parent Console:** Attach the parent console to the handlebar as per the instructions in the separate manual for the console.



Image 2.1: The Evenflo Vive Elite Stroller in its upright, assembled position, ready for use without the car seat.

2.2 Car Seat Base Installation

Refer to the separate Embrace Infant Car Seat instruction manual for detailed installation of the stay-in-car base. Proper installation is crucial for child safety.

3. OPERATING INSTRUCTIONS

3.1 Attaching and Removing the Infant Car Seat

1. **Attaching:** Place the Embrace Infant Car Seat onto the stroller frame, ensuring it clicks securely into the

adapters. Verify the car seat is firmly attached by gently pulling upwards.

2. **Removing:** Locate the car seat release lever (often at the back or side of the car seat). Squeeze or lift the lever and lift the car seat directly upwards from the stroller.



Image 3.1: A hand demonstrating how to press the release button on the Evenflo Embrace Infant Car Seat for removal.

3.2 Folding and Unfolding the Stroller

1. **Folding:** Ensure the child tray is removed or pivoted away. Locate the folding mechanisms (usually on the handlebar or sides). Engage these mechanisms and push the stroller forward to initiate the gravity fold. Secure the storage latch.
2. **Unfolding:** Release the storage latch. Lift the handlebar firmly until the stroller fully extends and locks into the open position.



Image 3.2: The Evenflo Vive Elite Stroller shown in its compact, folded state, ideal for storage or transport.

3.3 Adjusting the Seat Recline

The stroller seat features a multi-position recline. Locate the recline adjustment strap or lever on the back of the seat. Adjust to the desired position for your child's comfort. Always ensure the child is securely harnessed when adjusting the recline.



Image 3.3: A detailed view of the stroller seat, highlighting the harness system and padded seating area.

3.4 Using the Harness System

The stroller and car seat are equipped with a 3-point or 5-point harness system. Always secure your child using the harness. Adjust the shoulder straps to the appropriate height for your child, ensuring a snug fit without being too tight. The crotch buckle should be fastened securely.



Image 3.4: A close-up of the car seat's back, showing the various slots for adjusting the harness height to fit a growing child.

3.5 Engaging the Brakes

To engage the brakes, press down firmly on the brake pedal located near the rear wheels. Ensure both brakes are fully engaged before releasing the stroller. To release, lift the brake pedal upwards.



Image 3.5: A foot pressing down on the brake pedal of the stroller's rear wheel, demonstrating how to engage the brake.

3.6 Storage and Accessories

- **Storage Basket:** The large storage basket beneath the seat can hold a 17-inch diaper bag. Access is easy from the rear.
- **Parent Console:** Use the parent console for convenient access to drinks and small items.
- **Seat Back Pocket:** An additional pocket on the seat back provides extra storage.



Image 3.6: A close-up view of the stroller's spacious storage basket, featuring a mesh design and green trim.



Image 3.7: The parent console attached to the stroller handlebar, showing two deep cup holders and additional storage space.



Image 3.8: A hand reaching into the storage pocket located on the back of the stroller seat.

4. MAINTENANCE

4.1 Cleaning Instructions

- **Plastic and Metal Parts:** Wipe clean with mild soap and water. Avoid damaging any labels.
- **Harness:** Wipe clean with mild soap and water. Allow the harness to air dry completely. Do not immerse the buckle in water or lubricate it.
- **Fabric:** Refer to the care tag on the fabric for specific cleaning instructions. Typically, spot cleaning with mild soap and water is recommended.

4.2 Storage

Store the travel system in a dry, cool place away from direct sunlight when not in use. Ensure the stroller is folded compactly to prevent damage.

5. TROUBLESHOOTING

5.1 Stroller Not Folding/Unfolding Smoothly

- Ensure all items are removed from the storage basket and seat.
- Check for any obstructions in the folding mechanism.
- Apply gentle, even pressure when folding or unfolding.

5.2 Car Seat Not Securing to Stroller

- Verify the car seat is correctly aligned with the stroller adapters.
- Ensure the car seat is pushed down firmly until a click is heard, indicating it is locked.
- Check for any debris or damage on the car seat or stroller adapters.

5.3 Wheels Not Rolling Smoothly

- Inspect wheels for debris (e.g., hair, dirt) and remove any obstructions.
- Ensure wheels are properly attached and locked into place.
- The EVA tire material is designed for durability; however, rough terrain can affect smoothness.

6. SPECIFICATIONS

Specification	Value
Model Number	55411811
Item Weight	29.8 Pounds
Folded Size	16 x 16 x 0.25 Inches
Back Wheel Diameter	13 Inches
Harness Type	3 Point or 5 Point
Car Seat Compatible	Yes (Embrace Infant Car Seat included)
Number of Cup Holders	2 (on parent console)
Number of Wheels	4
Canopy Material	Polyester
Tire Material	EVA
Age Range Description	From newborn to 5 years
Included Components	Embrace Infant Car Seat, stay-in-car base, stroller, and parent console
Maximum Weight Recommendation	35 Pounds
Rear Facing Minimum Weight	4 Pounds
Rear Facing Maximum Weight	35 Pounds

7. OFFICIAL PRODUCT VIDEO

Your browser does not support the video tag.

Video 7.1: An official product video from Evenflo Company Inc, showcasing the features and ease of use of the Vive Travel System. This video demonstrates the car-to-stroll functionality, large canopy, multi-position recline, and ultra-slim fold.

8. WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please visit the official Evenflo website or contact their customer service department. Keep your purchase receipt and model number (55411811) for any inquiries.

You can find more information and contact details on the [Evenflo Brand Store](#).