

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Moen](#) /
- › [Moen Wetherly WS84855SRN Bathroom Faucet Instruction Manual](#)

Moen WS84855SRN

Moen Wetherly WS84855SRN Bathroom Faucet Instruction Manual

Two-Handle Widespread Bathroom Faucet with Spot Resist Brushed Nickel Finish

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Moen Wetherly WS84855SRN two-handle widespread bathroom faucet. Designed for a 3-hole deck-mounted setup, this faucet combines classic aesthetics with practical features, including a Spot Resist Brushed Nickel finish that helps minimize fingerprints and water spots. Please read these instructions thoroughly before beginning installation or use to ensure proper function and longevity of your faucet.

2. KEY FEATURES

- **Reliable Cartridges:** Equipped with durable ceramic disc cartridges for smooth and reliable operation.
- **Spot Resistant Finish:** Spot Resist Nickel finish resists fingerprints and water spots, maintaining a cleaner appearance.
- **Flexible Design:** Widespread installation allows faucet handles to be positioned between 8" to 16" for a customized look.
- **WaterSense Certified:** Meets EPA WaterSense criteria, promoting water conservation without compromising performance.
- **Certified Safe:** Complies with Federal Safe Drinking Water Act and NSF 61 standards for clean drinking water.
- **Easy Installation:** Features the Duralock quick connect system for simplified setup.
- **Trusted Performance:** Tested beyond industry standards to ensure long-term durability and performance.

3. SETUP AND INSTALLATION

The Moen Wetherly WS84855SRN faucet is designed for a 3-hole deck-mounted installation. The Duralock quick connect system simplifies the process. Ensure all necessary components, including the bathroom faucet, drain, and valve, are present before beginning.

MOEN®



Drain and Required Valve Included

Connection Size - 1/2"

Maximum Deck Thickness - 1.25"

3 Hole Installation

Figure 1: Faucet Dimensions and Installation Overview. This diagram illustrates the spout reach of 4.63 inches and a faucet height of 7.94 inches. It also indicates a connection size of 1/2 inch, a maximum deck thickness of 1.25 inches, and a 3-hole installation requirement. The drain and required valve are included.

For a visual guide to installation, please refer to the official product video below:

Your browser does not support the video tag.

Video 1: Moen Wetherly Faucet Features Spotlight. This video provides an overview of the Moen Wetherly widespread bathroom faucet, highlighting its classic design, high-arc spout, Spot Resist Brushed Nickel finish, and WaterSense certification. It demonstrates the two-handle operation and the faucet's aesthetic appeal in a bathroom setting.

4. OPERATING INSTRUCTIONS

Your Moen Wetherly faucet features a two-handle design for precise control over water temperature and flow. The left handle typically controls hot water, and the right handle controls cold water. Adjust both handles to achieve your desired water temperature and flow rate. The high-arc spout provides ample clearance for various tasks, from hand washing to filling containers.

5. MAINTENANCE

The Spot Resist Brushed Nickel finish on your Moen Wetherly faucet is designed to resist fingerprints and water spots, making cleaning easier. To maintain the finish and ensure longevity, clean regularly with a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.




Figure 2: Spot Resist Brushed Nickel Finish. This image showcases the brushed nickel finish of the faucet, designed to prevent fingerprints and water spots, blending seamlessly with various bathroom aesthetics.

MOEN[®]

Spot Resist[™] Technology

Keep your faucet looking cleaner with a finish that resists fingerprints and water spots.

WITH SPOT RESIST

WITHOUT SPOT RESIST

Figure 3: Spot Resist Technology. This visual comparison demonstrates the effectiveness of Moen's Spot Resist Technology, showing a cleaner surface on the left (with Spot Resist) compared to a surface with visible water spots and fingerprints on the right (without Spot Resist).

6. TROUBLESHOOTING

If you experience issues with your Moen Wetherly faucet, consider the following common troubleshooting steps:

- **Low Water Flow:** Check if the aerator is clogged with debris. Unscrew and clean the aerator. Ensure water supply valves are fully open.
- **Leaking:** Verify all connections are tight. If leaking persists from the handles or spout, the ceramic disc cartridges may need inspection or replacement.
- **Temperature Issues:** Ensure both hot and cold water supply lines are correctly connected and functioning.

For persistent issues, please contact Moen customer support.

7. SPECIFICATIONS

Specification	Detail
Brand	Moen
Model Name	Wetherly
Model Number	WS84855SRN
Finish Type	Brushed
Color	Spot Resist Brushed Nickel
Material	Metal
Number of Handles	2
Mounting Type	Deck Mount
Hole Count	3
Style	Widespread
Maximum Flow Rate	1.2 Gallons Per Minute
Spout Height	5.13 Inches
Spout Reach	4.65 Inches
Item Weight	5.8 Pounds
Product Dimensions	4.63"D x 14"W x 7.94"H

8. WARRANTY AND SUPPORT

Your Moen Wetherly WS84855SRN faucet is backed by a **Limited Lifetime Warranty**. This warranty covers defects in material and manufacturing for the original consumer purchaser. For detailed warranty information or to obtain service, please visit the official Moen website or contact Moen customer support directly. Keep your proof of purchase for warranty claims.

For further assistance, please visit www.moen.com or contact Moen customer service.