

Roca A5A3796C00

Roca NAIA MEZ LAV ALTO LISO High Basin Mixer Tap User Manual

Model: A5A3796C00

[Setup](#) [Operating](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Support](#)

INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your Roca NAIA MEZ LAV ALTO LISO high basin mixer tap. Please read these instructions carefully before installation and retain them for future reference.



Image 1: The Roca NAIA MEZ LAV ALTO LISO high basin mixer tap, featuring a sleek chrome finish and a single lever for water control.

SAFETY INFORMATION

Always ensure the main water supply is turned off before beginning any installation or maintenance work. If you are unsure about any part of the installation process, consult a qualified plumber.

- Do not use abrasive cleaners or scouring pads on the chrome finish.
- Ensure all connections are watertight to prevent leaks.
- Protect the product from freezing temperatures.

SETUP AND INSTALLATION

The Roca NAIA MEZ LAV ALTO LISO tap is designed for single-hole deck mounting. Installation should be performed by a competent individual or a qualified professional.

Included Components:

- Mixer tap unit
- Flexible connection hoses (G 3/8" thread)
- Mounting hardware (M8 bolt)
- Click-clack drain

Required Tools (Not Included):

- Adjustable wrench
- Screwdriver
- Sealant tape (PTFE tape)

Installation Steps:

1. **Prepare the Basin:** Ensure the mounting hole on your basin is clean and free of debris. The tap requires a single hole for installation.
2. **Attach Flexible Hoses:** Screw the flexible connection hoses into the base of the tap unit. Hand-tighten first, then use a wrench for a final snug turn, ensuring not to overtighten.
3. **Mount the Tap:** Insert the tap unit into the basin hole. From underneath the basin, secure the tap using the provided mounting hardware (washer and nut) onto the M8 bolt. Tighten securely to prevent movement.
4. **Connect Water Supply:** Connect the flexible hoses to your hot and cold water supply lines. The hose with the red marking typically connects to hot water, and the blue marking to cold water. Use sealant tape on the threads and tighten connections with a wrench.
5. **Install Click-Clack Drain:** Follow the instructions provided with the click-clack drain for proper installation into the basin's drain hole. Ensure a watertight seal.
6. **Test for Leaks:** Slowly turn on the main water supply. Check all connections for leaks. Operate the tap to ensure proper water flow and temperature mixing.




Image 2: Technical diagram showing the dimensions of the Roca NAIA MEZ LAV ALTO LISO tap and its installation components, including the M8 bolt and G 3/8" flexible hoses.

OPERATING INSTRUCTIONS

The Roca NAIA MEZ LAV ALTO LISO tap features a single lever for controlling both water flow and temperature.

- **Water Flow:** Lift the lever upwards to increase water flow. Push it downwards to decrease and turn off the water.
- **Temperature Control:** Move the lever to the right for cold water and to the left for hot water. The tap is designed to open in cold water when the lever is in the front position, promoting energy saving.

Note: This tap is designed to save water and energy, with a flow rate of 5 liters per minute at 3 bar

pressure.

CARE AND MAINTENANCE

Regular cleaning and proper maintenance will ensure the longevity and appearance of your Roca tap.

Cleaning the Surface:

- Clean the chrome surface with a soft cloth and mild soap or a non-abrasive liquid cleaner specifically designed for chrome finishes.
- Rinse thoroughly with clean water and dry immediately with a soft cloth to prevent water spots.
- *Do not use* abrasive cleaners, scouring pads, acids, or solvents, as these can damage the chrome finish.

Aerator Cleaning:

Periodically unscrew the aerator at the tip of the spout and clean any accumulated debris or limescale. Rinse it under running water and reattach it securely.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Low water flow	◦ Clogged aerator ◦ Partially closed stopcock ◦ Debris in supply lines	◦ Clean or replace aerator. ◦ Ensure stopcocks are fully open. ◦ Flush supply lines (consult a plumber if necessary).
Leaking from spout	◦ Worn cartridge ◦ Debris in cartridge	◦ Replace the ceramic cartridge (consult a plumber). ◦ Clean the cartridge (turn off water supply first).
Leaking from base	◦ Loose mounting nut ◦ Improperly sealed connections	◦ Tighten mounting nut. ◦ Check and re-seal hose connections.
No hot/cold water	◦ Supply valve closed ◦ Blocked supply line	◦ Ensure hot/cold water supply valves are open. ◦ Check for blockages in the specific supply line.

TECHNICAL SPECIFICATIONS

- **Model:** NAIA MEZ LAV ALTO LISO
- **Model Number:** A5A3796C00
- **Brand:** Roca
- **Surface Finish:** Chrome

- **Material:** Brass, Stainless Steel, Zinc
- **Installation Method:** Single-hole, Deck-mounted
- **Number of Handles:** 1
- **Handle Material:** Brass
- **Handle Placement:** Center
- **Flow Rate:** 5 L/min (at 3 bar)
- **Special Features:** Water and energy saving, Cold water opening in front position, Lightweight
- **Product Dimensions:** 9.4 x 26 x 46.6 cm (Length x Width x Height)
- **Item Weight:** 2.62 Kilograms
- **Included Components:** Click-clack drain, Flexible connection hoses

WARRANTY INFORMATION

Specific warranty details for Roca products may vary by region and retailer. Please refer to your purchase documentation or contact your point of sale for detailed warranty terms and conditions. Generally, Roca products are covered against manufacturing defects.



CUSTOMER SUPPORT


For further assistance, technical support, or to inquire about spare parts, please contact Roca customer service or visit the official Roca website. When contacting support, please have your product model number (A5A3796C00) and purchase details available.

Official Roca Website: www.roca.com

© 2023 Roca. All rights reserved.

Related Documents - A5A3796C00

	Columna de Ducha Termostática Roca T-Plus Victoria - Cromado Descubra la columna de ducha termostática Roca T-Plus de la colección Victoria. Con rociador de ø245mm, ducha de mano de 3 funciones, flexible de 1.7m y acabado cromado. Ideal para baños modernos y clásicos.
	Roca Debba Unik 500mm Compact Base Unit with Two Drawers and Basin - Gloss White Discover the Roca Debba Unik compact base unit, a stylish and space-saving bathroom vanity with two drawers, a square basin, and a gloss white finish. Features include wall-hung installation and compatible accessories. Reference A855904806.

 IN-WASH INSIGNIA 2.0 A8031400C	Roca IN-WASH INSIGNIA 2.0 Smart Toilet User Manual Comprehensive user manual for the Roca IN-WASH INSIGNIA 2.0 smart toilet, covering installation, operation, maintenance, safety precautions, and troubleshooting.
 Roca MULTICLIN ADVANCE RF SF A8031400C	Roca MULTICLIN ADVANCE RF SF Bidet Seat User Manual This user manual provides comprehensive instructions for the Roca MULTICLIN ADVANCE RF SF bidet seat, covering installation, operation, safety precautions, maintenance, and troubleshooting. Learn to use its advanced features for enhanced hygiene and comfort.
 IN-WASH ONA A80313600C	Roca IN-WASH ONA Intelligent Toilet Manual This document provides comprehensive instructions, safety precautions, specifications, and troubleshooting for the Roca IN-WASH ONA Intelligent Toilet (Model A80313600C). It covers installation, operation, remote control functions, cleaning, and maintenance.
 Roca IN-WASH INSPIRA SMART TOILET CLOSE COUPLED BACK TO WALL (4'') A8031400C	Roca In-Wash Inspira Smart Toilet Quick How-To Use Guide A concise guide to operating the Roca In-Wash Inspira Smart Toilet, detailing controls for power, pressure, temperature, and position.

Documents - Roca – A5A3796C00

 Roca REF. A5A3796C00 Misturadora para lavatório com cano alto e ligações de alimentação flexíveis. Abertura em água fria. 308,00 € DESENHOS TÉCNICOS CARACTERÍSTICAS Misturadora monocomando para lavatório com cano alto, corpo liso e ligações de alimentação flexíveis. Abertura em água fria. Abertura: Fria Acabamento: Cromado Cano alto Qualidade: 3/8" (10 mm) Ligação de alimentação flexível incluída Linha: Naia Lugar de instalação: Lavatório Presença de água a quente Tipo de acabamento: Cromado Tipo de descarga: Botão de descarga com click Tipo de instalação: 3/8" (10 mm) Tipo de produto: 3/8" (10 mm) Tipo de material: Cromado Velocidade de descarga: 3/8" (10 mm)	[pdf] Ficha Técnica Naia Misturadora para lavatório com cano alto e ligações de alimentação flexíveis Projectista 421909643616837ef7dd8e3 12422828 server projectista pt app 2021 10 REF: A5A3796C00 NAIA Misturadora para lavatório com cano alto e ligações de alimentação flexíveis. Abertura em água fria PRVP SEM IVA 308,00 DESENHOS TÉCNICOS 132 285 15 218 46 M8 400 G 3/8 CARACTERÍSTICAS Misturadora monocomando para lavatório com cano alto, corpo liso e ligações de alimentação flexíveis... lang:es score:21 filesize: 178.77 K page_count: 4 document date: 2021-10-14
---	---



[\[pdf\]](#) Borchure

Naia Collection brochure roca RocaResourceServlet resources getMainResource idObject 682CCC84 9A3E 40D6 8E4F 49426E8A4708 |||

Naia Character and sophistication Single-lever Faucets 1 2 1 Naia basin mixer / 2 Unik Inspira bas ... sin mixer high spout smooth body with aerator and flexible supply hoses. Cold Start. Chrome. Ref. **A5A3796C00** Basin mixer high spout, smooth body Basin mixer high spout, pop-up waste and with aerato...

lang:en **score:21** filesize: 1.84 M page_count: 12 document date: 2016-09-05



[\[pdf\]](#) Catalog

Carácter e sofisticação Naia Catalogo de colecao server projectista pt app 2021 09 |||

Naia Carcter e sofisticao Torneira Monocomando 1 2 1 Misturadora para lavatrio Naia / 2 Mvel Unik ... ara lavatrio * Misturadora para lavatrio de cano alto e ligaes de alimentao flexveis. Cromado. Ref. **A5A3796C00** Misturadora para bid Misturadora para bid com prelator orientvel, vlvula de descarga aut...

lang:pt **score:16** filesize: 751.64 K page_count: 12 document date: 2021-09-28



[\[pdf\]](#)

Roca Griferías y Columnas Tarifa 2022 Catálogos tarifas Teclisa Abril mediafire file awwscist74109n9 |||

236 Griferas y columnas ONA 237 Electrónica Monomando Bimando Termosttica Electrónica Temporizada ... o con aireador Acabados Everlux y enlaces de alimentacin flexibles. No incluye vlvula click-clack. **A5A3796C00** A5A3B96..0 291,00 437,00 Mezclador monomando empotrable para lavabo Cromado Acabados ...

lang:es **score:14** filesize: 18.63 M page_count: 84 document date: 2022-04-07



[\[pdf\]](#)

Koupelny 2023 MAROW W vám oproti běžnému splachování 6 3 l ušetří 25 % vody! Použití má tři možné varianty 1 spláchnutí čistou vodou 2 lehce v1dokumenty maro cz katalogy Roca katalog |||

1 Nov ceny platn od 1.3.2023 ke stažen ve formtu .xls zde Koupelny 2023 Katalog sortimentu 2 Kou ... 285 218 46 M8 400 G3/ 8 Vodovodn baterie 89 1M CY KL A5A3096C00 A5A3296C00 A5A3A96CN0 A5A3996C00 **A5A3796C00** A5A3B96CN0 90 Vodovodn baterie Naia Rozmry v mm. Vrchn sada podomtkov umyvadlov bateri... lang:en **score:14** filesize: 29.94 M page_count: 141 document date: 2023-05-05



[\[pdf\]](#) Catalog

202402 Tabela Catalogo Roca SB V2 aspereira pt 2024 03 |||

Tabela / Catlogo 2024 Solues de banho Preos recomendados de venda ao pblico. Fevereiro 2024 Sobre ... alto, corpo liso e ligaes de alimentao flexveis. Inclui vlvula click-clack. Abertura em gua fria. **A5A3796C00** Cromado 356,00 Misturadora monocomando para lavatrio de cano alto, corpo liso e ligaes...

lang:pt **score:13** filesize: 34.35 M page_count: 736 document date: 2024-03-05



[\[pdf\]](#) Accessories Catalog

Roca 2022Search Results Kim Company Sdn Bhd1 ROCA 2022cdn shopify s files 1 0419 0365 3014 2022 v 1691501406 |||

Catalogue 2022 Vitreous china Faucets Furniture Accessories Baths Shower trays Shower screens Whe ... aerator, smooth body and exible supply hoses. Includes click-clack waste. Cold start . Chrome. Ref. **A5A3796C00** Dimensions in mm.

*Product on request Replace .. in the product reerence with the cod...

lang:en **score:12** filesize: 17.54 M page_count: 588 document date: 2023-08-08



Declarație de conformitate

ROCA OBIECTE SANITARE SRL

Str. Preciziei 3, Sector 6, București, România

declaram, pe propria răspundere, că produsele

Baterii cu monocomandă, Baterii electronice, Coloane dus, Coloane termostatic de dus și Accesorii de dus
Procedura pentru alimentarea cu apă caldă și rece a sistemelor interioare de incalzire, cu diametru nominal 1/2",
presiunea nominală 10 bar, temperatura apei de 90 °C și blocate în cazul unei game de produse în conformitate
cu ANSI A 11.1 la care se referă anexa tehnice. În cazul cu apă caldă, nu pot fi periculoase, salubitate și
securitate muncii. Nu pot fi proiectate negativ asupra mediului și sunt produse sub controlul sistemului de control și
producției, întocmit și însoțit de către producător și sunt în conformitate cu următoarele standarde:

BS EN 817:2008

Conformitatea a fost evaluată în baza Regulamentului pentru Condiții Fundamentale și Evaluarea Conformității produselor pentru
construcții

Procedura comparativă cu fost

Elaborat pe baza de către

„Roca Obiecte Sanitare” S.R.L. – București, cod fiscal 18556602

și

produse în cadrul societății

„ROCA SANITARIO” S.A.

Rambla Lluís 2-08030 Gava, Barcelona, Spain

„ROCA TR BANYO” S.L.

Org. San. Belg 18 cod.mer.4, Tl – 20110, Eekelsheir

Serviciu pentru și în numele fabricanților de către:

George Anghel
Manager Operativ
2024

[pdf]

Carmen Iordache Declarație de conformitate80rc6036declaratieconformitateorig 72434 11

1725673467cdn contentspeed ro pimromstal websales cs content docs products

80rc6036declaratieconformitateorig 1725673467 |||

Declara ie de conformitate ROCA OBIECTE SANITARE SRL Str. Preciziei 3, Sector
6, Bucure ti, Rom n ... N N L20 L20 L20 L20 L20 L20 L20 L20 L20 L20 L20 L20
L20 L20 SENSUM NAIA A5A3296C00 A5A3496C00 **A5A3796C00** A5A3596C00
A5A6096C00 A5A0296C00 A5A2196C00 A5A0B96C00 A5A3025C00 A5A3125C00
A5A6025C00 A...

lang:it score:12 filesize: 550.95 K page_count: 13 document date: 2024-09-04



[pdf] Accessories Catalog

Roca 2024Catalogue Kim Company Sdn BhdRoca 2024cdn shopify s files 1 0419 0365 3014 2024 v

1728826003 |||

Catalogue 2024 Vitreous china Faucets Furniture Accessories Baths Shower trays
Shower screens Whe ... aerator, smooth body and exible supply hoses. Includes
click-clack waste. Cold start . Chrome. Ref. **A5A3796C00** Dimensions in mm.


*Product on request Replace .. in the product reerence with the cod...

lang:en score:11 filesize: 19.42 M page_count: 604 document date: 2024-10-13



Tabela / Catálogo 2024 Soluções de banho

Preços recomendados
de venda ao público.
Fevereiro 2024



[pdf] Catalog

Soluções de banho ASPereiraA Roca é uma empresa familiar dedicada ao design e à criação soluções

A34647L000 191 00 € Assento tampo em Supralit® queda amortecida 202402 Tabela Catalogo SB

V2aspereira pt 2024 03 202402 V2 srsltid AfmBOooS2H1dQsopxlz49pl6JES8lZWmQC

xE2fHAs9P7S4r4jdEOa29 ASPereiraSoluções amortecida A para espaços Desde que iniciámos

atividade Barcelona 1917 temos202402 V2202402 xE2fHAs9P7S4r4jdEOa29aspereira

AfmBOooH5VDPH FB9KIEH KNeKERfjWNFVCi3BCqpg4EMoXtsnCrv2L ||| ||| Tabela / Cat logo 2024

Solu es de banho Pre os recomendados de venda ao p blico. Fevereiro 2024 Sobre a Roca A Roca uma

empresa familiar dedicada ao design e cria o de solu es para espa os de banho. Desde que inici mos

atividade em Barcelon

Tabela / Cat logo 2024 Solu es de banho Pre os recomendados de venda ao p blico.

Fevereiro 202 ... iso e liga es de alimenta o flex veis. Inclui v lvula click-clack.

Abertura em gua fria. **A5A3796C00** Cromado 356,00 Misturadora monocomando para
lavat rio de cano alto, corpo liso e l...

lang:pt score:11 filesize: 34.35 M page_count: 736 document date: 2024-03-05



[\[pdf\]](#)

Cuartos de baño Abril Soluciones Skyline 221 Diverta Java Aloa Rodeo Foro Neo Selene 222 Lavabos bajo encimera Grand Bernaroca sanitario tarifa abril soluciones es abril hijos docs tarifas roca tarifa ||| Tarifa 2024 Cuartos de baño Precios de venta al público sugeridos Enero 2024 Tarifa 2024 Precios de ... o para lavabo Con aireador y enlaces de alimentación flexibles Incluye válvula click-clack Cromado **A5A3796C00** No incluye válvula click-clack* Acabados Everlux A5A3B96..0 317,00 477,00 * Ver desa...

lang:es score:11 filesize: 21.73 M page_count: 424 document date: 2024-01-09