



[Manuals.plus](#) /

› [Diesel](#) /

› Diesel Mr. Daddy 2.0 DZ7395 Chronograph Watch User Manual

## Diesel DZ7395

# Diesel Mr. Daddy 2.0 DZ7395 Chronograph Watch User Manual

Model: DZ7395

## 1. INTRODUCTION AND OVERVIEW

This manual provides comprehensive instructions for the Diesel Mr. Daddy 2.0 DZ7395 chronograph watch. This timepiece features a bold 57mm stainless steel case, a multi-function quartz movement with chronograph capabilities, and multiple time zone displays. It is designed for daily wear and offers water resistance up to 30 meters (100 feet).



Image 1.1: Front view of the Diesel Mr. Daddy 2.0 DZ7395 watch, showcasing its large dial and black stainless steel finish.

## 2. SETUP

### 2.1. Initial Inspection

Upon unboxing, inspect the watch for any visible damage. Ensure all protective films are removed from the crystal and case back. The watch comes with a pre-installed Lithium Metal battery.



Image 2.1: The Diesel watch packaging box, which protects the watch during transit.

## 2.2. Setting the Main Time and Date

The Mr. Daddy 2.0 features a main time display and multiple sub-dials for additional time zones. To set the main time and date:

1. Pull out the crown (central knob on the right side of the case) to position 2 (first click) to set the date. Turn the crown clockwise or counter-clockwise until the correct date is displayed.
2. Pull out the crown to position 3 (second click) to set the main time. Turn the crown to move the hour and minute hands to the desired time. Ensure AM/PM is correctly set if applicable (observe the 24-hour sub-dial if present).
3. Push the crown back into position 1 (normal operating position) to engage the movement and start the watch.





Image 2.2: Side view of the watch, highlighting the crown and pushers used for time and chronograph adjustments.

### 2.3. Setting Sub-Dials (Multiple Time Zones)

The watch features three additional sub-dials for tracking different time zones (Time 2, Time 3, Time 4). Each sub-dial has its own dedicated pusher for adjustment.

1. Identify the pushers corresponding to Time 2, Time 3, and Time 4. These are typically located around the main crown.
2. Press and hold the respective pusher for each sub-dial until the hand starts to advance. Release the pusher when the desired time is reached.
3. Repeat for all desired sub-dials.



Image 2.3: A detailed view of the watch dial, showing the main time and the three additional sub-dials for different time zones.

### 2.4. Band Adjustment

The black stainless steel bracelet can be adjusted for a customized fit. This typically involves removing links. It is recommended to have this procedure performed by a professional jeweler or watch repair service to prevent damage to the band or clasp.



Image 2.4: The Diesel Mr. Daddy 2.0 watch worn on a wrist, illustrating its size and fit.

### 3. OPERATING INSTRUCTIONS

#### 3.1. Using the Chronograph (Stopwatch)

The chronograph function allows you to measure elapsed time. The watch features dedicated pushers for starting, stopping, and resetting the chronograph.

1. To **START** the chronograph, press the top pusher (usually located at the 2 o'clock position). The chronograph second hand will begin to move.
2. To **STOP** the chronograph, press the top pusher again. The chronograph hands will stop, indicating the elapsed time.
3. To **RESET** the chronograph, press the bottom pusher (usually located at the 4 o'clock position) while the chronograph is stopped. The chronograph hands will return to their zero positions.

*Note:* Do not operate the chronograph pushers while the watch is wet or submerged in water to prevent water ingress.



Image 3.1: Detailed view of the watch face, showing the chronograph sub-dials and markers.

#### 3.2. Water Resistance

This watch is water resistant up to 30 meters (100 feet) or 3 ATM. This rating means the watch is suitable for everyday use and can withstand splashes, rain, or brief immersion in water. It is **not recommended** for swimming, showering, or diving. Always

ensure the crown is fully pushed in before any contact with water.

## **4. MAINTENANCE**

---

### **4.1. Cleaning Your Watch**

To maintain the appearance of your watch, wipe the case and bracelet regularly with a soft, dry cloth. For stainless steel components, a slightly damp cloth can be used, followed by a dry cloth. Avoid using harsh chemicals, solvents, or abrasive cleaners.

### **4.2. Battery Replacement**

The watch is powered by one Lithium Metal battery. When the watch stops or the hands move erratically, it may be time for a battery replacement. It is highly recommended to have the battery replaced by an authorized service center or a professional watchmaker to ensure proper sealing and maintain water resistance.

### **4.3. Storage**

When not wearing your watch, store it in a cool, dry place, away from direct sunlight and extreme temperatures. The original watch box can be used for safe storage.



Image 4.1: The red Diesel watch box, suitable for storing your watch when not in use.

## 5. TROUBLESHOOTING

If you encounter issues with your Diesel Mr. Daddy 2.0 watch, refer to the following common problems and solutions:

- **Watch Not Running:**

- Check if the crown is fully pushed in (position 1).
- The battery may need replacement. Contact an authorized service center.

- **Incorrect Time/Date:**

- Refer to Section 2.2 and 2.3 for instructions on setting the main time, date, and sub-dials.

- **Chronograph Not Resetting to Zero:**

- Ensure the chronograph is stopped before attempting to reset. Press the top pusher to stop, then the bottom pusher to reset.
- If the issue persists, a recalibration or service may be required.

- **Water Inside the Watch:**

- Immediately take the watch to an authorized service center. Do not attempt to open the watch yourself.
- Ensure the crown was fully pushed in before water exposure.

For issues not covered here, please contact Diesel customer support or an authorized service center.

## 6. SPECIFICATIONS

| Feature                | Detail                             |
|------------------------|------------------------------------|
| Model Number           | DZ7395                             |
| Case Diameter          | 57 Millimeters                     |
| Case Thickness         | 15 Millimeters                     |
| Band Width             | 28 Millimeters                     |
| Band Length            | 200 Millimeters                    |
| Movement Type          | Quartz                             |
| Display Type           | Analog                             |
| Water Resistance Depth | 30 Meters (100 Feet)               |
| Battery Type           | 1 Lithium Metal battery (included) |
| Case Material          | Stainless Steel                    |
| Band Material          | Stainless-steel-plated             |
| Crystal Material       | Mineral                            |
| Clasp Type             | Deployant-clasp                    |
| Item Weight            | 8.8 ounces                         |

**36 MM**



**40 MM**



TO MM

45 MM

51 MM

57 MM



Image 6.1: A visual guide comparing different watch case diameters, including 57mm.

## 7. OFFICIAL PRODUCT VIDEO

Your browser does not support the video tag.

Video 7.1: An official product video demonstrating the Diesel Men's DZ7395 Mr. Daddy 2.0 Black IP Watch. This video provides a visual overview of the watch's design and features.

## 8. WARRANTY AND SUPPORT

---

Your Diesel Mr. Daddy 2.0 watch is covered by a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms and conditions, including coverage duration and service procedures. For technical assistance, service, or warranty claims, please contact Diesel customer support or visit an authorized Diesel service center. Contact information can typically be found on the official Diesel website or in your warranty documentation.