Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

BAOFENG 4330374064

Baofeng UV-5R BF-F8HP Series Radio Battery Charger Instruction Manual

1. Overview

This instruction manual provides essential information for the safe and effective use of your Baofeng UV-5R, BF-F8HP, and compatible series two-way radio battery charger. The kit includes a charger desktop base, a US AC adapter, and a USB charger cable, offering versatile charging options for your radio batteries.

The charger is designed for Li-ion batteries and is compatible with various Baofeng models, including UV-5R, DM-5R, BF-F8HP, UV-5RE, UV-5X3, UV-R3 V2+, and other 5R series two-way radios.



Image: The charger base demonstrating compatibility with multiple Baofeng radio models such as UV-5R, UV-5RA, UV-5RB, UV-5RC, UV-5RD, UV-5RE, UV-5RE PLUS, UV-5RX3, UV-5RTP, UV-R3, BF-F8HP, BF-F8RT, BF-F8+.

2. Setup

2.1 Connecting the Charger Base with AC Adapter

1. Connect the US AC adapter to the charger desktop base. Ensure the connection is secure.
2. Plug the AC adapter into a standard 100-240V wall power outlet.
3. The charger base is now ready for use.



Image: A Baofeng two-way radio seated in the charger base, with the AC adapter connected, illustrating the primary charging method.

2.2 Using the USB Charger Cable

The included USB charger cable provides flexible charging options from various USB power sources.

1. Connect the DC plug of the USB charger cable to the input port on the charger desktop base.
2. Plug the USB-A end of the cable into a compatible USB power source, such as:
    - A wall charger adapter (USB port)
    - A power bank
    - A car charger (USB port)
    - A laptop or PC USB port
3. Ensure the USB power source provides sufficient current (minimum 2A recommended for optimal performance).



Image: The USB charging cable, highlighting its versatility for charging from car chargers, laptops, power sockets, and power banks.

3. Operating Instructions

3.1 Charging the Battery

1. Ensure the charger base is properly connected to a power source (either via AC adapter or USB cable).
2. Carefully place your Baofeng radio (with battery attached) or the battery alone into the charging slot of the desktop base. Ensure the battery contacts align correctly with the charger terminals.
3. The charger is designed to support both original and extended batteries.



Image: The charger base illustrating its ability to charge both standard original batteries and larger extended batteries separately.

3.2 Indicator Light Status

The charger base features an indicator light to show the charging status:

- **Red Light:** Indicates that the battery is currently charging.
- **Green Light:** Indicates that the battery is fully charged.



Image: Visual representation of the indicator light status, showing red for charging and green for a fully charged battery on both the desktop charger and the USB cable.

4. Maintenance

- Keep the charger base and cables clean and free from dust. Use a soft, dry cloth for cleaning.
- Avoid exposing the charger to water or other liquids.
- Store the charger in a cool, dry place when not in use.
- Do not attempt to disassemble or repair the charger. Refer to qualified personnel for service.

5. Troubleshooting

5.1 Charger Not Powering On

- Ensure the AC adapter or USB cable is securely connected to both the charger base and the power source.
- Verify that the power outlet or USB port is functional by testing with another device.

- Check for any visible damage to the cables or charger.

5.2 Battery Not Charging

- Ensure the radio or battery is correctly seated in the charger base, with contacts fully engaged.
- Check the indicator light. If it remains green immediately after placing the battery, the battery may already be fully charged.
- Confirm that the battery is compatible with the charger and is not damaged.

5.3 Indicator Light Not Changing

- If the light does not turn red when a discharged battery is inserted, re-seat the battery firmly.
- If the light remains red after an extended charging period, the battery may be faulty or the charger may require inspection.

6. Specifications

Charger Type	Li-ion Battery Charger
AC Adapter Input	AC 100-240V / 50-60Hz / 0.25A
AC Adapter Output	10V / 0.5A
Desktop Charger Input	DC 10V / DC12~13.8V
Desktop Charger Output	DC 8.4V / 400mAh
USB Cable Output	DC 10V
USB Cable Length	Approx. 1 meter (39.37 inches)
Certifications	FCC, CE, RoHS, ISO
Product Dimensions	6.5 x 4.37 x 2.28 inches
Item Weight	5.1 ounces (0.15 Kilograms)
Model Number	4330374064
Brand	BAOFENG
Color	Black

Product Details



Image: Close-up of the product details, including labels on the AC adapter and charger base, showing input/output specifications and certifications.

7. Warranty and Support

Specific warranty information for this product is not provided in the available details. For warranty claims, technical support, or further assistance, please contact the manufacturer, BAOFENG, or your product retailer directly.

Always refer to the official Baofeng website or authorized distributors for the most current support information.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B01MV1U03N

More documents and user manuals: **https://manuals.plus/**