

Spanninga 999159

Spanninga Axendo 40 Lux Bicycle Light User Manual

Model: 999159

1. INTRODUCTION

Thank you for choosing the Spanninga Axendo 40 Lux Bicycle Light. This high-quality bicycle light is designed to provide excellent illumination and enhance your visibility for safer cycling. With its robust construction and user-friendly features, the Axendo 40 Lux is an essential accessory for any cyclist. Please read this manual carefully before use to ensure proper installation, operation, and maintenance.

2. SAFETY INFORMATION

- Always ensure the light is securely mounted before riding.
- Do not look directly into the light beam to avoid temporary vision impairment.
- Keep the light away from water and moisture, although it has an IPX6 rating, prolonged submersion is not recommended.
- Do not attempt to disassemble or modify the light, as this will void the warranty and may cause damage.
- Store the light in a cool, dry place when not in use.

3. PACKAGE CONTENTS

Please check the package for the following items:

- Spanninga Axendo 40 Lux Bicycle Light
- Integrated USB Charging Cable
- Handlebar Mounting Bracket
- User Manual (this document)

4. SETUP

4.1 Mounting the Light

The Spanninga Axendo 40 Lux comes with an adjustable attachment designed for all handlebars.

- Identify the handlebar mounting bracket.
- Place the bracket around your bicycle's handlebar at the desired position.
- Securely tighten the bracket using the provided screw or lever mechanism until it is firm and does not rotate.

4. Slide the Axendo 40 Lux light onto the bracket until it clicks into place, ensuring it is facing forward and level.

4.2 Initial Charge

Before first use, it is recommended to fully charge the light. Refer to the 'Charging the Battery' section for detailed instructions.



Image: Spanninga Axendo 40 Lux Bicycle Light showing the main light unit and its integrated USB charging cable.

5. OPERATING THE LIGHT

5.1 Power On/Off

To turn the light ON or OFF, press and hold the power button located on the top of the light for approximately 2 seconds.

5.2 Changing Light Modes

Once the light is ON, short press the power button to cycle through the available light modes. The Axendo 40 Lux typically features multiple modes, such as constant beam and flashing modes, to suit different riding conditions and battery life

preferences.

6. CHARGING THE BATTERY

The Spanninga Axendo 40 Lux is equipped with a rechargeable battery and an integrated USB connection.

1. Locate the integrated USB cable on the light unit.
2. Plug the USB connector into any standard USB power source (e.g., computer USB port, USB wall adapter, power bank).
3. The charging indicator light (usually red) will illuminate to show that the light is charging.
4. Once fully charged, the indicator light will change color (e.g., green or turn off). Charging typically takes a few hours depending on the power source.
5. Disconnect the light from the USB power source once charging is complete.

7. MAINTENANCE

7.1 Cleaning

Wipe the light with a soft, damp cloth to remove dirt and grime. Do not use harsh chemicals or abrasive cleaners, as they may damage the casing or lens.

7.2 Storage

If storing the light for an extended period, ensure it is fully charged and store it in a cool, dry place. Recharge the battery every 3-6 months to maintain battery health.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on	Battery is depleted	Charge the light fully using the USB cable.
Light flickers or dims	Low battery or loose connection	Recharge the battery. Ensure the light is securely mounted.
Light does not charge	Faulty USB cable/port or light	Try a different USB port or cable. Contact customer support if the issue persists.
Mounting bracket is loose	Not tightened sufficiently	Re-tighten the mounting bracket screw/lever firmly on the handlebar.

9. SPECIFICATIONS

Feature	Detail
Model Number	999159
Brightness	40 LUX

Feature	Detail
Power Source	Rechargeable Battery (USB Powered)
Material	Aluminum
Colour	Black/White
Mounting Type	Handlebar Mount
Product Dimensions	17.9 x 15 x 8.2 cm
Item Weight	70 g
International Protection Rating	IPX6

10. WARRANTY AND SUPPORT

Spanninga products are manufactured to the highest quality standards. For warranty information or technical support, please refer to the warranty card included with your purchase or visit the official Spanninga website. Keep your proof of purchase for warranty claims.

For further assistance, please contact Spanninga customer service through their official channels.



© 2024 Spanninga. All rights reserved.

Documents - Spanninga – 999159



[\[pdf\] Accessories Catalog](#)

LIGHTS ACCESSORIES 2021 2022 Spanninga The origins of SPANNINGA go back to 1918 when the company was founded in Frisian town Joure Netherlands forward looking actions three ASM catalogue spanninga 07

LIGHTS ACCESSORIES 2021-2022 2 Index CLIC CITY TREKKING HEADLAMPS 18 REARLIGHTS 22 E-B ... 210g ARTICLE NUMBER LIGHT SOURCE 1 POWER SOURCE AUTONOMY LOW-BATTERY-INDICATOR 2 FUNCTIONS WEIGHT 999159 1 white LED 40 Lux 200 Lumens Li-Ion RECHARGEABLE BATTERY USB Max. 8h boost / 12h on ...

lang:en **score:23** filesize: 8.69 M page_count: 52 document date: 2021-07-28