

[Manuals.plus](#) /

> [Baldr](#) /

> Baldr Shower Clock: Digital Waterproof Timer, Temperature, and Humidity Monitor (Model CL0007BL1) Instruction Manual

## Baldr CL0007BL1

# Baldr Shower Clock Instruction Manual

Model: CL0007BL1

[Product  
Overview](#)

[Setup](#)

[Operation](#)

[Placement](#)

[Maintenance](#)

[Troubleshooting](#)

[Warranty &](#)

[Support](#)

[Specifications](#)

## 1. PRODUCT OVERVIEW

---

The Baldr Shower Clock is a versatile digital device designed for use in humid environments such as bathrooms and kitchens. It combines a clock, countdown timer, thermometer, and hygrometer into a single, waterproof unit. Its large LCD display ensures clear readability, and multiple placement options offer convenience.



Image 1: The Baldr Shower Clock displaying current time, temperature, and humidity.

### Key Features:

- **4-in-1 Functionality:** Displays time, indoor temperature, indoor humidity, and features a countdown timer.
- **Waterproof & Anti-Fog:** Designed to withstand splashes and steam, ensuring a clear display in humid conditions.
- **Large LCD Display:** 4.5-inch screen with large digits for easy reading.
- **Easy-to-Use Timer:** Touch-controlled buttons for 1-minute and 10-minute increments, up to 99 minutes.
- **Multiple Placement Options:** Includes a suction cup for smooth surfaces, a fold-out stand for countertops, and a hanging hole for wall mounting.
- **Temperature Units:** Easily switch between Celsius (°C) and Fahrenheit (°F).
- **Time Format:** Switch between 12-hour and 24-hour time display.



Image 2: Visual representation of the clock's 4-in-1 functions: Air Temperature, Relative Humidity, Clock, and Countdown Timer.

## 2. SETUP

---

### 2.1 Package Contents

- 1 x Baldr Shower Clock
- 1 x User Manual

### 2.2 Battery Installation

The Baldr Shower Clock requires **2 x AAA batteries** (not included). For optimal performance, use new, high-quality alkaline batteries of the same kind.

1. Twist the battery cover on the back of the clock counter-clockwise to open.
2. Insert 2 AAA batteries, ensuring correct polarity (+ and -).
3. Replace the battery cover by twisting it clockwise until secure.

Your browser does not support the video tag.

Video 1: This video demonstrates how to install batteries and access the control panel on the back of the Baldr Shower Clock.

### 2.3 Initial Settings (Time & Temperature Unit)

After installing batteries, the clock will power on. To adjust settings, open the battery cover to access the control buttons:

- **TIME:** Press and hold to enter time setting mode. Press briefly to switch between 12-hour and 24-hour format.
  - **UP/CF:** Press to switch between Celsius (°C) and Fahrenheit (°F). In time setting mode, press to increase the value.
  - **DOWN:** In time setting mode, press to decrease the value.
  - **RESET:** Press to return to default settings.
1. **Set Time:** Press and hold the "TIME" button until the hour digits flash. Use the "UP/CF" or "DOWN" buttons to adjust the hour. Press "TIME" again to set minutes, then use "UP/CF" or "DOWN" to

adjust. Press "TIME" once more to confirm and exit.

2. **Change Temperature Unit:** Press the "UP/CF" button briefly to toggle between °C and °F.

### 3. OPERATING INSTRUCTIONS

---

#### 3.1 Clock Mode

In its default state, the clock displays the current time, indoor temperature, and relative humidity. The time can be set to either 12-hour or 24-hour format as described in the Setup section.

#### 3.2 Countdown Timer

The shower clock features a convenient touch-controlled countdown timer on the front panel.




Image 3: The front panel of the Baldr Shower Clock highlighting the 1-minute, 10-minute, and Clear buttons for timer control.

1. **Set Timer:** Press the '1' button to add 1 minute to the timer. Press the '10' button to add 10 minutes. You can combine these to set any time up to 99 minutes.
2. **Start Timer:** After setting the desired time, the timer will automatically start counting down after a few seconds of inactivity. The circular ring around the time will visually indicate the progress.
3. **Stop/Clear Timer:** To stop the countdown or silence the alarm, press the 'CLEAR' button.
4. **Alarm:** When the timer reaches zero, an audible alarm will sound.

#### 3.3 Temperature and Humidity Display

The current indoor temperature and relative humidity are continuously displayed on the top left and top right of the screen, respectively. The temperature unit can be switched between °C and °F using the "UP/CF" button on the back.

### 4. PLACEMENT OPTIONS

---

The Baldr Shower Clock offers three convenient ways to place it in your desired location:



## 3 Placement Options



Suction Cup



Table Stand



Hanging Hole

Image 4: The Baldr Shower Clock demonstrating its versatility with suction cup, table stand, and hanging hole options.

- **Suction Cup:** The clock comes with a strong suction cup on the back. This is ideal for smooth, non-porous surfaces like glass, mirrors, and smooth tiles. For best grip, apply to a clean, slightly moist surface. **Avoid using on rough or porous tiles, as the suction may not hold securely.**
- **Table Stand:** A fold-out stand is integrated into the back of the clock, allowing it to stand upright on any flat surface, such as a countertop or shelf.
- **Hanging Hole:** The clock also features a hanging hole on the back, enabling you to mount it on a hook or nail on a wall.

## 5. MAINTENANCE

- **Cleaning:** Clean the clock with a soft, damp cloth. Do not use abrasive cleaners or immerse the product in water.
- **Battery Replacement:** Replace batteries when the display becomes dim or functions become erratic. Always use new alkaline batteries of the same type.

- **Suction Cup Check:** If using the suction cup, regularly check its adhesion to ensure it remains secure, especially in humid conditions.

## 6. TROUBLESHOOTING

---

Problem	Possible Cause	Solution
Display is blank or dim.	Low or dead batteries.	Replace with 2 new AAA alkaline batteries.
Timer buttons are unresponsive or erratic.	Screen is wet or dirty; low batteries.	Wipe the screen dry and clean. Replace batteries if needed.
Suction cup does not hold.	Surface is not smooth, clean, or moist enough; suction cup is damaged.	Clean and dry the surface. Apply a small amount of moisture to the suction cup. Ensure the surface is smooth and non-porous.
Incorrect time/temperature/humidity readings.	Incorrect settings; sensor obstruction.	Check time and temperature unit settings. Ensure the sensor area on the back is not blocked. Press the RESET button to restore default settings.

## 7. SPECIFICATIONS

---

# Large, Easy-to-Read Display



Image 5: Detailed dimensions of the Baldr Shower Clock.

Feature	Detail
Model Number	CL0007BL1
Brand	Baldr
Display Type	Digital LCD
Power Source	2 x AAA Batteries (not included)
Product Dimensions	4.16"L x 1.63"W x 4.32"H (105.7 x 41.5 x 109.7 mm)
Item Weight	6.4 Ounces
Material Type	Plastic, Stainless Steel Frame
Special Features	Waterproof, Anti-Fog, Timer, Temperature, Humidity
Mounting Type	Wall Mount (Suction Cup, Hanging Hole), Table Stand

## **8. WARRANTY & SUPPORT**

---

### **8.1 Warranty Information**

This Baldr Shower Clock is covered by a Manufacturer's Warranty. Please refer to the product packaging or contact Baldr customer service for specific warranty terms and conditions.

### **8.2 Customer Support**

For any questions, technical assistance, or warranty claims, please contact Baldr customer support through their official website or the contact information provided with your purchase.