

Puig 8926F

Puig 8926F New Generation Dark Smoke Screen Instruction Manual

For Suzuki SV650 (2016-2020)

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Puig 8926F New Generation Dark Smoke Screen. This product is specifically designed for the Suzuki SV650 motorcycle models manufactured between 2016 and 2020. Please read these instructions thoroughly before proceeding with installation or use to ensure safety and optimal performance.

2. SAFETY INFORMATION

- Always wear appropriate safety gear, including eye protection, during installation.
- Ensure the motorcycle is stable and securely supported before beginning any work.
- Do not overtighten fasteners, as this can damage components. Refer to your motorcycle's service manual for specific torque specifications if available.
- After installation, verify that all components are securely fastened and do not interfere with the motorcycle's controls or operation.
- Regularly inspect the screen and mounting hardware for any signs of wear, damage, or looseness.

3. PACKAGE CONTENTS

Please verify that all components are present before beginning installation:

- Puig New Generation Screen (Dark Smoke)
- Mounting Brackets (Stays) with 'SV' laser-cut lettering
- Fasteners and hardware kit
- Puig stickers (various designs)

If any parts are missing or damaged, please contact your retailer or Puig customer support.

4. SETUP AND INSTALLATION

Estimated Installation Time: 10-30 minutes (depending on experience and tool preparation).

Required Tools: Basic motorcycle hand tools (e.g., Allen wrenches, sockets, torque wrench).

1. **Prepare the Motorcycle:** Park the motorcycle on a level surface and ensure it is stable. Turn off the engine and remove the ignition key.
2. **Inspect Components:** Unpack all components and ensure they are free from damage. The mounting stays may come pre-attached to the cowl body.
3. **Attach Screen to Cowl (if not pre-assembled):** If the screen is separate from the cowl, carefully align the screen with the cowl and secure it using the provided fasteners. Do not fully tighten yet.
4. **Mount the Assembly:** The Puig screen assembly mounts to the motorcycle's front fork top bridge using existing bolts. Carefully remove the necessary bolts from the top bridge area.
5. **Position and Secure:** Align the mounting brackets (stays) with the bolt holes on the top bridge. Reinstall the bolts, ensuring the brackets are properly seated.
6. **Final Tightening:** Once the screen assembly is correctly positioned and aligned, gradually tighten all fasteners. Refer to your motorcycle's service manual for recommended torque specifications for the top bridge bolts.
7. **Check Clearance:** Turn the handlebars from lock to lock to ensure the screen does not interfere with any controls, cables, or other parts of the motorcycle.
8. **Apply Stickers:** Optionally, apply the included Puig stickers to your motorcycle or screen as desired.



Image 1: Side view showing the screen and its mounting brackets. Note the 'SV' laser-cut into the bracket.



Image 2: Close-up of the mounting bracket, highlighting the 'SV' laser-cut logo.

5. OPERATING INSTRUCTIONS

The Puig New Generation Screen is a static accessory designed to enhance the aerodynamics and aesthetics of your Suzuki SV650. Once installed, no further operational steps are required.

- **Wind Protection:** The screen is designed to reduce wind pressure on the rider's chest and lower body, particularly noticeable at higher speeds or in colder conditions.
- **Visibility:** The dark smoke tint provides a stylish appearance. Ensure your visibility is not impaired, especially in low light conditions.



Image 3: Front view of the Puig New Generation Dark Smoke Screen installed on a motorcycle.

6. MAINTENANCE

Proper maintenance will prolong the life and appearance of your Puig screen.

- **Cleaning:** Clean the screen regularly with a soft cloth and mild soap and water. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the acrylic material.
- **Inspection:** Periodically check all mounting bolts for tightness. Inspect the screen for cracks, scratches, or other damage.
- **Storage:** If storing the motorcycle for an extended period, consider covering the screen to protect it from dust and UV exposure.



Image 4: Close-up view of the screen material and a mounting point.

7. TROUBLESHOOTING

- **Vibration at Lower Cowl:** Some users may experience minor vibration at the lower part of the cowl, especially at certain speeds. This is often due to the design relying on two main mounting points. Ensure all fasteners are securely tightened. If vibration is excessive or causes concern, consult a professional motorcycle mechanic.
- **Loose Screen:** If the screen feels loose, re-check all mounting bolts and ensure they are tightened to the appropriate specifications.
- **Impaired Visibility:** If the dark smoke tint affects your visibility, especially at night or in adverse weather, consider alternative screen options or exercise extra caution.

8. SPECIFICATIONS

Brand	Puig
Model Number	8926F
Material	Acrylic
Color	Dark Smoke (Screen), Glossy Black (Cowl Body)
Compatibility	Suzuki SV650 (2016-2020)

9. WARRANTY AND SUPPORT

Information regarding product warranty and customer support is not available in the provided product data. Please refer to the official Puig website or contact your point of purchase for details on warranty coverage and support services.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question