

[manuals.plus](#) /› [HQRP](#) /› [HQRP Audio Cable 8-pin iSO to 3.5mm for Becker/Blaupunkt Radios User Manual](#)**HQRP 884667801111706**

# HQRP Audio Cable 8-pin iSO to 3.5mm for Becker/Blaupunkt Radios User Manual

Model: 884667801111706

## 1. PRODUCT OVERVIEW

The HQRP Audio Cable is designed to provide an auxiliary audio input for compatible Becker and Blaupunkt car radios. This 3.3 ft (1 meter) cable features an 8-pin iSO connector on one end and a standard 3.5mm male headphone jack on the other. It allows users to connect external audio devices, such as smartphones or MP3 players, directly to their car's audio system, enabling playback of music through the car's speakers.

**Important Note:** This cable is for audio input only and does not support device charging or control functions. Compatibility requires the car radio to have an 8-pin iSO CD changer input and an "AUX" menu option.



**Figure 1:** HQRP 8-pin iSO to 3.5mm Audio Cable. This image shows the black audio cable with its 8-pin iSO connector (blue housing) and the 3.5mm male audio jack.



**Figure 2:** Included HQRP Coaster. This image displays the HQRP branded coaster, often bundled with the audio cable, shown with a coffee cup.

## 2. SETUP INSTRUCTIONS

Follow these steps to connect your HQRP Audio Cable to your car radio:

- 1. Verify Radio Compatibility:** Ensure your Becker Cascade Pro (models 7941, 7904, 7944) or Traffic Pro (models 7945, 7949) radio, or compatible Blaupunkt aftermarket radio, has an 8-pin iSO CD changer input. Crucially, the radio's menu must display an "AUX" option for this cable to function.
- 2. Access CD Changer Port:** Depending on your vehicle and radio model, you may need to remove the car radio from its dashboard slot to access the rear connections. Consult your car's or radio's specific manual for instructions on safe removal.
- 3. Connect 8-pin iSO Connector:** Locate the 8-pin iSO CD changer port on the back of your car radio. Carefully insert the blue 8-pin iSO connector of the HQRP audio cable into this port until it clicks securely into place.
- 4. Route the Cable:** Route the 3.5mm end of the cable to a convenient location within your vehicle, such as the glove compartment, center console, or near the dashboard, where you intend to connect your audio device. Ensure the cable is routed safely and does not interfere with driving controls.
- 5. Reconnect Radio (if removed):** If you removed the radio, carefully re-install it into the dashboard, ensuring all other connections are secure.
- 6. Connect Audio Device:** Plug the 3.5mm male jack into the headphone output or auxiliary output of your external audio device (e.g., smartphone, MP3 player).

### 3. OPERATING INSTRUCTIONS

---

Once the HQRP Audio Cable is connected, follow these steps to play audio:

1. **Turn on Car Radio:** Power on your car radio.
2. **Select AUX Input:** Navigate through your car radio's menu or press the appropriate button (often labeled "SRC", "MODE", or "CD") until the "AUX" input is selected. This activates the audio input from the HQRP cable.
3. **Start Audio Playback:** Begin playing audio on your connected external device.
4. **Adjust Volume:** Control the playback volume using your car radio's volume knob or buttons. You may also need to adjust the volume on your external audio device for optimal sound quality.

**Note:** The car radio will only receive audio signals. All track selection, play/pause, and other controls must be managed directly on your connected external audio device.

### 4. MAINTENANCE

---

To ensure the longevity and optimal performance of your HQRP Audio Cable, follow these simple maintenance guidelines:

- **Handle with Care:** Avoid excessive bending, twisting, or pulling of the cable, especially near the connectors, as this can damage internal wires.
- **Keep Clean:** Periodically wipe the cable and connectors with a soft, dry cloth to remove dust and debris. Do not use harsh chemicals or abrasive cleaners.
- **Store Properly:** When not in use, coil the cable loosely. Avoid tightly wrapping it around objects or kinking it.
- **Protect Connectors:** Ensure the 3.5mm jack and 8-pin iSO connector are kept free from dirt, moisture, and physical impact.

### 5. TROUBLESHOOTING

---

If you encounter issues with your HQRP Audio Cable, refer to the following troubleshooting tips:

- **No Audio Output:**
  - Ensure the car radio is set to the "AUX" input mode.
  - Verify that the 8-pin iSO connector is fully and securely inserted into the radio's CD changer port.
  - Check that the 3.5mm jack is fully inserted into your external audio device.
  - Confirm that the external audio device is playing music and its volume is turned up.
  - Adjust the volume on both the car radio and the external audio device.
  - Test with a different external audio device or a different 3.5mm cable (if available) to rule out device or cable issues.
- **Poor Sound Quality (Static, Distortion):**
  - Ensure all connections are secure and free from debris.
  - Lower the volume on your external audio device if the sound is distorted at high volumes on the car radio.
  - Check for any kinks or damage to the cable.
  - Ensure no other electrical devices are causing interference.
- **"AUX" Option Not Available on Radio:**
  - This cable requires the car radio to have an "AUX" menu option. If it's not present, the cable is not compatible with your specific radio unit.
  - Some radios may require activation of the AUX input through a specific menu setting or by a car audio technician. Consult your radio's manual.

## 6. SPECIFICATIONS

Feature	Detail
<b>Brand</b>	HQRP
<b>Model Number</b>	884667801111706
<b>Cable Type</b>	AUX Audio Cable
<b>Connector 1</b>	8-pin iSO (Male)
<b>Connector 2</b>	3.5mm Audio Jack (Male)
<b>Cable Length</b>	3.3 ft / 1 meter
<b>Color</b>	Black
<b>Function</b>	Audio Input Only (No charging or control)
<b>Compatible Radios</b>	Becker Cascade Pro (7941, 7904, 7944), Traffic Pro (7945, 7949), and compatible Blaupunkt aftermarket radios with 8-pin iSO CD changer input and "AUX" menu option.
<b>Item Weight</b>	2 ounces

## 7. WARRANTY INFORMATION

This HQRP Audio Cable comes with a **200-day warranty** from the date of purchase. This warranty covers manufacturing defects and ensures the product functions as intended under normal use. Please retain your proof of purchase for any warranty claims. For warranty service or inquiries, please refer to the support contact information provided below.

## 8. SUPPORT

For further assistance, technical support, or to inquire about warranty services, please visit the official HQRP website or contact their customer service department. Specific contact details can usually be found on the product packaging or the brand's official online presence.

### Online Resources: [HQRP Amazon Store](#)

When contacting support, please have your product model number (884667801111706) and proof of purchase readily available.