

Jensen JTV4015DC

Jensen JTV4015DC 40-inch LED DC Television User Manual

Model: JTV4015DC

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your Jensen JTV4015DC 40-inch LED DC Television. Please read this manual thoroughly before using the product to ensure safe and efficient operation.

2. WHAT'S IN THE BOX

Carefully unpack the television and verify that all items are present:

- Jensen JTV4015DC 40-inch LED DC Television
- Dual function (TV & DVD) wireless remote control
- DC power cord
- Optional table top stand (STDJTV4015DC) (if purchased separately)

3. SETUP AND INSTALLATION

3.1 Power Connection

The JTV4015DC television is designed for DC 12V power systems. Connect the included DC power cord to the television's power input and to a compatible 12V DC power source.

3.2 Mounting Options

The television supports VESA 200mm x 100mm mounting patterns for wall or bracket installation. Ensure that any mounting hardware used is compatible with this standard and can safely support the television's weight. An optional table top stand (model STDJTV4015DC) is available for desktop placement. Refer to the stand's separate instructions for assembly and attachment.




Image: Rear view of the Jensen JTV4015DC television showing VESA mounting points and overall dimensions. The diagram indicates a VESA 200mm x 100mm mounting pattern.

3.3 Connecting External Devices

The television offers various input options for connecting external devices:

- **HDMI Inputs (x2):** For high-definition audio and video sources such as DVD players, Blu-ray players, or gaming consoles.
- **Composite Video Input:** For standard definition video sources (NTSC/PAL compatible).
- **RF Input:** For connecting an antenna or cable television signal.

- **USB Input:** For media playback from USB storage devices.
- **Stereo Audio Input:** For analog audio sources.

40" LED DC Television

JTV4015DC



PRODUCT FEATURES

- DC power
- Integrated HDTV (ATSC) tuner
- HD ready (1080p, 720p, 480p)
- VESA 200mm x 100mm mounting pattern
- JCOM function with JENSEN HDMI-equipped DVD player
- Conformal coated circuit boards
- Rugged metal cabinet
- ARC (Audio Return Channel) via HDMI
- Front controls
- Dual-function remote control included
- Optional table top stand (STDJTV4015DC)
- Dimensions: 35.75"W x 21.56"H x 1.9"D

INPUT/OUTPUTS

- Composite video input (NTSC/PAL compatible)
- Stereo audio input
- Component video input
- RF
- USB
- HDMI inputs (2)
- Selectable (variable/fixed) line level audio output (RCA)
- Digital SPDIF audio output (RCA)

DESIGNED TO MOVE [YOU][™]

Image: Diagram illustrating the various input and output ports available on the Jensen JTV4015DC television, including HDMI, USB, RF, and composite video inputs.

4. OPERATING INSTRUCTIONS

4.1 Basic Operation

The television can be operated using the front panel controls or the included dual-function wireless remote control. The remote control is designed to operate both the TV and compatible DVD players.

4.2 Input Selection

Use the 'Source' or 'Input' button on the remote or front panel to cycle through available input sources (HDMI 1, HDMI 2, Composite, RF, USB).

4.3 Integrated HDTV Tuner

The television features an integrated HDTV (ATSC) tuner. Connect an antenna to the RF input to receive over-the-air digital television broadcasts. Perform a channel scan through the TV's menu to find available channels.

4.4 Audio Features

- **ARC (Audio Return Channel) via HDMI:** Allows audio to be sent from the TV to a compatible audio receiver or soundbar through a single HDMI cable.
- **Selectable Line Level Audio Output (RCA):** Provides variable or fixed audio output for connecting to external audio systems.
- **Digital SPDIF Audio Output (RCA):** For connecting to digital audio receivers.

4.5 JCOM Function

The JCOM function allows for enhanced communication with JENSEN HDMI-equipped DVD players, simplifying control and integration.



Image: The Jensen JTV4015DC television displaying a high-definition image, showcasing its 1920 x 1080 resolution and 16:9 display format.

5. MAINTENANCE

5.1 Cleaning

To clean the screen, gently wipe it with a soft, lint-free cloth. For stubborn marks, dampen the cloth slightly with water or a screen-cleaning solution. Avoid using harsh chemicals or abrasive materials. For the cabinet, use a soft, dry cloth.

5.2 General Care

Ensure the television is placed in a well-ventilated area to prevent overheating. Avoid exposing the unit to extreme temperatures or high humidity. The conformal coated circuit boards provide enhanced durability against environmental factors, but proper care is still recommended.

6. TROUBLESHOOTING

If you experience issues with your television, refer to the following common problems and solutions:

- **No Power:** Ensure the DC power cord is securely connected to both the television and the 12V DC power source. Verify the power source is active.
- **No Picture/Sound:** Check that the correct input source is selected. Verify all audio/video cables are securely connected to both the television and the external device.
- **Poor Picture Quality:** For RF input, ensure the antenna is properly connected and positioned. For HDMI/Composite, check cable integrity and source device settings.
- **Remote Control Not Working:** Check the batteries in the remote control and ensure there are no obstructions between the remote and the television's IR sensor.

For persistent issues, contact customer support as detailed in the Warranty and Support section.

7. SPECIFICATIONS

Feature	Specification
Diagonal Size	39.5 inches (40 inches standing screen display size)
Resolution	1920 x 1080 (Full HD)
Brightness	200 cd/m2
Contrast Ratio	5000:1
View Angles	Top 89°, Bottom 89°, Left 89°, Right 89°
Display Format	16:9
Response Time	6.5ms
Video/Display System	NTSC/ATSC/PAL
Audio Output	8W x 2
Power System	DC 12V
Power Consumption	20 mA standby, 5.41A max (79.8 watts on-mode)
Operating Temperature Range	-4°F to 149°F (-20°C to 65°C)

Feature	Specification
Storage Temperature Range	-22°F to 158°F (-20°C to 70°C)
Maximum Relative Humidity	85%
Overall Dimensions (without stand)	35.8"W x 21.6"H x 1.9"D
Weight (unpacked)	22 lbs 8 oz
Regulatory Certification(s)	FCC


8. WARRANTY AND SUPPORT

The Jensen JTV4015DC television typically comes with a one-year limited warranty from the manufacturer, ASA Electronics. This warranty covers defects in materials and workmanship under normal use. For warranty claims, technical support, or service inquiries, please contact ASA Electronics directly. Please note that out-of-warranty repairs or parts may not be available directly from the manufacturer. It is recommended to retain your proof of purchase for warranty validation.


© 2024 Jensen. All rights reserved.

Related Documents - JTV4015DC

	Jensen 15 Series LED TV User Manual: Setup, Operation, and Specifications Comprehensive user guide for Jensen 15 Series LED TVs, covering safety precautions, installation, connections, menu operations, troubleshooting, and detailed specifications for models like JTV2815DC, JTV4015DC, JE2415, JE2815, JE3215, JE4015, JE4815, JE5015, and JE5515.
	Jensen JMC-1250 Bluetooth 3-Speed Stereo Turntable System User Manual Comprehensive user manual for the Jensen JMC-1250 Bluetooth 3-Speed Stereo Turntable Music System with Dual Cassette Deck. Learn about setup, operation, features, safety instructions, and troubleshooting.
	Jensen JE5020 LED TV User's Guide: Setup, Operation, and Safety Comprehensive user guide for the Jensen JE5020 LED TV. Covers setup, connections, operation, features, safety, and troubleshooting for optimal viewing experience.


	Jensen JA Series Power Amplifier User Manual Comprehensive user manual for Jensen JA Series JA1CH, JA2CH, JA4CH, and JA5CH power amplifiers, covering installation, setup, troubleshooting, specifications, and connections.
	JENSEN JE4023 LED TV User Guide and Manual Comprehensive user guide for the JENSEN JE4023 LED TV, covering setup, operation, troubleshooting, specifications, and safety precautions.
	Jensen JTV3220DC LED TV User's Guide User's guide for the Jensen JTV3220DC LED TV, covering safety precautions, setup, operation, maintenance, and troubleshooting. Includes FCC information and disposal guidelines.

Documents - Jensen – JTV4015DC



[pdf] User Manual Guide Accessories


JTV4015DC USER MANUAL 20171018 Jensen Television Model User s Guide Component Manuals
Search Forest River Inc A Berkshire Hathaway Company forestriverinc files |||
JTV4015DC LED TV User s Guide Please observe all safety precautions when using this product. Please read this manual carefully. Guide de l'utilisateur du tlvisur LED
Veuillez observer toutes les mesures de scurit en utilisant ce produit. Veuillez lire soigneusement ce manuel avant d utiliser ce pro...
lang:en score:50 filesize: 37.94 M page_count: 62 document date: 2017-10-18



[Jensen 15 Series LED TV User Manual: Setup, Operation, and Specifications](#)

Comprehensive user guide for Jensen 15 Series LED TVs, covering safety precautions, installation, connections, menu operations, troubleshooting, and detailed specifications for models like JTV2815DC, JTV4015DC, JE2415, JE2815, JE3215, JE4015, JE4815, JE5015, and JE5515.

lang:en **score:43** filesize: 7.47 M page_count: 110 document date: 2020-12-30




[\[pdf\] User Manual Guide Accessories](#)

manual 01 ai Administrator Jensen Television Model 15 Series User Guideforestriverinc files Component Manuals Guide |||

15 SERIES LED TV User s Guide Please observe all safety precautions when using this product. Please ... Cable 6 DC Power Cable x Remote Control User Guide Information Part Identification Right View **JTV4015DC** English SOURCE MENU CH-CH VOL- VOL POWER SOURCE Button MENU Button-OSD Menu Display ...

lang:en **score:43** filesize: 7.47 M page_count: 110 document date: 2020-12-30




[\[pdf\] User Manual Guide Accessories](#)

JENSEN JTV4015DC 01 MANUAL Manual Hub drive google file d 1

28TilFKc8mgEcCYDzip9mm2xKz43g8J preview |||

JTV4015DC LED TV User s Guide Please observe all safety precautions when using this product. Please read this manual carefully. Guide de l'utilisateur du tlviser LED Veuillez observer toutes les mesures de scurit en utilisant ce produit. Veuillez lire soigneusement ce manuel avant d utiliser ce pro...

lang:en **score:40** filesize: 35.58 M page_count: 62 document date: 2023-10-08



[\[pdf\]](#) User Manual Guide Accessories

manual 01 ai Administrator jtv4015dc asaelectronics dl file id 942 |||

JTV4015DC LED TV User s Guide Please observe all safety precautions when using this product. Please read this manual carefully. Guide de l'utilisateur du tlviser LED Veuillez observer toutes les mesures de scurit en utilisant ce produit. Veuillez lire soigneusement ce manuel avant d'utiliser ce pro...

lang:en **score:33** filesize: 39.53 M page_count: 62 document date: 2017-10-19




[\[pdf\]](#) Press Release

Tiffany Teeguarden JTV4015DC Press Release asaelectronics media pressreleases

67bc40ec43b0dada121ed59f22b134a6

For immediate release Contact: Jannie Schaffer 574 266-3193 Press Release ASA Electronics Releas ... facturer of premium audio and video mobile electronics and appliances, is proud to debut the JENSEN **JTV4015DC** 40 LED DC TV. This model is the newest TV from ASA Electronics and offers the latest in t...

lang:en **score:30** filesize: 213.62 K page_count: 1 document date: 2015-08-27




[\[pdf\]](#) User Manual Guide Accessories

Jensen Marine Electronics Navigation User Guide electronics marine navigation boat gps fishfinder audio gauges speakers antennas weather stations CARiD 15 SERIES LED TV s Application Selecting input source Initial Setup Wizard 17 The quick setup wizard will display on screen Select your je2415 user guide carid images jensen items

15 SERIES LED TV User s Guide Please observe all safety precautions when using this product. Please ... DC Power Cable x Remote Control English User Guide Information Part Identification Right View **JTV4015DC** SOURCE MENU CH- CH VOL- VOL POWER SOURCE Button MENU Button-OSD Menu Display Button CH...

lang:en **score:29** filesize: 4.66 M page_count: 76 document date: 2018-01-16




[\[pdf\]](#) Dimension Guide

Product Change Notice NET Framework In order to ensure our products continue evolve as the technological market changes ASA Electronics will be updating line of JENSEN® televisions follows: PCN-JTV4015DC JTV4020DC asasupportdocs blob core windows net docs

Product Change Notice In order to ensure our products continue to evolve as the technological market changes, ASA Electronics will be updating our line of JENSEN televisions as follows: The JENSEN JTV4020DC will be replacing the JENSEN **JTV4015DC** 40-inch LED DC Television. This change will take effect...


lang:en **score:29** filesize: 132.11 K page_count: 2 document date: 2021-05-19



[\[pdf\]](#) Dimension Guide


JTV4015DC 40 LED DC Television JTV4015DC40 power Integrated HDTV ATSC tuner HD ready 1080p 720p 480p VESA 200mm x 100mm mounting pattern JCOM function with JENSEN HDMI equipped LIT asasupportdocs blob core windows net docs Literature NET

40 LED DC Television **JTV4015DC** PRODUCT FEATURES DC power Integrated HDTV ATSC tuner HD ready 1080p, 720p, 480p VESA 200mm x 100mm mounting pattern JCOM function with JENSEN HDMI-equipped DVD player Conformal coated circuit boards Rugged metal cabinet ARC Audio Return Channel via HDMI... lang:it **score:29** filesize: 2.98 M page_count: 2 document date: 2017-01-27



[\[pdf\]](#) User Manual Guide Accessories

manual 01 ai Administrator Jensen TV Electrical 28 inch JTV2815dc lancecamper docs manuals 15 SERIES LED TV User s Guide Please observe all safety precautions when using this product. Please ... DC Power Cable x Remote Control English User Guide Information Part Identification Right View **JTV4015DC** SOURCE MENU CH- CH VOL- VOL POWER SOURCE Button MENU Button-OSD Menu Display Button CH... lang:en **score:28** filesize: 39.14 M page_count: 152 document date: 2017-10-17



[pdf]

PCN JTV4015DC JTV4020DC indd ASA Electronics asassupportdocs blob core windows net docs Product Change Notice |||

Noti cation Date: 03-17-2022 Product Change Notice V2 In order to ensure our products continue to evolve as the technological market changes, ASA Electronics will be updating our line of JENSEN televisions as follows: The JENSEN JTV4020DC will be replacing the JENSEN **JTV4015DC** 40-inch LED DC Tele...


lang:en score:28 filesize: 1.36 M page_count: 2 document date: 2022-03-17



[MotorHome Magazine - February 2017 Issue: RV Travel, Tech, and Lifestyle](#)

Explore the February 2017 issue of MotorHome magazine, featuring articles on RV battery basics, heating systems, high-tech gear for home theater on the go, and luxury motorhome reviews including Entegra Aspire and Monaco Class A. Discover travel destinations, maintenance tips, and reader insights for RV enthusiasts.

lang:en score:26 filesize: 28.91 M page_count: 76 document date: 2016-12-17



[pdf] User Manual Guide Accessories

manual 01 ai Administrator je5515 owners jtv32dc jtv19dc je2415 tv owner s asaelectronics dl file id 804 831 866 902


15 SERIES LED TV User s Guide Please observe all safety precautions when using this product. Please ... AV Cable DC Power Cable x Remote Control User Guide Information Part Identification Right View **JTV4015DC** English SOURCE MENU CH-CH VOL- VOL POWER SOURCE Button MENU Button-OSD Menu Display ...

lang:en score:20 filesize: 61.08 M page_count: 116 document date: 2016-08-09



[\[pdf\]](#) Guide

0117 Motorhome MobileBoxOffice kvh ~ media Site Documents Press In the News Leisure Auto Home Subscribe To MotorHome MotorHome ENews More Magazines Contact Us Customer Service Product Info ... ronics. These Jensen TVs have been road-tested to withstand vibration and temperature extremes. The **JTV4015DC** is a 12-volt-DC-powered TV available in either 28- or 40-inch models. The TV is housed in ...
 lang:en **score:14** filesize: 1.06 M page_count: 8 document date: 2017-01-23



[\[pdf\]](#) Specifications Accessories Catalog

asa electronics marine catalog 2015 madp static webshopapp shops 103166 files 130169465 Premier Audio Video Entertainment Table of Contents JENSEN Marine Stereos and DVD players..... ... Low profile; fixed Accommodates 15 -26 TVs MAF30 Single swing arm Accommodates 15 -26 TVs 9 **JTV4015DC** - 40 12 Volt DC LED Television HDMI inputs 2 Digital audio output SPDIF Compone...
 lang:en **score:14** filesize: 8.65 M page_count: 15 document date: 2015-09-15