

ARREGUI V4097

ARREGUI V4097 Stainless Steel Letter Pickup Box User Manual

Model: V4097

1. PRODUCT OVERVIEW

The ARREGUI V4097 is a high-quality stainless steel letter pickup box designed for interior installation within walls, doors, or fences. It provides a secure and convenient solution for receiving mail from the outside and collecting it from the inside of your property. Its robust construction ensures high resistance to weather and corrosion, making it a durable addition to any home.



Figure 1: Front view of the ARREGUI V4097 Stainless Steel Letter Pickup Box, showcasing its sleek design and key access point.

2. KEY FEATURES

- **Interior Installation:** Designed for seamless integration into walls, doors, or fences, allowing mail collection from inside.
- **Durable Stainless Steel:** Constructed from high-resistance stainless steel with a mirror effect, offering excellent weather and corrosion resistance.
- **Compact Size:** Specifically sized to accommodate DIN A5 mail, folded DIN A4 sheets, and standard small envelopes.
- **Easy Installation:** Comes with all necessary hardware and pre-drilled holes for straightforward mounting.
- **Secure Access:** Includes a set of 2 keys for secure mail retrieval.
- **Compatibility:** Can be combined with external card horns such as Arregui C601, C603, and C604 (sold separately).

3. SETUP AND INSTALLATION

Before beginning installation, ensure you have the necessary tools: a drill, screwdriver, and a measuring tape. The letter box is designed for interior mounting, meaning the mail is deposited from the outside and retrieved from the inside.

3.1. Unpacking and Components

Carefully unpack the letter box. Verify that all components are present:

- ARREGUI V4097 Letter Pickup Box
- Mounting hardware (screws, anchors)
- 2 x Keys

3.2. Choosing an Installation Location

Select a suitable location on a wall, door, or fence that allows for both external mail deposit and internal retrieval. Ensure the chosen surface is structurally sound to support the letter box.

3.3. Installation Steps

1. **Measure and Mark:** Hold the letter box against the desired installation surface. Use a pencil to mark the positions of the pre-drilled holes on the back of the unit.
2. **Drill Holes:** Using an appropriate drill bit for your wall material, drill pilot holes at the marked locations. Ensure the depth is suitable for the provided anchors.
3. **Insert Anchors:** If installing into masonry or drywall, insert the plastic anchors into the drilled holes until flush with the surface.
4. **Mount the Box:** Align the letter box with the drilled holes. Insert the screws through the pre-drilled holes on the back of the box and into the anchors (or directly into wood studs).
5. **Secure Tightly:** Use a screwdriver to tighten the screws until the letter box is firmly secured to the surface. Do not overtighten.
6. **Optional: Combine with External Horn:** If using an external card horn (e.g., Arregui C601, C603, C604), follow the installation instructions provided with that separate product to ensure proper alignment and functionality with the V4097.



Figure 2: Rear view illustrating the mail slot and pre-drilled mounting holes for installation.

4. OPERATING INSTRUCTIONS

The ARREGUI V4097 letter pickup box is designed for simple and efficient mail handling.

4.1. Receiving Mail

Mail is deposited into the letter box from the exterior side of the wall, door, or fence. The design allows for easy insertion of DIN A5 mail, folded DIN A4 sheets, and typical small envelopes.

4.2. Collecting Mail

To retrieve mail, use one of the provided keys to unlock the front panel of the letter box from the interior side. Once unlocked, the panel can be opened to access the collected mail. After retrieving your mail, close the panel and lock it to ensure security.

5. MAINTENANCE AND CARE

To ensure the longevity and appearance of your ARREGUI V4097 Stainless Steel Letter Pickup Box, follow these maintenance guidelines:

- **Regular Cleaning:** Clean the stainless steel surface regularly with a soft cloth and a mild, non-abrasive cleaner specifically designed for stainless steel. Avoid using harsh chemicals, abrasive pads, or steel wool, as these can scratch the surface or cause corrosion.
- **Remove Stains Promptly:** For fingerprints or smudges, use a microfiber cloth and a stainless steel cleaner. Wipe in the direction of the grain.
- **Corrosion Prevention:** Although highly resistant, prolonged exposure to harsh environmental conditions (e.g., salt spray in coastal areas) can affect stainless steel. Regular cleaning helps prevent the buildup of corrosive agents.
- **Lubricate Lock:** Periodically apply a small amount of graphite lubricant or a silicone-based spray to the keyhole and locking mechanism to ensure smooth operation.
- **Check Fasteners:** Occasionally check that all mounting screws are tight. Retighten if necessary to ensure the box

remains securely attached.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your letter pickup box.

Problem	Possible Cause	Solution
Difficulty inserting mail.	Mail item is too large for the slot.	Ensure mail is DIN A5 size or smaller, or folded DIN A4. The slot is designed for standard letter mail, not parcels.
Key is stiff or difficult to turn.	Lock mechanism requires lubrication or is dirty.	Apply a small amount of graphite lubricant or silicone spray into the keyhole. Insert and turn the key several times to distribute the lubricant.
Letter box feels loose after installation.	Mounting screws have loosened or anchors are not secure.	Check all mounting screws and retighten them. If the issue persists, consider using larger anchors or relocating the box to a more secure mounting point.
Surface shows smudges or minor scratches.	Normal wear and tear, or improper cleaning.	Clean with a soft cloth and stainless steel cleaner, wiping in the direction of the grain. For minor scratches, specialized stainless steel scratch removal kits may be used with caution.

7. SPECIFICATIONS

Attribute	Detail
Model	V4097
Brand	ARREGUI
Material	Stainless Steel
Color	Stainless Steel Gloss
Mounting Type	Wall Mount (Interior)
Mail Capacity	DIN A5, folded DIN A4, small envelopes
Dimensions (Approx.)	23 cm (Width) x 4 cm (Depth of mouth) - <i>Note: Full product dimensions not provided in source, refer to product packaging for exact measurements.</i>
Keys Included	2

8. WARRANTY AND SUPPORT

For specific warranty information regarding your ARREGUI V4097 Stainless Steel Letter Pickup Box, please refer to the documentation included with your purchase or visit the official ARREGUI website. Warranty terms and conditions may vary by region and retailer.



If you require technical assistance, have questions about installation, or need to report a defect, please contact ARREGUI customer support through their official channels. Contact information can typically be found on the manufacturer's website or on the product packaging.

Note: Always retain your proof of purchase for warranty claims.



© 2024 ARREGUI. All rights reserved. This manual is for informational purposes only.

Related Documents - V4097

 SUMA ES/ Caja fuerte electrónica IT/ Cassetto elettronico PT/ Caixa eletrônica FR/ Coffre-fort électronique GR/ Ηλεκτρονικό κούρτι DE/ Elektronisches Safe RU/ Электронный сейф UK/ Електронний сейф PL/ Skrytka elektroniczna HU/ Elektronikus széf CZ/ Elektronický bezpečnostní schránka SK/ Elektronická bezpečnostná skrinica SI/ Elektronski varnostni ohišnik BG/ Електронен сейф RO/ Cămin de siguranță electronic LT/ Elektroninis saugyklos LV/ Elektroniskais drošības kabinets EL/ Ηλεκτρονικό κούρτι CY/ Ηλεκτρονικό κούρτι HU/ Elektronikus széf CZ/ Elektronický bezpečnostní schránka SK/ Elektronická bezpečnostná skrinica SI/ Elektronski varnostni ohišnik BG/ Електронен сейф RO/ Cămin de siguranță electronic LT/ Elektroninis saugyklos LV/ Elektroniskais drošības kabinets EL/ Ηλεκτρονικό κούρτι CY/ Ηλεκτρονικό κούρτι ARREGUI	Arregui SUMA Electronic Safe: User Manual and Warranty Information Detailed instructions for operating and maintaining the Arregui SUMA electronic safe, including setup, security features, battery management, and warranty information. Features multilingual support with English as the primary language.
 KEEPER-E ES/ Cerradura inteligente IT/ Serratura intelligente PT/ Fechadura inteligente FR/ Serrure intelligente GR/ Ηλεκτρονική κλειδαριά DE/ Elektronisches Schloss RU/ Электронный замок UK/ Електронний замок PL/ Elektroniczna zamka HU/ Elektronikus zár CZ/ Elektronický zámek SK/ Elektronická bezpečnostná zámok SI/ Elektronski varnostni ohišnik BG/ Електронен сейф RO/ Cămin de siguranță electronic LT/ Elektroninis saugyklos LV/ Elektroniskais drošības kabinets EL/ Ηλεκτρονικό κούρτι CY/ Ηλεκτρονικό κούρτι ARREGUI	Arregui KEEPER-E Smart Lock Instruction Manual Detailed guide for the Arregui KEEPER-E smart lock, covering setup, administrator and user functions, remote management, battery replacement, and troubleshooting. Learn how to use the ARREGUI app for secure access control.
 CLASS ES/ Electrónico + puerta IT/ Elettronico + manopola PT/ Eletrónico + punhal FR/ Electronique + poignée GR/ Ηλεκτρονική + ποignée DE/ Elektronisch + Türgriff RU/ Электронный + ручка UK/ Електронний + ручка PL/ Elektroniczny + klamka HU/ Elektronikus + foganty CZ/ Elektronický + klik SK/ Elektronická + klik SI/ Elektronski + ročaj BG/ Електронен + дръжка RO/ Cămin de siguranță electronic LT/ Elektroninis saugyklos LV/ Elektroniskais drošības kabinets EL/ Ηλεκτρονικό κούρτι CY/ Ηλεκτρονικό κούρτι ARREGUI	ARREGUI Class Electronic Safe: User Manual and Warranty Information Comprehensive user manual and warranty details for the ARREGUI Class electronic safe, covering operation, installation, maintenance, and security features. Available in multiple languages including English, Spanish, Italian, Portuguese, French, Greek, and German.
 SUPRA ES/ Electrónico + puerta IT/ Elettronico + manopola PT/ Eletrónico + punhal FR/ Electronique + poignée GR/ Ηλεκτρονική + ποignée DE/ Elektronisch + Türgriff RU/ Электронный + ручка UK/ Електронний + ручка PL/ Elektroniczny + klamka HU/ Elektronikus + foganty CZ/ Elektronický + klik SK/ Elektronická + klik SI/ Elektronski + ročaj BG/ Електронен + дръжка RO/ Cămin de siguranță electronic LT/ Elektroninis saugyklos LV/ Elektroniskais drošības kabinets EL/ Ηλεκτρονικό κούρτι CY/ Ηλεκτρονικό κούρτι ARREGUI	Arregui SUPRA Electronic Safe: User Manual and Warranty Information Comprehensive guide for the Arregui SUPRA electronic safe, covering installation, programming of opening codes, operation, security features, maintenance, and warranty details. Includes instructions in multiple languages.
 FORMA EVOLUTION ES/ Caja fuerte electrónica con biometría IT/ Cassetto elettronico con riconoscimento biometrico PT/ Caixa eletrônica com reconhecimento biométrico FR/ Coffre-fort électronique avec reconnaissance biométrique GR/ Ηλεκτρονικό κούρτι με βιομετρική αναγνώριση DE/ Elektronisches Safe mit biometrischer Öffnung RU/ Электронный сейф с биометрическим замком UK/ Електронний сейф з біометричним замком PL/ Skrytka elektroniczna z biometrią HU/ Elektronikus széf biometria CZ/ Elektronický bezpečnostní schránka s biometrií SK/ Elektronická bezpečnostná skrinica s biometriou SI/ Elektronski varnostni ohišnik s biometrijo BG/ Електронен сейф с биометрия RO/ Cămin de siguranță electronic cu biometrie LT/ Elektroninis saugyklos su biometrija LV/ Elektroniskais drošības kabinets ar biometriju EL/ Ηλεκτρονικό κούρτι με βιομετρική αναγνώριση CY/ Ηλεκτρονικό κούρτι με βιομετρική αναγνώριση ARREGUI	Arregui FORMA EVOLUTION Electronic Safe User Manual Operating instructions and warranty information for the Arregui FORMA EVOLUTION electronic safe, detailing setup, usage, security features, and maintenance.



[\[pdf\]](#) Catalog

Catálogos Arregui Elige y Descarga Orio Gipuzkoa CATALOGO GENERAL ARREGUI BUZONES Y RECICLAJE 2022 arregui es 01 |||

Catlogo General 2022 Buzones unifamiliares Correo Paquetera Sealizacin Colectividades Reciclaje Tabu ... EAN-8425181106013 BLANCO C603 EAN-8425181106037 Adaptable a recogecartas V4091, V4093, V4094, **V4097**. Fabricados con acero galvanizado, de alta resistencia a condiciones exteriores. MEDIDAS mm ... lang:es **score:23** filesize: 5.24 M page_count: 58 document date: 2021-12-29



[\[pdf\]](#) Catalog

Buzones unifamiliares Señalización Colectividades 8 avr 2024 — En Noviembre de 2002 se aprueba en el CEN Comité Europeo Normalización la norma sobre buzones EN13724 publicada posteriormente 2003 Catalogo General ARREGUI BUZONES RECICLAJE 2025 arregui es 04 |||


Catlogo General 2024-2025 Buzones unifamiliares Correo Paquetera Sealizacin Colectividades Reciclaje ... EAN-8425181106013 BLANCO C603 EAN-8425181106037 Adaptable a recogecartas V4091, V4093, V4094, **V4097**. Fabricados con acero galvanizado, de alta resistencia a condiciones exteriores. MEDIDAS mm ... lang:es **score:22** filesize: 4.72 M page_count: 50 document date: 2024-03-26



[\[pdf\]](#) Catalog

catalogo arregui general 2022 mundobuzon media wysiwyg docs Catalogos web |||

Catlogo General 2022 Buzones unifamiliares Correo Paquetera Sealizacin Colectividades Reciclaje Tabu ... EAN-8425181106013 BLANCO C603 EAN-8425181106037 Adaptable a recogecartas V4091, V4093, V4094, **V4097**. Fabricados con acero galvanizado, de alta resistencia a condiciones exteriores. MEDIDAS mm ... lang:es **score:21** filesize: 5.17 M page_count: 59 document date: 2021-12-23



[\[pdf\]](#)

Buzones unifamiliares y Reciclaje Arregui Catálogo General general 2020 arregui.es 2 Índice BUZONES DE PAQUETERÍA METÁLICOS BIGEN Pag 9 BIGPACK Y MAIL 10 BASE 11 MULTIPACK 12 13 CARACTERÍSTICAS Dimensiones máx paquete 350 x 240 40 mm Resistencia anticorrosiva Material Acero reforzado Seguro robusto 3 puntos de cierre Gran estanqueidad RECICLAJE ARREGUI 03 ||| Catlogo General 2020 Buzones unifamiliares y Reciclaje arregui.es Informacin general Catlogo gene ... EAN-8425181106013 BLANCO C603 EAN-8425181106037 Adaptable a recogecartas V4091, v4093, V4094, **V4097**. Fabricados con acero galvanizado, de alta resistencia a condiciones exteriores. MEDIDAS mm ... lang:es score:21 filesize: 5.02 M page_count: 64 document date: 2020-03-10



[\[pdf\]](#)

Descargar Scheda Tecnica Bucalettere Arregui arregui.es 349 buzones individuales 39710 scheda tecnica bucalettere ||| CASSETTE RACCOGLIPOSTA BUCALETTERE www.arregui.it CASSETTE RACCOGLIPOSTA / BUCALETTERE BUCALETTER ... / SCHEDA TECNICA Capacit cassetta postale - Resistenza alla corrosione INOSSIDABILE SPECCHIO **V4097** * 140970 Materiale Acciaio zincato, escluso ref. **V4097** in acciaio inox. Tenuta stagna Codic... lang:it score:21 filesize: 579.31 K page_count: 1 document date: 2017-10-05



[\[pdf\]](#) Catalog

Cassette postali per case unifamiliari Arregui 17 May 2024 — Ottima impermeabilità Coperchio con apertura a 90° che permette di depositare e estrarre comodamente i pacchetti * La porta è chiusa da una serratura CATALOGO GENERALE ARREGUI CASSETTE POSTALI arregui.it 05 ||| CASSETTE POSTALI arregui.it Cassette postali per case unifamiliari Affidabilit e stile per la vostr ... 1106013 BIANCO C603 EAN-8425181106037 Adattabile a cassetta raccogliposta V4091, V4093, V4094, **V4097** Prodotto con acciaio zincato, altamente resistente agli agenti atmosferici. MISURE mm NERO... lang:it score:20 filesize: 3.47 M page_count: 38 document date: 2024-04-22

[\[pdf\]](#) Catalog



CASSETTE Nel novembre 2002 viene approvata nel CEN Comitato Europeo di Normazione la normativa riguardante le cassette postali EN13724 successivamente pubblicata 2003 e aggiornata a cat arregui domus 2017 es 2018 05 ||| 2017_18 CASSETTE POSTALI CASSETTE POSTALI www.arregui.it SCOPRI L INTERA COLLEZIONE SUL SITO www.a ... / SCHEDA TECNICA Capacit cassetta postale - Resistenza alla corrosione INOSSIDABILE SPECCHIO **V4097** * 140970 Materiale Acciaio zincato, escluso ref. **V4097** in acciaio inox. Tenuta stagna Codic... lang:it score:20 filesize: 14.83 M page_count: 84 document date: 2017-06-23



[pdf]

Ficha técnica 1832D32 FICHA Bocacartas ARREGUI 248xh 73 mm Ferreterías cerca de ti Cadena88

202303131602571364850 cadena88 sites default files content products 1832d32 |||

Recogecartas Bocacartas BOCACARTAS CARACTERSTICAS Resistencia anticorrosiva INOX Resistencia antic ... EAN-8425181106013 BLANCO C603 EAN-8425181106037 Adaptable a recogecartas V4091, V4093, V4094, **V4097**. Fabricados con acero galvanizado, de alta resistencia a condiciones exteriores. MEDIDAS mm ... lang:es score:17 filesize: 150.48 K page_count: 1 document date: 2022-02-24