

ComMax DR-4UM

ComMax DR-4UM 4-Button Audio Intercom Lobby Panel User Manual

Model: DR-4UM

1. INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of the ComMax DR-4UM 4-Button Audio Intercom Lobby Panel. The DR-4UM is designed for use in 4-apartment buildings, facilitating audio communication between visitors at the lobby panel and residents within their apartments.

The DR-4UM functions as a key component of a wired intercom system, requiring integration with compatible ComMax interphone series units, such as the DP-SS (sold separately), and a DC12V power supply (ComMax RF-1A, sold separately).



Figure 1: ComMax DR-4UM 4-Button Audio Intercom Lobby Panel (Front View)

2. PACKAGE CONTENTS

Please verify that all items listed below are present in your package. If any items are missing or damaged, contact your supplier immediately.

- ComMax DR-4UM 4-Button Lobby Panel x1
- 4-pin Connector x2
- User Manual x1

Note: Additional accessories such as wiring cables, indoor handsets (e.g., DP-SS), power supply (e.g., RF-1A), and electric door strikes are not included and must be purchased separately.

3. SAFETY INFORMATION

Read all instructions carefully before installation and operation. Keep this manual for future reference.

- Ensure the power supply is disconnected before performing any installation or maintenance.
- Only use the specified DC12V, 1Amp power supply (ComMax RF-1A or equivalent).
- Installation should be performed by qualified personnel to prevent electric shock or product damage.
- Do not expose the unit to excessive moisture, rain, or extreme temperatures.
- Avoid placing the unit near strong electromagnetic fields.

4. SETUP AND INSTALLATION

4.1. Compatibility

The DR-4UM lobby panel is designed to be compatible with ComMax interphone series, such as the DP-SS indoor handsets. Ensure all components of your intercom system are compatible before installation.

4.2. Mounting

The DR-4UM is a flush-mounted unit. Select a suitable location at the building entrance, ensuring it is protected from direct weather exposure if possible, and at an appropriate height for visitors.




Figure 2: Installation Dimensions (Measurements in mm)

Refer to Figure 2 for precise dimensions and mounting hole locations. Prepare the wall opening according to these measurements for a flush fit.

4.3. Wiring Diagram

The DR-4UM requires a DC12V, 500mA power source (e.g., ComMax RF-1A). The wiring involves a common 3-wire connection plus individual wires for each apartment.




Figure 3: Wiring Diagram for DR-nUM (DR-4UM) with DP-SS and RF-1A

Follow the wiring diagram in Figure 3 carefully. Connect the lobby panel to the indoor handsets (DP-SS) and the power supply (RF-1A). Ensure all connections are secure and correctly polarized. Incorrect wiring can damage the unit or prevent proper operation.

- **Power Connection:** Connect the DC12V power supply to the designated terminals (CN3 in the diagram).
- **Interphone Connection:** Connect the 4-pin connectors from the DR-4UM to the DP-SS indoor units. The diagram shows common wires (1, 2, 3) and individual apartment wires (L1 for each DP-SS).
- **Electric Door Strike (Optional):** If an electric door strike is used, connect it as shown in the diagram, ensuring it has its own power source.

5. OPERATING INSTRUCTIONS

The ComMax DR-4UM lobby panel provides simple and direct audio communication.

5.1. Calling an Apartment

1. A visitor approaches the lobby panel.
2. The visitor identifies the desired apartment number.
3. The visitor presses the corresponding call button on the DR-4UM panel.
4. An audible signal will sound at the indoor handset (DP-SS) in the selected apartment.

5.2. Two-Way Communication

1. Once the resident answers the call from their indoor handset, two-way audio communication is established.
2. The visitor can speak into the microphone on the lobby panel.
3. The resident can speak into their indoor handset.
4. Communication will cease when either party hangs up their handset or after a predetermined time-out period.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ComMax DR-4UM lobby panel.

- **Cleaning:** Wipe the panel surface with a soft, damp cloth. Do not use abrasive cleaners, solvents, or

harsh chemicals, as these can damage the finish.

- **Inspection:** Periodically check for any loose connections or visible damage to the panel.
- **Environmental Protection:** While the panel is designed for outdoor use, protecting it from direct, prolonged exposure to extreme weather conditions (heavy rain, direct sunlight, snow) can extend its lifespan.

7. TROUBLESHOOTING

If you encounter issues with your DR-4UM lobby panel, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
No audio when calling an apartment.	• Incorrect wiring. • No power to the unit. • Faulty indoor handset.	• Check all wiring connections against the diagram (Figure 3). • Verify the DC12V power supply is connected and functioning. • Test with a known working indoor handset if possible.
Call button does not respond.	• Loose connection to the button. • Button malfunction.	• Inspect internal connections for the specific button. • If problem persists, contact technical support.
Poor audio quality (static, low volume).	• Loose wiring connections. • Interference from other electrical devices. • Cable length exceeding recommended distance.	• Check all wiring for secure connections. • Ensure proper cable shielding and routing away from power lines. • Refer to specifications for maximum communication distance and cable diameter.

If the problem persists after attempting these solutions, please contact ComMax technical support.

8. SPECIFICATIONS

Technical specifications for the ComMax DR-4UM 4-Button Audio Intercom Lobby Panel.

Specifications					
Model	DR-4UM				
Power source	DC12V, 500mA (model number RF-1A, sold separately)				
Wiring	Common 3 wires + Individual 1 Wire (3 wires: 1, 2, 3) (Individual 1 wire: L1)				
Communication	2-way				
Mount type	Flush-mounted				
Temperature	-10°C ~ 50°C				
Dimensions (mm)	142 (W) x 250 (H) x 50 (D)				
Communication distance	Cable diameter	Ø0.5	Ø0.65	Ø0.8	Ø1
	Distance	30 m	50 m	70 m	100 m

Figure 4: ComMax DR-4UM Technical Specifications

Feature	Detail
Model	DR-4UM

Feature	Detail
Power Source	DC12V, 1Amp (ComMax RF-1A recommended, sold separately)
Wiring	Common 3 wires + Individual 1 wire per apartment
Communication Type	2-way audio
Mount Type	Flush-mounted
Operating Temperature	-10°C ~ 50°C (14°F ~ 122°F)
Dimensions (W x H x D)	142 mm x 250 mm x 50 mm (5.59 x 9.84 x 1.97 inches)
Material	Aluminum
Color	Silver
Item Weight	907.18 Grams (2 pounds)
Compatible Devices	ComMax interphone series (e.g., DP-SS)
Connectivity Technology	Wired
Control Method	Voice
UPC	730957987658


8.1. Communication Distance vs. Cable Diameter


Cable Diameter (mm)	Max. Distance (m)
Ø0.5	30 m
Ø0.65	50 m
Ø0.8	70 m
Ø1	100 m

9. WARRANTY AND SUPPORT

For warranty information, please refer to the warranty card included with your product or contact your local ComMax distributor.

For technical support, installation assistance, or troubleshooting beyond the scope of this manual, please contact ComMax customer service or visit the official ComMax website for support resources.

	COMMAX DR-nUM / DR-nUS Door Station User Manual User manual for the COMMAX DR-nUM and DR-nUS door stations, covering introduction, safety precautions, overview, operation methods, wiring, part lists, and specifications.
	COMMAX Door Phone DP-4VHP User Manual and Safety Guide Comprehensive user manual for the COMMAX DP-4VHP Door Phone, covering installation, operation, safety precautions, specifications, and contact information. Features clear instructions and warnings.
	COMMAX Door Phone DR-201D User Manual User manual for the COMMAX Door Phone DR-201D, detailing specifications, wiring, installation, and operation.
	COMMAX DP-LA01M, LA01S Door Phone User Manual User manual for COMMAX DP-LA01M and DP-LA01S door phones, covering warnings, overview, operation, wiring, and specifications. Includes information for the COMMAX DR-2K panel.
	COMMAX CDV-70K User Manual: Color Video Door Phone Comprehensive user manual for the COMMAX CDV-70K Color Video Door Phone, covering installation, operation, settings, safety precautions, and specifications.
	COMMAX DP-2S Door Phone User Manual User manual for the COMMAX DP-2S Door Phone, providing installation, operation, safety precautions, and specifications for this intercom system.



[\[pdf\]](#) User Manual Instructions Specifications Guide

MANUAL DE USUARIO PORTERO 4 PUNTOS COMMAX DR 4UM I R Electronicsv1 irelectronics pe 2025 02 USUARIO nUM |||

User Manual DOOR STATION DR-nUM / DR-nUS Thank you for purchasing COMMAX products. Please carefully read this User's Guide in particular, precautions for safety before using a product and follow instructions to use a product exactly. The company is not responsible for any safety accidents cause...

lang:en **score:33** filesize: 189.06 K page_count: 14 document date: 2025-05-21



[\[pdf\]](#) Guide Catalog

2015 PRODUCT GUIDE Official Dealer DRC GUC RF1 enables an optimum security and access control management system via its simplicity in installation expandability Power source Wiring catalog si compatibilitate videointerfoane intefoane Commax a2t ro |||

2015 PRODUCT GUIDE Global Top Brand, COMMAX Grand Slam in the World Design Awards MODUM SYSTEM IP ... THE NEXT LEVEL. 3 1 Wires 4 Wires 58 MULTI BUTTON AUDIO UNIT DR-2UM MULTI BUTTON AUDIO UNIT **DR-4UM** MULTI BUTTON AUDIO UNIT DR-6UM FEATURES 2 button wide name plate Material: Aluminum Hous...

lang:i-klnglon **score:27** filesize: 15.79 M page_count: 88 document date: 2023-12-07



[\[pdf\]](#)

ypD domofon deklaracja COMMAX zgodnosci dr 4um ce napad pl en certyfikaty |||

TLUMACZENIE DEKLARACJI ZGODNOCI DEKLARACJA ZGODNOCI

Wyprodukowane przez: Nazwa adres fabryki: COMMAX Co., Ltd 13229 Dunchon-daero 494, Jungwon-gu, Seongnam-si, Gyeonggi-do, S. Korea Owiadcza si, e produkty: Typ produktu: Stacja bramowa Model: DR-nUM, DR-nUS Spełniaj nastpujce normy: E...

lang:pl **score:27** filesize: 170.19 K page_count: 1 document date: 2020-10-12



[pdf]

Załączniki produktów commax dr 4um karta monterisi pl instrukcje type id attachment 4 date add 2019 05 28 DR 4UM STACJA BRAMOWA DLA CZTERECHstacja bramowa przyciskowa metalowa podtynkowa współpracuje ze stacją domową DP SS wymiary puszeki podtynkowej 238 121 37 wys szer gł mmZałączniki produktówmonterisi kartamonterisi |||

DR-4UM STACJA BRAMOWA DLA CZTERECH ABONENTW Kod produktu:**DR-4UM** stacja bramowa czteroprzyciskowa OPIS stacja bramowa 4 - przyciskowa metalowa. podtynkowa współpracuje ze stacją domową DP-SS wymiary puszeki podtynkowej 238/121/37 wys/szer/gł mm wymiary panela czołowego 248/130/1 wys/szer/gł mm kol...

lang:pl score:25 filesize: 77.41 K page_count: 1 document date: 2017-10-02

[pdf]

Cennik detaliczny COMMAX Fonex plekran dotykowy pamięć wewnętrzna czytnik kart MicroSD PoE współpraca z aplikacją mobilną obsługa kamer CCTV IP sterowanie furtką i bramącennik commax fonexfonex pl media pages files cennik fonex 1744375417 srsItd

AfmBOoodCayCekfYbPxYRo2p0btYEtQR3 ygt7RRTZdIGelXaiS0gtmj plCennik bramąCOMMAX DR 4UM RFID Stacja bramowa 4 abonentowa czytnikiem montaż podtynkowy lub natynkowy w osłonie OS 6N wbudowany breloków 4 cennik fonexcennik ygt7RRTZdIGelXaiS0gtmjfonex AfmBOoof3BaT3 G38u5stU3mNs9phvO sRPCs IkScF8N1xc2yVjDW59 4 COMMAX IkScF8N1xc2yVjDW59fonex AfmBOopyugTBcvoSxx93LSVdo8LEUEuw3DY7OnmmBLnmdC0DlfkHo29B ||| Cennik detaliczny COMMAX Wygenerowano: 13.02.2025 15:09:39 Wideodomofony Domofony Interkomy Akcesoria GDE POLSKA Włosa ul. witnicka 88 32-031 Mogilany www.gde.pl tel. 12 256 50 25 12 256 50 35 697 777 519 e-mail: biuro.gde.pl Marka Symbol Z ||| Cennik detaliczny COMMAX Wygenerowano: 13.02.2025 15:09:39 Wideodomofony Domofony Interkomy Akcesoria GDE POLSKA Włosa ul. witnicka 88 32-031 Mogilany www.gde.pl tel. 12 256 50 25 12 256 50 35 697 777 519 e-mail: biuro.gde.pl Marka Symbol Z Cennik detaliczny COMMAX Wygenerowano: 13.02.2025 15:09:39 Wideodomofony Domofony Interkomy Akcesori ... 365,00 zł 448,95 zł COMMAX DR-201AG COMMAX DR-201AG/RFID COMMAX DR-2UM COMMAX DR-2UM/RFID COMMAX **DR-4UM** COMMAX **DR-4UM**/RFID COMMAX DR-6UM COMMAX DR-6UM/RFID COMMAX DR-8UM COMMAX DR-8UM/RFID Stacja ...

lang:pl score:24 filesize: 1.25 M page_count: 22 document date: 2025-04-11



[pdf]

Commax katalog proizvoda Index of 2020 10 cctv rs |||

VIDEOINTERFONI Pregled proizvoda 2016/17 VIDEOINTERFONI AUDIOINTERFONI INTERKOMI POZIVNI TABLO ... tegrisani RFID citac do 490 kartica ili cipova standard za RFID komunikaciju: EM UNIQUE 125 kHz **DR-4UM** Audio pozivni tablo sa cetiri tastera pozadinsko osvetljenje tastera i natpisnih tablica na...

lang:hr score:23 filesize: 5.16 M page_count: 28 document date: 2016-05-11




[pdf]

INSTRUKCJA dp Załączniki produktów dr num instrukcja monter si pl instrukcje type id attachment 1 date add 2019 05 28 MONTAŻU OBSŁUGI STACJA BRAMOWA DR nUM Instrukcja obsługi nUM IEkspander 12US ma wysokość stacji bramowej 8UM 315mm Wysokość bramowych 2UM 4UM 6UM to 248mm Stacja bramowa współpracuje ze DR 6 abonentowa Commax plDR IDR lintegrator gde file 5565 lmonter si |||

INSTRUKCJA MONTAŻU / OBSŁUGI STACJA BRAMOWA DR-nUM Importer: Włosa, ul. Witnicka 88 32-031 Mogilany ... DR-12US Ekspander DR-12US ma wysokość stacji bramowej DR-8UM 315mm . Wysokość stacji bramowych DR-2UM, **DR-4UM**, DR-6UM to 248mm. Stacja bramowa DR-nUM współpracuje ze stacjami domowymi DP-SS.

Dane techniczne...

lang:pl score:23 filesize: 547.52 K page_count: 4 document date: 2015-10-19



[pdf]

Cennik detaliczny COMMAX Fonex pl CGW 1KM Serwer VoIP systemu IP przekazywanie połączeń pomiędzy elementami wieloabonentowego 2 370 00 zł 915 10 CIOT cennik commax fonex 1744375417 srsrlid AfmBOoqlXbSHJb0FHsjQwjxO8eVnrc VdyBIADjqCvOGJYSg0mUiG1 S media pages files |||

Cennik detaliczny COMMAX Wygenerowano: 13.02.2025 15:09:39 Wideodomofony Domofony Interkomy Akcesoria ... 365,00 zł 448,95 zł COMMAX DR-201AG COMMAX DR-201AG/RFID COMMAX DR-2UM COMMAX DR-2UM/RFID COMMAX **DR-4UM** COMMAX **DR-4UM**/RFID COMMAX DR-6UM COMMAX DR-6UM/RFID COMMAX DR-8UM COMMAX DR-8UM/RFID Stacja ...

lang:pl score:22 filesize: 1.25 M page_count: 22 document date: 2025-04-11



[pdf]

katalog commax 2021elkov cz file 5855 |||

KATALOG PRODUKTÓW VIDEOTELEFONY DOMOWE TELEFONY INTERKOMY DVEN STANICE PIPRAVEN SADY PSLUSENSTV 2021 ... instalacja krabice: 121 305 36 mm TYP DR-2UM 72 mm KD 1 0103-735 KD 2 81585950 305 mm 315 mm **DR-4UM** 4-tłactwo dven stanice pro systm 4 n urcen pro 4 castnky. Celh panel z eloxovanho hlinku s p...


lang:hr score:22 filesize: 6.36 M page_count: 36 document date: 2021-04-15



[pdf]

Katalog Commax domofony wideodomofony katalog produktow firmy commax napad pl en katalogi ||| wideodomofony domofony interkomy akcesoria KATALOG PRODUKTW www.commax.pl Spis treci Wideodomofon ... Domofony bezprzewodowe WDP-174LM WDP-174LS WDR-174DS 42 Wieloabonentowe DP-SS DR-2UM 43 **DR-4UM** DR-6UM DR-8UM DR-12US 44 Interkomy 45 Sluchawkowe TP-6RC TP-12RC DR-DW3 45 T...

lang:de score:22 filesize: 14.58 M page_count: 55 document date: 2021-09-14



[pdf]

Cennik COMMAX wideodomofony obowiązuje od 27 03 2023 r Cenniki fonex pl cennik commax 1680868954 media pages files |||

Cennik detaliczny Telewizja dozorowa Wideodomofony Domofony Interkomy Elementy kontroli dostępu i ala ... 7,00 zł 500,61 zł COMMAX DR-201AG COMMAX DR-201AG/RFID COMMAX DR-2UM COMMAX DR-2UM/RFID COMMAX **DR-4UM** COMMAX **DR-4UM**/RFID COMMAX DR-6UM COMMAX DR-6UM/RFID COMMAX DR-8UM COMMAX DR-8UM/RFID Do...

lang:pl score:22 filesize: 2.12 M page_count: 44 document date: 2023-04-07



[Katalog Wideodomofonów i Systemów Bezpieczeństwa COMMAX](#)


Poznaj pełną ofertę wideodomofonów, domofonów i systemów bezpieczeństwa Smart Home marki COMMAX. Katalog zawiera szczegółowe opisy produktów, specyfikacje techniczne i rozwiązania dla domu i firmy.


lang:pl score:20 filesize: 23.02 M page_count: 44 document date: 0000-00-00

[pdf]

mk Cennik detaliczny E Security Apr 14 2015 · Domofony COMMAX Jednoabonentowe Stacje bramowe
bramofony DR 201A Stacja bramowa stacja jednoprzyciskowa 94 00 gde polska cennik 04 srsItid
AfmBOopdgEwS1SsyWLakHX3KuKlqEkpHrA6Ry1z0JVUcfXRV0sTlvt3S e security pl cenniki
Wideodomofony Wieloabonentowe System hybrydowy Gate View Monitor CAV 70GA DC kolorowy 7
LCD 1 139 00 zł 400 97 DW2 do systemu interkomowego 159 OS 2ns Oslona Aluminiowa oslona
montażu natynkowego stacji bramowych DRC 2AB1s 2AC1s 2A2N 96 118 08 CDV 70K blue z serii Blue
Crystal obsługą dwóch wejść ekran z AfmBOooWfJX9k3XdRLitoV99IZapDZBFvBvNv4proJW
olyRwrLwTJ0d AfmBOop3klo20rUQ3Dgjo8knkx8QeAOzDptCYxSab EmIU8vHdNvulzO
AfmBOoomrNpDOdy aU1sj5hFw eyCqFlu1mLiNvh2xtupfON oeD0Gcz
AfmBOopvle25cGv8T9I5lzXd32XwBu6RedWAIZ9n KSLl B0H6rJ 2Ba 00 Apr ziWideodomofony
159 COMMAX ziCOMMAX z COMMAX 4UM wieloabonentowa 224 275 52 6UM bramowa gde
AfmBOopdgEwS1SsyWLakHX3KuKlqEkpHrA6Ry1z0JVUcfXRV0sTlvt3Sgde olyRwrLwTJ0dgde
EmIU8vHdNvulzOgde oeD0Gczgde 14gde 14e
AfmBOopdgEwS1SsyWLakHX3KuKlqEkpHrA6Ry1z0JVUcfXRV0sTlvt3Se olyRwrLwTJ0de
EmIU8vHdNvulzOe oeD0Gcze 2Bae AfmBOoqRgxOzRgqU1eHnQ98KV 05v
hXb1Mgwozxs2DTufJjoD6mdlIH bramowa COMMAX WI 3SN Interkom komplet 2 szt interkom sieciowy
299 367 77 Interkomy Kasowe HF 8CM 4D gde hXb1Mgwozxs2DTufJjoD6mdlIHe
AfmBOop2UefJ5tbnHwLjXgEjS5mqJN 3jXNyiDg85uFp3V3XR8zpuUc Radiolinia RC 112A Radiolinia
kanałowa pilotem 88 108 Dodatkowy przycisk radiolinii kanałowej 112 72 56 gde
3jXNyiDg85uFp3V3XR8zpuUce AfmBOoq4 vzTchpx BWxO4lonAG9BiMefPQIByhyqFpmNyJjN1Ew613
56 Domofony 201AG dwuprzyciskowa 99 00 gde BWxO4lonAG9BiMefPQIByhyqFpmNyJjN1Ew613e
AfmBOopiNdFiY9B8ZhK7zFwTqA8z Q6FRmkLlgvk48iutdMaP5KVMUIR 00 COMMAX 43Q
głośnomówiący 4 3 zgde Q6FRmkLlgvk48iutdMaP5KVMUIRe AfmBOoqcnKn3 UhLJsZbti
lkuzZkOPg5OTNHZNrda5WVf udqxBhx zDomofony Przykładowe zestawy DP 2HPR 2GN Zestaw
domofonowy jednoabonentowygde udqxBhxe AfmBOoq93tlibSeiwND1UWuPUxKH1 v3
xAYYJSrq88RMgFj6WL3Z3 D jednoabonentowyDomofony De
AfmBOopSVWuS0aF8KAw4RbqSYkfoHsQddx0lZpmtnU49fNhZ mgJLyCY
jednoabonentowyWideodomofony mgJLyCYe
AfmBOoqZsGUMtV3OyRVYYSW6dimP5OmS0gcbBdnrc1rBSorsrYR2wih 00 Wideodomofony
AfmBOoppfVHDfUP Z4ubj8wfEPraYhRC8i9Z euI4OOFHuAuc B2O4Zke 00 Zestaw 35A 4FC
videodomofonowy 898 Viewgde
AfmBOoqZsGUMtV3OyRVYYSW6dimP5OmS0gcbBdnrc1rBSorsrYR2wihe
AfmBOor48mgO6iSUZuWzqtYlRVvKzoz h2iBRwRONY3v1EFWmRRD7Ql |||
Cennik detaliczny Wygenerowano: 2015-04-14 15:52:52 Monitoring IP Telewizja
CCTV Monitoring HD-TV ... I COMMAX DR-2UM Stacja bramowa DR-2UM stacja
bramowa wieloabonentowa 199,00 zł 244,77 zł COMMAX **DR-4UM** Stacja bramowa
DR-4UM stacja bramowa wieloabonentowa 224,00 zł 275,52 zł COMMAX DR-6UM
St...

lang:sw score:18 filesize: 2.83 M page_count: 57 document date: 2015-04-15





[pdf]

MK Cennik detaliczny Apr 10 2025 · wersja MAZi 32 kanały 2 8xIP 2xSATA HDMI VGA BNC HD TV do 2Mpx lub 4Mpx lite CVI AHD analog COMMAX SCOT 04 janexint pl files Cenniki |||

Cennik detaliczny Telewizja dozorowa Wideodomofony Domofony Interkomy Elementy kontroli dostępu i ala ... 5,00 zł 448,95 zł COMMAX DR-201AG COMMAX DR-201AG/RFID COMMAX DR-2UM COMMAX DR-2UM/RFID COMMAX **DR-4UM** COMMAX **DR-4UM**/RFID COMMAX DR-6UM COMMAX DR-6UM/RFID COMMAX DR-8UM COMMAX DR-8UM/RFID Do...

lang:pt score:17 filesize: 4.74 M page_count: 95 document date: 2025-04-10




[pdf] Specifications

Fisa tehnica Extensie interfon de exterior Commax DR 4US spy shop ro media custom upload |||

MULTI BUTTON AUDIO UNIT DR-2UM MULTI BUTTON AUDIO UNIT **DR-4UM** MULTI BUTTON AUDIO UNIT DR-6UM PRODUCT FUNCTION 2 button wide name plate Material: Aluminum House call and talk SPECIFICATION Power source DC12V Data Transmission 3 wire in common 1 wire Communication Hands-free type Display de...

lang:en score:16 filesize: 142.4 K page_count: 1 document date: 2019-07-24



[pdf]

domofony pelna oferta 21 napad pl en cenniki |||

Cennik detaliczny domofonw - Analogowe - Cyfrowe - Interkomy 1. Niniejszy cennik nie stanowi oferty ... 50 70,72 Aktualizacja z dn. 2025.06.12 www.napad.pl Strona 17 Cennik domofonw Stacja bramowa **DR-4UM** Commax stacja bramowa czteroprzyciskowa obudowa: metalowa, podtynkowa współpraca: unifon DPSS ...

lang:pl score:11 filesize: 3.1 M page_count: 29 document date: 2025-06-12

[\[pdf\]](#)

domofony pełna oferta 21 napad.pl cenniki |||

Cennik detaliczny domofonów - Analogowe - Cyfrowe - Interkomy 1. Niniejszy cennik nie stanowi oferty ... 7mm puszki montażowej: 165x100x40mm gwarancja: 24 miesiące 4125 245,00 zł 301,35 zł Stacja bramowa **DR-4UM** Commax stacja bramowa czteroprzyciskowa obudowa: metalowa, podtynkowa współpraca: unifon DPSS ... lang:pl score:11 filesize: 3.1 M page_count: 28 document date: 2025-06-12