

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [ARREGUI](#) /

› [ARREGUI Basa 20000-S7C Floor Safe Drawer Installation Manual](#)

ARREGUI Basa 20000-S7C

ARREGUI Basa 20000-S7C Floor Safe Drawer

Installation and User Manual

1. PRODUCT OVERVIEW

The ARREGUI Basa 20000-S7C is a metal drawer designed for the discreet, in-floor installation of an ARREGUI Basa safe (safe sold separately). This drawer provides a hidden and camouflaged location for your safe, typically concealed under carpets or furniture. Its robust steel construction ensures protection for the safe housed within.



Figure 1: Empty ARREGUI Basa Floor Safe Drawer

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- ARREGUI Basa Floor Safe Drawer
- Instruction Manual (this document)
- Specialized Fixing Tools (screws for installation)

3. SPECIFICATIONS

Brand	ARREGUI
Model Number	Basa 20000-S7C
Material	Alloy Steel
Finish	Lacquered, Black
External Dimensions (H x W x D)	12.5 cm x 31.5 cm x 38.6 cm
Capacity	13 Liters
Item Weight	4 Kilograms

Mounting Type	Floor Mount (requires construction)
Steel Thickness	1 mm (cover and body)
Cover Opening Diameter	26 mm



Figure 2: Product Dimensions

4. SAFETY INFORMATION

Please read and understand all safety instructions before installation and use. Failure to follow these instructions may result in property damage or injury.

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Ensure the installation area is clear of electrical wiring, plumbing, or other hidden utilities before cutting or drilling into the floor.
- This product is designed for permanent floor installation. Improper installation may compromise security.
- Keep children and unauthorized persons away from the installation area.

5. SETUP AND INSTALLATION

The ARREGUI Basa floor safe drawer requires professional or experienced installation into the floor. The drawer must be installed so that its top cover is flush with the finished floor surface.

5.1 Site Preparation

1. **Choose Location:** Select a discreet location in your home or office, typically under a carpet or piece of furniture, where the safe will be hidden.
2. **Measure:** Carefully measure the dimensions of the drawer (12.5 cm H x 31.5 cm W x 38.6 cm D) to determine the required cavity size in the floor. Allow for slight clearance.
3. **Clear Area:** Ensure the chosen area is free from any obstructions, including electrical conduits, water pipes, or structural elements. Consult building plans if necessary.

5.2 Floor Cavity Creation

Creating the floor cavity will vary depending on your floor type (concrete, wood, etc.). This step typically requires specialized tools and expertise. The cavity must be precisely sized to allow the drawer to sit flush with the floor surface.

5.3 Drawer Placement and Securing

1. **Insert Drawer:** Carefully lower the ARREGUI Basa drawer into the prepared floor cavity. Ensure it fits snugly and the top edge is perfectly level with the surrounding floor.
2. **Mark Fixing Points:** The drawer features pre-drilled fixing holes: 4 on the base and 3 on each side. Mark the corresponding points on the floor and cavity walls.
3. **Drill Pilot Holes:** Using an appropriate drill bit, create pilot holes for the specialized fixing screws provided.
4. **Secure Drawer:** Insert and tighten the specialized screws through the fixing holes to firmly anchor the drawer to the floor and cavity walls. Ensure the drawer is stable and cannot be easily removed.



Figure 3: Drawer installed under furniture



Figure 4: Drawer installed under a rug

6. OPERATING INSTRUCTIONS

This drawer is designed to house an ARREGUI Basa safe (sold separately). The drawer itself does not have a locking mechanism; its purpose is to conceal and protect the safe.

6.1 Placing the Safe

1. **Open Drawer Cover:** The drawer's top cover has a 26 mm diameter opening. Use your finger or a suitable tool to lift the cover.
2. **Insert Safe:** Place your ARREGUI Basa safe securely inside the drawer. Ensure it fits properly and does not obstruct the cover from closing.
3. **Close Drawer Cover:** Carefully lower the drawer cover back into place. It should sit flush with the floor.



Figure 5: Opening the Drawer Cover



Figure 6: Drawer Cover Closed with Safe Inside

Access to the safe is achieved by lifting the drawer cover. The security of your valuables relies on the locking mechanism of the ARREGUI Basa safe itself.

7. MAINTENANCE

The ARREGUI Basa floor safe drawer requires minimal maintenance to ensure its longevity and proper function.

- **Cleaning:** Wipe the exterior surfaces of the drawer cover with a soft, damp cloth. Avoid abrasive cleaners or solvents that could damage the lacquered finish.
- **Inspection:** Periodically check the drawer for any signs of wear, damage, or loose fixings. Ensure the cover opens and closes smoothly.
- **Obstructions:** Keep the area around the drawer cover free from debris or objects that could prevent it from sitting flush with the floor.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Drawer cover does not sit flush.	Debris in the cavity; improper installation; safe not seated correctly.	Clear any debris. Re-check installation for levelness. Ensure the safe is properly placed inside.

Drawer feels loose after installation.	Fixing screws are not tight enough; cavity is too large.	Tighten all fixing screws. If the cavity is too large, consult a professional for reinforcement.
Difficulty lifting the cover.	Obstruction; cover stuck due to dirt.	Ensure no objects are on the cover. Clean the edges of the cover and the drawer frame.

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided with your ARREGUI Basa safe or visit the official ARREGUI website. Keep your purchase receipt as proof of purchase.

ARREGUI Official Website: www.arregui.es