Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Balboa Water Group TP600, 12101

Balboa Overlay TP600 6-Button Control Panel User Manual

Model: TP600, 12101 | Brand: Balboa Water Group

Introduction

This manual provides essential information for the proper installation, operation, and maintenance of your Balboa Overlay for the BP Series TP600 6-Button Control Panel. This overlay is designed to replace or refresh the button labels and appearance of your existing Balboa TP600 control panel, ensuring clear identification of functions for your hot tub or spa system.

Product Overview

The Balboa Overlay is a durable, adhesive-backed decal designed to fit the Balboa BP Series TP600 control panel. It features clearly labeled buttons for various spa functions, including Jets, Auxiliary, Flip, Temperature Up/Down, and Light. The overlay restores the aesthetic and functional clarity of your control panel.




Figure 1: Front view of the Balboa TP600 6-Button Control Panel Overlay. This image displays the six primary buttons: Jets, Aux, Flip, Warm, Light, and Cool, along with the central display window and indicator lights for Jets, Aux, Light, and Heat.

Setup and Installation

Proper installation ensures optimal adhesion and longevity of the overlay. Follow these steps carefully:

1. **Preparation:** Ensure the existing control panel surface is clean, dry, and free from any residue, dirt, or old adhesive. Use a mild cleaner if necessary, and allow the surface to dry completely.
2. **Removal of Old Overlay (if applicable):** Carefully peel off any existing overlay. If adhesive residue remains, use an appropriate adhesive remover, ensuring it does not damage the control panel plastic.
3. **Alignment:** Gently align the new Balboa overlay with the buttons and display window of your control panel. Do not press down firmly until you are satisfied with the alignment.
4. **Application:** Once aligned, start pressing the overlay from one end, slowly working your way across to avoid air bubbles. Apply firm, even pressure over the entire surface, especially around the edges and button areas, to ensure full adhesion.
5. **Curing:** Allow the adhesive to cure for at least 24 hours before exposing the control panel to water or extreme temperatures.



Figure 2: Back view of the Balboa TP600 6-Button Control Panel Overlay, illustrating the 3M 468MP 200MP adhesive backing. This adhesive ensures a secure and lasting attachment to the control panel.

Operating Instructions

This overlay provides labels for the following functions on your Balboa TP600 control panel:

- **Jets (P1):** Activates or cycles through the primary jet pump speeds/modes.
- **Aux:** Controls an auxiliary function, which may vary depending on your spa's configuration (e.g., a secondary jet pump, blower).
- **Flip:** Changes the orientation of the display text, useful for viewing from different angles or if the panel is mounted inverted.
- **Temp (Warm / Cool):** Adjusts the desired water temperature. Use the "Warm" button to increase the temperature set point and the "Cool" button to decrease it.
- **Light (Lt):** Turns the spa lights on/off or cycles through light modes.

Refer to your specific Balboa BP Series TP600 control system manual for detailed operational procedures and advanced settings.

Maintenance

To ensure the longevity and clarity of your Balboa overlay:

- **Cleaning:** Wipe the surface with a soft, damp cloth. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the print and material.
- **Protection:** Protect the control panel from direct, prolonged sunlight exposure when not in use, as UV rays can degrade the material over time.
- **Inspection:** Periodically inspect the overlay for signs of wear, peeling, or damage. Address any issues promptly to prevent further deterioration.

Troubleshooting

This section addresses common issues related to the overlay itself, not the underlying control system.

Problem	Possible Cause	Solution
Overlay peeling at edges	Insufficient initial adhesion; surface not clean or dry during installation; prolonged exposure to water/chemicals.	Ensure surface is thoroughly cleaned and dried before application. Apply firm, even pressure during installation. If peeling occurs, a small amount of suitable adhesive may be used, or consider replacement.
Air bubbles under overlay	Improper application technique; not pressing from one end to the other.	During installation, apply slowly and evenly from one side to the other. For existing bubbles, a small pinprick may release air, then press down.
Button labels fading	Exposure to harsh chemicals; excessive scrubbing; prolonged UV exposure.	Use only mild soap and water for cleaning. Avoid abrasive materials. Consider a spa cover to protect the panel from direct sunlight.

Specifications

- **Product Type:** Control Panel Overlay
- **Compatibility:** Balboa BP Series TP600 Control Panels
- **Button Configuration:** 6-Button (P1, Aux, Flip, Temp Up, Temp Down, Light)
- **Part Number:** 12101
- **Dimensions:** 6.65 x 2.65 x 0.1 inches (approximate)
- **Item Weight:** 0.422 ounces (approximate)
- **Adhesive:** 3M 468MP 200MP Adhesive
- **Manufacturer:** Balboa Water Group

Warranty and Support

For specific warranty information regarding this Balboa overlay, please refer to the documentation provided by your retailer or contact Balboa Water Group directly. This overlay is a replacement part, and its warranty may be subject to the terms and conditions of the original control panel or the retailer from whom it was purchased.
For technical support or further inquiries, please contact Balboa Water Group customer service or your authorized spa technician.

© 2023 Balboa Water Group. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B06WD4BF93

More documents and user manuals: **https://manuals.plus/**