

UPBRIGHT FJ-SW0501500DU

UpBright 5V AC/DC Adapter Instruction Manual

Model: FJ-SW0501500DU

1. PRODUCT OVERVIEW

This UpBright 5V AC/DC adapter is designed to provide reliable power to compatible electronic devices, specifically various Victrola Nostalgic turntable models. It features built-in protection mechanisms to ensure safe operation.

1.1 What's in the Box

- 1 x UpBright 5V AC/DC Adapter
- Optional: 1 x Suitable Outlet Adapter (for international orders)

1.2 Compatibility

This adapter is compatible with a range of 5V Victrola and Innovative Technology turntable models, including but not limited to:

- Victrola Nostalgic VSC-550BT series (e.g., VSC-550BT-US, VSC-550BT-BK, VSC-550BT-TQ, VSC-550BT-RD, etc.)
- Innovative Technology ITVS-550BT series (e.g., ITVS-550BT-RD, ITVS-550BT-BK, etc.)
- Victrola Parker Bluetooth Turntable VSC-580BT

Important Note: This adapter is specifically for 5V devices. It is NOT compatible with 9V versions of any device. Please verify your device's voltage requirements before use.

UpBright AC Adapter Power Supply Compatible with:

Compatible with:



Figure 1: The UpBright AC Adapter is compatible with Victrola turntables requiring a DC 5V input. The image displays several turntable models and highlights the DC 5V input port.

2. SETUP INSTRUCTIONS

Follow these steps to correctly connect your UpBright 5V AC/DC adapter to your device.

1. **Verify Device Voltage:** Before connecting, confirm that your device requires a 5V DC input. Using an adapter with incorrect voltage can damage your device.
2. **Identify Power Port:** Locate the DC power input port on your Victrola turntable. This port is typically labeled "DC IN" or similar, often indicating the voltage (e.g., "DC 5V").
3. **Connect Adapter to Device:** Insert the barrel connector of the UpBright adapter firmly into the DC power input port of your turntable. Ensure a snug fit. The connector dimensions are 5.5mm outer diameter and 2.5mm inner diameter, compatible with 5.5x2.1mm and 5.5x2.5mm ports.
4. **Connect Adapter to Power Outlet:** Plug the AC prongs of the adapter into a standard wall power outlet (100-240VAC, 50/60Hz).
5. **Power On Device:** Once connected, you can power on your turntable according to its specific instructions.

UpBright New Global AC/DC Power Adapter Compatible with:



Figure 2: The adapter's barrel connector dimensions are 5.5mm outer diameter and 2.5mm inner diameter, ensuring compatibility with specified devices.

3. OPERATION

The UpBright 5V AC/DC adapter operates automatically once connected to a power source and a compatible device. It provides a stable 5V DC output to power your turntable.

- Ensure the adapter is securely plugged into both the wall outlet and your device.
- The adapter is designed for continuous use within its specified operating parameters.



Figure 3: The UpBright AC/DC adapter, ready for connection.

4. MAINTENANCE

Proper care and maintenance will extend the life of your UpBright AC/DC adapter.

- **Keep Dry:** Avoid exposing the adapter to moisture, rain, or liquids.
- **Temperature:** Do not operate the adapter in extremely hot or cold environments.
- **Cleaning:** Disconnect the adapter from the power outlet and device before cleaning. Use a dry, soft cloth to wipe the surface. Do not use liquid cleaners.
- **Cable Care:** Avoid bending or crimping the power cord excessively. Do not place heavy objects on the cord.
- **Storage:** When not in use, store the adapter in a cool, dry place away from direct sunlight.

5. TROUBLESHOOTING

If you encounter issues with your UpBright AC/DC adapter, refer to the following troubleshooting steps.

- **Device Not Powering On:**
 - Ensure the adapter is securely plugged into both the wall outlet and the device.

- Verify that the wall outlet is functional by testing it with another device.
- Confirm that your device requires 5V DC input. This adapter is not compatible with 9V devices.
- Check the adapter cable for any visible damage.

• **Intermittent Power:**

- Ensure all connections are firm and not loose.
- Avoid placing the adapter or cable in positions where it might be easily disturbed.

• **Adapter Overheating:**

- It is normal for the adapter to feel slightly warm during operation. However, if it becomes excessively hot, disconnect it immediately.
- Ensure the adapter is not covered or placed in an enclosed space that restricts airflow.
- Verify that the device connected is compatible and not drawing excessive power.

This adapter includes safety features such as Over Voltage Output Protection (OVP), Over Current Output Protection (OCP), and Short Circuit Output Protection (SCP) to prevent damage to both the adapter and your connected device.

6. SPECIFICATIONS

Feature	Specification
Brand	UPBRIGHT
Model Number	FJ-SW0501500DU
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	5V DC
Output Current	1A - 1.5A (1000mA - 1500mA)
Wattage	Up to 18 Watts
Connector Type	Barrel Connector (5.5mm x 2.5mm, compatible with 5.5x2.1mm)
Protection Features	OVP, OCP, SCP (Over Voltage, Over Current, Short Circuit Protection)
Item Weight	Approximately 3.52 ounces


7. WARRANTY AND SUPPORT

UpBright stands behind the quality of its products.

- **Refund Policy:** 30 days refund period from the date of purchase.
- **Exchange Policy:** 24 months exchange period for defective units.

For further assistance or warranty claims, please contact UpBright customer support through the retailer where the product was purchased. This product is from a small business brand.

Come With A Suitable Outlet Adapter (Only One) to Fit Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Figure 4: UpBright offers international outlet adapters and includes a limited warranty certificate with its products.

© 2026 UpBright. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B06XGCHD2C>

More documents and user manuals: <https://manuals.plus/>