DampRid FG50FS

DampRid Fresh Scent Moisture Absorber 4 lb. Hi-Capacity Bucket Instruction Manual

Model: FG50FS | Brand: DampRid

1. Product Overview

The DampRid Hi-Capacity Moisture Absorber Bucket with Moisture Lock is designed to eliminate excess moisture and musty odors in large spaces. It works by attracting and trapping airborne moisture, preventing mold, mildew, and unpleasant smells. This 4 lb. bucket features unique Moisture Lock spill resistor technology with a sealed safety cover for mess-free use.

Key Features:

- Attracts and traps excess moisture.
- Eliminates musty odors.
- Features Moisture Lock spill resistor technology with a sealed safety cover.
- Ideal for larger spaces like basements, garages, and stored RVs.
- Each 4 lb. bucket lasts up to 6 months, depending on conditions.



Image 1: DampRid Fresh Scent Moisture Absorber 4 lb. Hi-Capacity Bucket. This image shows the product in its packaging, highlighting the brand name and key features like "Fresh Scent" and "Hi-Capacity Moisture Absorber."

2. Setup and Activation

Setting up your DampRid Hi-Capacity Moisture Absorber is a straightforward process. Follow these steps to activate the product:

1. Remove the plastic outer lid from the bucket.
2. Do not remove the sealed safety cover (the paper-like layer) underneath the lid. This cover is part of the product's design and allows moisture to be absorbed while preventing spills.
3. Place the bucket on a flat, stable surface in your desired location. Ensure it is in an area where excess moisture is a problem, such as a basement, laundry room, garage, or stored vehicle.



Image 2: DampRid Hi-Capacity Bucket placed in a room corner. This image demonstrates a typical placement for the product, showing its compact size relative to a bicycle wheel and a wall.

3. Operation

Once activated, the DampRid Hi-Capacity Moisture Absorber works continuously to attract and trap excess moisture from the air. The calcium chloride crystals inside the bucket will harden and then dissolve as they absorb moisture, forming a liquid in the bottom reservoir.

The product is designed for passive operation and requires no electricity or batteries. Its effectiveness depends on the temperature and humidity levels in the area where it is placed.

4. Maintenance and Disposal

The DampRid Hi-Capacity Moisture Absorber is designed to last for up to 6 months, depending on the humidity levels. You will know it's time to replace the product when the collected moisture reaches the red line indicated on the back of the bucket, or after 6 months, whichever comes first.

Disposal Instructions:

1. Carefully pick up the bucket, ensuring not to spill the collected liquid.

2. Pour the collected liquid down a toilet. Do not pour it down a sink or drain that connects to a septic system, as the calcium chloride can cause issues.
3. Discard the empty plastic bucket in the trash.



Image 3: DampRid Hi-Capacity Bucket showing its dimensions. This image provides a visual reference for the product's size, indicating a height of 6.25 inches, which is useful for planning placement.

5. Troubleshooting

DampRid products are generally very reliable. If you notice that the product is not absorbing moisture effectively, consider the following:

- **Check for full dissolution:** Ensure the crystals have not fully dissolved and the liquid has not reached the red line. If so, it's time for replacement.
- **Humidity levels:** In extremely dry environments, the product may absorb less moisture.
- **Air circulation:** Ensure the product is not obstructed and has adequate air circulation around it.
- **Product placement:** For optimal results, place the bucket in the center of the affected area or where humidity is highest.

6. Specifications

Attribute	Detail
Brand	DampRid
Model Name	DampRid Fresh Scent Moisture Absorber 4 lb. Hi-Capacity Bucket
Model Number	FG50FS
Capacity	4 lbs (11 lbs total product weight)
Product Dimensions	9"D x 18"W x 6.25"H
Floor Area Coverage	Up to 1000 Square Feet
Scent	Fresh Scent
Special Feature	Anti-Spill, Automatic Moisture Removal
Main Ingredient	Calcium Chloride
Duration	Up to 6 months (varies with humidity)

7. Safety Information

WARNING: Keep out of reach of children. Read and follow all label directions.

First Aid:

- **Eye Contact:** Flush with water for 15 minutes, removing any contact lenses. Get immediate medical attention if irritation persists.
- **Skin Contact:** Wash with plenty of soap and water. If irritation persists, get medical attention.
- **Ingestion:** Call a poison control center (in the U.S.A. 1-800-222-1222) or get immediate medical attention.

Important Notes:

- Do not allow product to contact leather or metal.
- Manufacturer is not responsible for leaks caused by misuse or spills.
- SEPTIC SAFE: Do not use in moving vehicles.

8. Warranty and Support

Specific warranty information for this product is not provided in the available documentation. For support or further inquiries, please refer to the contact information on the product packaging or visit the official DampRid website.

© 2024 DampRid. All rights reserved.