

[Manuals.plus](#) /

› [Smoby](#) /

› Smoby Dickie Toys RC Cars 3 Turbo Racer Lightning McQueen Remote Control Car Instruction Manual

Smoby RC Car Lightning McQueen Toy with

Smoby Dickie Toys RC Cars 3 Turbo Racer Lightning McQueen Remote Control Car Instruction Manual

Model: RC Car Lightning McQueen Toy with

INTRODUCTION

This manual provides essential instructions for the safe and effective operation, setup, and maintenance of your Smoby Dickie Toys RC Cars 3 Turbo Racer Lightning McQueen remote control car. Please read this manual thoroughly before first use and retain it for future reference.



Image: The Smoby Dickie Toys RC Cars 3 Turbo Racer Lightning McQueen remote control car, showcasing its vibrant red color and iconic racing decals.

SAFETY INFORMATION

Warning: Not suitable for children under 3 years due to small parts and potential choking hazards.

- Always supervise children during play.
- Do not operate the vehicle near roads, water, or in crowded areas.
- Avoid impact with people, pets, or furniture.
- Use only the recommended battery types.
- Do not mix old and new batteries, or different types of batteries.
- Remove batteries from the vehicle and remote control when not in use for extended periods.

PACKAGE CONTENTS

Ensure all items are present before proceeding with setup:

- 1 x Lightning McQueen RC Car (Scale 1:24, Length 17 cm)
- 1 x 2-Channel Radio Remote Control (2.4 GHz)
- Instruction Manual (this document)



Image: The product packaging displaying the Lightning McQueen RC car and its remote control.

SETUP

1. Battery Installation

For the RC Car:

1. Locate the battery compartment on the underside of the Lightning McQueen car.
2. Use a screwdriver to open the battery compartment cover.
3. Insert 5 x AA batteries (not included), ensuring correct polarity (+/-).
4. Replace the cover and secure it with the screw.

For the Remote Control:

1. Locate the battery compartment on the back of the remote control.
2. Open the battery compartment cover.
3. Insert 2 x AA or AAA batteries (not included), ensuring correct polarity (+/-). *(Typically 2xAA or AAA for remotes)*
4. Replace the cover.

2. Pairing the Remote Control

The remote control needs to be configured with the car for proper operation. This process is quick and simple:

1. Ensure both the car and the remote control have fresh batteries installed.
2. Turn on the RC car using its power switch (usually on the underside).
3. Turn on the remote control using its power switch.
4. The car and remote should automatically pair within a few seconds. If not, turn both off and on again, ensuring they are close to each other.



Image: A child operating the Lightning McQueen RC car with the remote control, demonstrating typical usage.

OPERATING INSTRUCTIONS

Your Lightning McQueen RC car is designed for easy control with its 2-channel remote control.

Basic Controls

- **Forward/Backward:** Use the main joystick or trigger on the remote control to move the car forward or backward.
- **Left/Right:** Use the steering wheel or directional buttons on the remote control to turn the car left or right.
- **Turbo Function:** Activate the turbo button on the remote control for a burst of speed. This function allows the car to perform quick maneuvers.

The remote control operates on a 2.4 GHz frequency, providing a range of up to 20 meters (approximately 65 feet).



Image: An illustration highlighting the turbo speed and directional movement capabilities of the Lightning McQueen RC car.

MAINTENANCE

- **Cleaning:** Wipe the car and remote control with a soft, dry cloth. Do not use water or chemical cleaners.
- **Storage:** Store the product in a cool, dry place away from direct sunlight when not in use.
- **Battery Care:** Remove batteries if the product will not be used for an extended period to prevent leakage. Dispose of used batteries responsibly.
- **Inspection:** Regularly check for any loose parts or damage. Do not operate if damaged.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Car does not respond to remote.	Low or dead batteries in car or remote. Car and remote not paired. Out of range.	Replace batteries in both car and remote. Turn both devices off and on again to re-pair. Move closer to the car (within 20 meters).
Car moves slowly or erratically.	Low batteries in the car. Interference from other 2.4 GHz devices.	Replace car batteries. Move to an area with less electronic interference.
Turbo function not working.	Low batteries. Button malfunction.	Replace batteries. Contact customer support if the issue persists after battery replacement.

SPECIFICATIONS

Model Number	RC Car Lightning McQueen Toy with
Brand	Smoby
Scale	1:24
Product Dimensions (L x W x H)	14 x 28.3 x 14 cm (5.5 x 11.1 x 5.5 inches)
Weight	270 grams (0.6 lbs)
Material	Plastic
Remote Control Type	Radio Remote Control (Funkfernsteuerung)
Frequency	2.4 GHz
Channels	2
Control Range	Up to 20 meters
Car Battery Requirement	5 x AA batteries (not included)
Remote Battery Requirement	AA batteries (not included)
Recommended Age	3 years and up

WARRANTY AND SUPPORT

Information regarding specific warranty details for this product is not available in the provided data. Please refer to the retailer's return policy or contact Smoby customer service for warranty inquiries.

For technical support or further assistance, please contact the manufacturer or your point of purchase. Keep your purchase receipt as proof of purchase.

Manufacturer: Smoby

Website: [Smoby Official Store on Amazon](#)

© 2026 Smoby. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question