Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER BP3BM1-3

PK Power AC/DC Adapter User Manual

Model: BP3BM1-3

Introduction

This manual provides essential information for the safe and effective use of your PK Power AC/DC Adapter, specifically designed for Microlife BP3BM1-3 Automatic Blood Pressure Monitors. Please read this manual thoroughly before use and retain it for future reference.

Safety Information

Always observe the following safety precautions to prevent injury or damage to the device.

- Ensure the adapter's input voltage (100-240V 50-60Hz) matches your local power supply.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to disassemble or repair the adapter. Refer all servicing to qualified personnel.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.
- This product is equipped with Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) for enhanced safety.

Product Overview

The PK Power AC/DC Adapter is a compact and reliable power supply unit. It features a standard US wall plug and a barrel connector output cable.



Figure 1: Top-down view of the PK Power AC/DC Adapter, illustrating the compact design of the main unit and the neatly coiled output cable.



Figure 2: Angled view of the PK Power AC/DC Adapter, highlighting the two-prong wall plug and the flexible output cable extending from the unit.



Figure 3: Side view of the PK Power AC/DC Adapter, providing a clear look at the barrel connector at the end of the output cable, which connects to compatible devices.

Setup

1. **Verify Compatibility:** Ensure your device, such as the Microlife BP3BM1-3 Automatic Blood Pressure Monitor, is compatible with this adapter's specifications (input voltage, connector type).
2. **Connect to Device:** Insert the barrel connector of the adapter's output cable firmly into the power input port of your Microlife blood pressure monitor.
3. **Connect to Power Outlet:** Plug the adapter's two-prong wall plug into a standard 100-240V AC wall outlet.
4. **Power On Device:** Once connected, your device should receive power. Refer to your device's manual for specific power-on instructions.

Operating Instructions

The PK Power AC/DC Adapter functions as a direct power supply for compatible electronic devices. It does not require any user interaction beyond proper connection.

- Once connected to a power source and your device, the adapter will provide continuous power.
- Always ensure the connections are secure to prevent intermittent power supply.
- If the device is not powering on, check both the wall outlet and the connection to the device.

Maintenance

Proper maintenance ensures the longevity and safe operation of your adapter.

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.

- **Inspection:** Periodically inspect the adapter and its cable for any signs of damage, such as frayed wires, cracks, or bent prongs. If damage is observed, discontinue use immediately.

Troubleshooting

Problem	Possible Cause	Solution
Device not powering on.	Adapter not plugged in securely. Wall outlet is not active. Device power input issue.	Ensure adapter is fully inserted into wall outlet and device. Test wall outlet with another appliance. Consult your device's manual or contact device manufacturer.
Adapter feels unusually hot.	Overload or internal fault.	Immediately unplug the adapter from the wall and device. Discontinue use and contact customer support.
Visible damage to cable or adapter.	Physical damage.	Discontinue use immediately. Do not attempt to repair. Contact customer support for replacement.

Specifications

Model: BP3BM1-3 (Compatible)

Input: 100-240V AC, 50/60Hz

Output: Designed for Microlife BP3BM1-3 Automatic Blood Pressure Monitor

Connector Type: Barrel Connector

Safety Features: OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)

Certifications: CE, FCC, RoHS certified

Manufacturer: PKPOWER

Warranty and Support

PK-Power products are backed by a commitment to quality. For any issues or inquiries, our friendly and reliable customer service team is available to assist you.

- **Warranty:** Please refer to the product packaging or the seller's policy for specific warranty duration.
- **Customer Service:** Our After Sale Service team aims to respond to inquiries within 24 hours.
- **Contact:** For support, please contact the seller directly through the platform where the product was purchased.

© 2024 PKPOWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B06XNJCKZL

More documents and user manuals: **https://manuals.plus/**