

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Lavatools](#) /

› [Lavatools PT09 Digital Thermometer Instruction Manual](#)

## Lavatools PT09

# Lavatools PT09 Digital Thermometer Instruction Manual

Model: PT09C

## 1. INTRODUCTION

---

Thank you for choosing the Lavatools PT09 Digital Thermometer. This commercial-grade thermometer is designed for quick and accurate temperature readings across various applications, including meats, liquids, candy, and baked goods. Its robust construction and high-performance sensor ensure reliability and safety in professional and home kitchens.

## 2. SAFETY INFORMATION

---

- **Probe Safety:** The probe tip is sharp. Handle with care to prevent injury.
- **High Temperatures:** Do not leave the thermometer in an oven or grill while cooking. The plastic casing is not designed for continuous high heat exposure.
- **Cleaning:** The thermometer is splash-proof, but not fully submersible. Do not immerse the entire unit in water. Clean the probe with a damp cloth and mild detergent.
- **Battery:** Keep batteries out of reach of children. Dispose of used batteries responsibly.
- **Intended Use:** Use this device only for its intended purpose as a food thermometer.

## 3. WHAT'S IN THE BOX

---

- Lavatools PT09 Digital Thermometer
- 1 x LR44 Battery (pre-installed or included separately)
- Probe Cover

## 4. SETUP

---

### 4.1. Battery Installation

The Lavatools PT09 thermometer typically comes with a pre-installed LR44 battery. If the display does not turn on, or if you need to replace the battery:

1. Locate the battery compartment on the back of the thermometer.

2. Use a small coin or screwdriver to open the battery cover.
3. Insert a new LR44 battery with the positive (+) side facing up.
4. Securely close the battery cover.



Image: The Lavatools PT09 Digital Thermometer, showcasing its design and probe. This image provides a general view of the product.

## 5. OPERATING INSTRUCTIONS

---

### 5.1. Power On/Off

- Press the **Power button** (🔌) to turn the thermometer on or off.
- The thermometer features an automatic shut-off function to conserve battery life after a period of inactivity.

### 5.2. Selecting Temperature Unit (°C/°F)

- With the thermometer on, press the **°C/°F button** to toggle between Celsius and Fahrenheit.

### 5.3. Taking a Temperature Reading

1. Remove the protective probe cover.
2. Insert the stainless steel probe into the thickest part of the food, avoiding bone or gristle.
3. Wait for the reading to stabilize on the display (typically 4-5 seconds).
4. The thermometer will display the current temperature.



Image: A hand demonstrates inserting the thermometer probe into a cooked chicken to measure its internal temperature, illustrating proper usage.

#### 5.4. Hold Function

- Press the **HOLD/MAX/MIN button** to freeze the current temperature reading on the display. This is useful when reading temperatures in awkward positions.
- Press the button again to release the hold and resume live temperature readings.
- Press and hold the **HOLD/MAX/MIN button** to view the maximum and minimum temperatures recorded since the device was last turned on.

### 6. MAINTENANCE

---

#### 6.1. Cleaning

- Always clean the stainless steel probe after each use with a damp cloth and mild soap.
- Wipe the body of the thermometer with a damp cloth. Do not immerse the entire unit in water or place it in a dishwasher.
- Ensure the thermometer is completely dry before storing.

## 6.2. Storage

- Store the thermometer with the protective probe cover in place to prevent damage to the probe and accidental injury.
- Store in a cool, dry place away from direct sunlight.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Display is blank or dim.	Low or dead battery.	Replace the LR44 battery.
Inaccurate readings.	Probe not inserted correctly; thermometer needs calibration.	Ensure probe is in the thickest part of the food. While the PT09 is factory calibrated, if persistent inaccuracy is suspected, contact customer support.
Thermometer does not turn on.	Battery issue; power button malfunction.	Check or replace battery. If problem persists, contact customer support.

## 8. SPECIFICATIONS

Feature	Detail
Model Name	PT09
Item Model Number	PT09C
Brand	Lavatools
Special Feature	Fast Reading System, High Accuracy
Color	Sambal
Included Components	Battery
Outer Material	Plastic
Specification Met	NSF
Display Type	Digital
Product Care Instructions	Wipe Clean
Unit Count	1 Count
Power Source	Battery Powered

Feature	Detail
Number of Batteries	1 LR44 batteries required (included)
Item Length	4.5 Inches (probe)
Upper Temperature Rating	482 Degrees Fahrenheit
Response Time	4 seconds
Reusability	Reusable
Immersion Depth	4.5 Inches
Item Weight	1.16 ounces
Battery Life	4000 Hours
GTIN	849256000378



Image: Two Lavatools PT09 thermometers, one red and one grey, displayed on a metallic surface. The image highlights the product's robust design and certifications (NSF, CE, RoHS).

## 9. WARRANTY AND SUPPORT

---

Lavatools products are designed for durability and performance. For specific warranty information and customer support, please refer to the official Lavatools website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

© 2026 Lavatools. All rights reserved.