Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER S004LU0500080

PK Power AC/DC Adapter User Manual

Model: S004LU0500080

Introduction

This manual provides essential information for the safe and effective use of your PK Power AC/DC Adapter, Model S004LU0500080. Please read this manual thoroughly before using the product and retain it for future reference.

Product Overview

The PK Power AC/DC Adapter is designed to provide reliable power to compatible electronic devices, such as the Timex T128B. It features a universal input voltage range and built-in safety protections.



Figure 1: Front view of the PK Power AC/DC Adapter with its power cord coiled.



Figure 2: Dimensions of the PK Power AC/DC Adapter, showing approximate measurements of 1.00 inch (width), 2.25 inches (length), and 1.64 inches (height).



Figure 3: Bottom view of the adapter, displaying the product label with input/output specifications and certifications.

Safety Information

- Do not expose the adapter to water or excessive moisture.
- Do not disassemble or modify the adapter.
- Ensure the adapter's voltage and current ratings match your device's requirements.

- Unplug the adapter during lightning storms or when unused for long periods.
- Keep out of reach of children.

Setup

1. **Verify Compatibility:** Ensure your device requires a 5V DC input and a barrel connector. This adapter is specifically compatible with devices like the Timex T128B that require a 5V, 0.8A power supply.
2. **Connect to Device:** Insert the barrel connector end of the adapter's cable into the power input port of your electronic device.
3. **Connect to Power Outlet:** Plug the two-prong AC plug of the adapter into a standard 100-240V AC wall outlet.
4. **Power On Device:** Once connected, your device should receive power.

Operating Instructions

The PK Power AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides a stable 5V DC output.

- The adapter is designed for continuous operation within its specified input voltage range (100-240V AC, 50/60Hz).
- It features built-in Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) to safeguard your devices.
- If the adapter feels excessively hot, disconnect it immediately and check for issues with the connected device or power outlet.

Maintenance

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or aerosols.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures when not in use.
- **Cable Care:** Avoid bending or crimping the power cord excessively. Do not place heavy objects on the cord.

Troubleshooting

Problem	Possible Cause	Solution
Device not powering on.	Adapter not properly plugged in; device not compatible; faulty outlet; device issue.	Ensure adapter is fully plugged into both the device and the wall outlet. Verify device's power requirements match adapter's output. Test the outlet with another device. Try the adapter with another compatible device to isolate the issue.
Adapter feels hot.	Overload; poor ventilation; internal fault.	Disconnect immediately. Ensure the connected device does not draw more current than the adapter's rating (0.8A). Ensure adapter is in a well-ventilated area. If problem persists, discontinue use.
Intermittent power.	Loose connection; damaged cable/connector.	Check all connections for tightness. Inspect the cable and connector for any visible damage. If damaged, replace the adapter.

Specifications

Model: S004LU0500080

Input: 100-240V AC, 50/60Hz

Output: 5V DC, 0.8A (800mA)

Connector Type: Barrel Connector

Safety Certifications: CE, FCC, RoHS compliant

Protection Features: Over Voltage Protection (OVP), Over Current Protection (OCP), Short Circuit Protection (SCP)

Dimensions (approx.): 2.25 in (L) x 1.00 in (W) x 1.64 in (H) (excluding prongs and cable)

Power Source: Corded Electric

Main Power Connector Type: 2 Pin (US Standard)

Support and Warranty

For any questions or assistance regarding your PK Power AC/DC Adapter, please contact our customer service. Our friendly and reliable customer service team aims to respond to inquiries within 24 hours.
Information regarding specific warranty terms can be obtained by contacting PKPOWER directly or referring to the product packaging.
Manufacturer: PKPOWER
Date First Available: March 17, 2017

© 2024 PKPOWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B06XPYHPMG

More documents and user manuals: **https://manuals.plus/**