

HENDI 239698

HENDI 239698 Induction Cooktop Model 3500 D XL User Manual

Model: 239698 | Brand: HENDI

1. INTRODUCTION

Thank you for choosing the HENDI 239698 Induction Cooktop Model 3500 D XL. This manual provides essential information for the safe and efficient operation, maintenance, and care of your appliance. Please read it thoroughly before use and keep it for future reference.

2. SAFETY INFORMATION

IMPORTANT: This is a commercial product not intended for domestic use. Always adhere to local safety regulations and guidelines when operating this appliance.

- Ensure the appliance is placed on a stable, heat-resistant surface.
- Do not immerse the appliance in water or any other liquid.
- Keep children and unauthorized personnel away from the appliance during operation.
- Use only compatible cookware designed for induction cooking.
- Do not operate the appliance if it is damaged or malfunctioning. Contact qualified service personnel.
- Always unplug the appliance before cleaning or maintenance.
- Ensure adequate ventilation around the appliance.

3. PRODUCT OVERVIEW

The HENDI 239698 Induction Cooktop Model 3500 D XL is a robust and efficient cooking appliance designed for professional use. It features precise digital controls and a durable stainless steel casing.

Key Features:

- Digital control of current, temperature, and timer via touch controls.
- Durable stainless steel housing.
- Equipped with an easy-to-clean grease filter and double ventilation system.

- Suitable for pans with a minimum diameter of 140 mm and a maximum diameter of 320 mm.
- Height-adjustable feet for stable placement.



Figure 1: Front view of the HENDI 239698 Induction Cooktop, showing the control panel and cooking surface.



Figure 2: The induction cooktop in operation, with a frying pan containing food placed on the cooking surface.

4. SETUP

1. **Unpacking:** Carefully remove the induction cooktop from its packaging. Retain packaging materials for future transport or storage.
2. **Placement:** Place the cooktop on a flat, stable, and heat-resistant surface. Ensure there is sufficient space around the appliance for proper ventilation.
3. **Adjusting Feet:** Adjust the height of the feet to ensure the cooktop is level and stable.
4. **Power Connection:** Connect the power cord to a suitable grounded electrical outlet. Ensure the voltage matches the appliance's requirements (230 Volts).
5. **Initial Cleaning:** Before first use, wipe the cooking surface and exterior with a damp cloth.

5. OPERATING INSTRUCTIONS

5.1. Compatible Cookware

The HENDI 239698 Induction Cooktop requires cookware made of ferromagnetic material (e.g., cast iron, enameled steel, or stainless steel with a magnetic bottom). The base diameter of the cookware should be between 140 mm and 320 mm for optimal performance.

5.2. Basic Operation

1. **Power On:** Place suitable cookware on the induction surface. Press the power button () on the touch control panel to turn on the appliance.
2. **Select Mode:** The cooktop typically defaults to a power setting. You can switch between power and temperature modes using the mode selection button (often indicated by a thermometer or watt symbol).
3. **Adjust Settings:** Use the ▲ (up) and ▼ (down) buttons to adjust the power level or temperature. The digital display will show the current setting.
4. **Set Timer:** Press the timer button (often indicated by a clock symbol) and use the ▲ and ▼ buttons to set the desired cooking time. The cooktop will automatically turn off once the timer expires.
5. **Power Off:** After cooking, press the power button () to turn off the appliance. The surface may remain hot for a short period due to residual heat from the cookware.

6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance ensure the longevity and optimal performance of your induction cooktop.

1. **Disconnect Power:** Always unplug the appliance from the power outlet before cleaning.
2. **Cool Down:** Allow the cooktop to cool completely before cleaning.
3. **Cleaning the Surface:** Wipe the glass cooking surface with a soft, damp cloth and mild detergent. For stubborn stains, use a non-abrasive cleaner specifically designed for ceramic or induction cooktops. Dry thoroughly.
4. **Cleaning the Housing:** Wipe the stainless steel housing with a damp cloth. Avoid abrasive cleaners or scouring pads that could scratch the surface.
5. **Grease Filter:** The appliance features an easy-to-clean grease filter. Regularly remove and clean this filter to maintain efficient operation and ventilation. Refer to Figure 3 for location.

6. **Ventilation:** Ensure the ventilation openings are clear of obstructions. The double ventilation system (Figure 4) helps prevent overheating.



Figure 3: Detail of the removable grease filter, designed for easy cleaning.



Figure 4: Rear view illustrating the double ventilation system for optimal cooling.

7. TROUBLESHOOTING

If you encounter issues with your induction cooktop, refer to the table below for common problems and solutions. If the problem persists, contact qualified service personnel.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Appliance does not turn on.	No power supply; power cord not connected; circuit breaker tripped.	Check power connection; ensure outlet is functional; reset circuit breaker.
Cooktop not heating.	Incompatible cookware; cookware not centered; no cookware detected.	Use induction-compatible cookware; center cookware on the cooking zone; ensure cookware is present.
Error code displayed.	Specific malfunction or sensor issue.	Refer to the appliance's specific error code list (if available in full manual) or contact service.
Unusual noise during operation.	Normal fan operation; loose component.	Some fan noise is normal. If noise is excessive or unusual, contact service.

8. SPECIFICATIONS

Feature	Detail
Brand	HENDI
Model Number	239698
Color	Stainless Steel / Black
Product Dimensions (L x W x H)	56 x 39 x 12 cm
Weight	7.9 Kilograms
Power	3500 Watts
Voltage	230 Volts
Material	Stainless Steel
Automatic Shut-off Function	Yes
Special Feature	Electric
Heating Elements	1
Control Type	Touch Control
Burner Type	Induction
Cookware Diameter Range	Minimum 140 mm, Maximum 320 mm
Country of Origin	Germany






9. WARRANTY AND SUPPORT


Spare Parts Availability: Spare parts for this appliance are available for 5 years from the date of purchase.

For further assistance, technical support, or warranty claims, please contact your local HENDI distributor or

the point of purchase. Ensure you have your model number (239698) and purchase details ready.

Related Documents - 239698


	HENDI Induction Cooker Model 3500 D: User Manual & Operating Guide Comprehensive user manual for the HENDI Induction Cooker Model 3500 D. Covers safety instructions, operating procedures, maintenance, and troubleshooting for commercial kitchen use.
	Hendi Induction Cooker User Manual - Models 239698, 239711, 239872 Comprehensive user manual for Hendi Induction Cookers (Models 239698, 239711, 239872). Provides safety regulations, operating instructions, maintenance, troubleshooting, and technical specifications for professional kitchen use.
	HENDI Induction Cooker Model 3500 D - User Manual User manual for the HENDI Induction Cooker, Model 3500 D. Provides essential information on safe operation, installation, maintenance, and troubleshooting for commercial kitchen use.
	Hendi Induction Cooker User Manual Models 239698, 239711, 239872 User manual for the Hendi Induction Cooker (models 239698, 239711, 239872). Learn about safety regulations, operation, maintenance, and technical specifications for professional and commercial use.
	HENDI Induction Cooker User Manual - Models 239698, 239711, 239872 Comprehensive user manual for HENDI Induction Cooker models 239698, 239711, and 239872. Covers safety, operation, maintenance, troubleshooting, and technical specifications for commercial kitchen use.



[pdf] User Manual Instructions

INDUCTION COOKER this manual carefully paying particular attention to the safety regulations outlined below Safety This appliance is intended for commercial use only and must not be used household The purpose which it was designed 239698 239711 239872 induction cooker storage ua prom st 1251672 Keep these instructions with Diese Gebrauchsanweisung bitte beim Gerät aufbewahren Bewaar deze handleiding bij het apparaat Zachowaj instrukcję urządzenia Conservate le istruzioni insieme all apparecchio Păstrăți maualul de utilizare alături aparat Tento návod si odložte so spotřebičom 1251671 User manual Gebrauchsanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'utente Instrucțiunile utilizatorului INDUCTION COOKER Item: **239698** 239711 239872 You should read this user manual carefully before using the appliance. Bevor Sie das Gert in Betrieb nehmen, so...


lang:en score:33 filesize: 1.9 M page_count: 76 document date: 2018-11-14



[pdf] User Manual Instructions

INDUCTION COOKER Van Hattem Horeca User manual Gebrauchsanweisung Gebruiksaanwijzing Instrukcja obsługi Thank you for purchasing this Hendi appliance Before using the first time please read carefully paying particular attention to safety regulations outlined below Safety This is intended Inductiekookplaat Model 3500 Digitaal XL 239698 vanhattemhoreca nl files 2982 ||| User manual Gebrauchsanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'utente Instrucțiunile utilizatorului INDUCTION COOKER Item: **239698** 239711 You should read this user manual carefully before using the appliance. Bevor Sie das Gert in Betrieb nehmen, sollten S...


lang:en score:32 filesize: 1.74 M page_count: 72 document date: 2017-10-31



HENDI Induction Cooker Model 3500 D - User Manual

User manual for the HENDI Induction Cooker, Model 3500 D. Provides essential information on safe operation, installation, maintenance, and troubleshooting for commercial kitchen use.

lang:fi score:32 filesize: 1.33 M page_count: 92 document date: 2025-07-22




[Hendi Induction Cooker User Manual | Models 239698, 239711, 239872](#)

User manual for the Hendi Induction Cooker (models 239698, 239711, 239872).

Learn about safety regulations, operation, maintenance, and technical specifications for professional and commercial use.

lang:en **score:31** filesize: 808.65 K page_count: 76 document date: 2021-05-20




[\[pdf\] User Manual](#)

Hendi Manual Instrucciones cocina de induccion placas woks Hosteleria10 Placa Inducción Profi Line

Induc 3500 D hendi manual instrucciones placa d hosteleria10 recursos s |||

INDUCTION COOKER **239698**, 239711, 239872 You should read this user manual carefully before using the appliance. Sie sollten diese Bedienungsanleitung sorgfältig lesen, bevor Sie das Gert verwenden. Lees deze gebruikershandleiding zorgvuldig door voordat u het apparaat gebruikt. Przed uyciem urzdzenia...

lang:it **score:30** filesize: 188.43 K page_count: 9 document date: 2023-06-16



[\[pdf\] User Manual](#)

Manual 239698n02 239711n02 239872n02 Induction cooker hendi xcdn nl FD |||


INDUCTION COOKER MODEL 3500 D **239698**, 239711, 239872

EGnBg:lUissher...m...a.n...u.a.l..... 6 DeEu:

Btsecnhu...t.z.e.r.h.a.n...d.b.u.c.h..... 9 NeLd:

Gerelbarnudisk.e..r.s..h..a.n.d.l.e.i.d.i.n.g.....

lang:i-klngon **score:29** filesize: 1.33 M page_count: 92 document date: 2024-11-05



[\[pdf\]](#) User Manual

Manual 239698 n02 239711 v02 s01 239872 induction cookerHendi inductiekookplaat model 3500 D

Profi Line 230V 3500W Beuk HorecaManual cookerbeukhoreca.nl files product cooker |||


INDUCTION COOKER MODEL 3500 D **239698**, 239711 v.02_s.01, 239872

EGnBg:lUissher...m...a..n...u..a..l..... 6 DeEu:

Btsecnhu...t.z...e..r.h...a..n...d..b..u..c..h..... 9 NeLd:

Gerelbarnudisk.e..r.s..h...a..n..d..l.e..i.d..i.n..g...

lang:i-klingon **score:29** filesize: 1.33 M page_count: 92 document date: 2025-05-20



[\[pdf\]](#) Diagram

Freek Meulenberg Batch Appliance part 239698 hendi xcdn.nl Date 28 03 2018 1 Revision New main pcb

Place the drawing here ! Drawing Hendi B V Steenoven 21 3911 TX Rhenen The Netherlands HK 170624

and Sparepart Form nr up FD Induction Cooker 3500 D XL


Hendi B.V. Steenoven 21 3911 TX Rhenen The Netherlands Date 28-03-2018

Revision New main pcb. Drawing Batch # HK-170624 and up Appliance part# **239698**

Description Induction Cooker 3500 D XL Revision # 1.1 Place the drawing here Page

1 van 3 Hendi B.V. Steenoven 21 3911 TX Rhenen The Net...

lang:en **score:29** filesize: 137.2 K page_count: 3 document date: 2018-03-28



[\[pdf\]](#) Diagram

Freek Meulenberg Batch Appliance part 239698 hendi xcdn.nl Date 28 03 2018 Revision Item Description

Part Quantity Remark Picture 1 Glass plate nss Available as 942284 2 Upper housing complete Incl item

6 7 Sparepart Form nr 662363 until 171968 FD

Hendi B.V. Steenoven 21 3911 TX Rhenen The Netherlands Date 28-03-2018

Revision First Bill of Materials BOM Drawing Batch # Appliance part# 662363 until

171968 **239698** Description Induction Cooker 3500 D XL Revision # 1.0 Place the

drawing here Page 1 van 3 Hendi B.V. Steenoven 21 ...

lang:en **score:28** filesize: 137.24 K page_count: 3 document date: 2018-03-28




[pdf] Declaration of Conformity

Untitled bbrk 239698 Induktioonpliit 3500 D XL Külmakeskus OÜ 2020 04 15 EU P LVD EMC RoHS

ErP kylmakeskus ee 2022 01 |||

Steenoven 21 3911 TX Rhenen The Netherlands HENDI BV declares that: HENDI BV verklaart dat / erklt dass / dclare que / owiadcza, e / a declarat c / dichiarato che: Itemnr: Type: **239698** Induction cooker 3500 D XL Tel: 31 317 681040 Fax: 31 317 681045 www.hendi.eu info hendi.eu EU DECLARATION ...

lang:nl **score:25** filesize: 70.97 K page_count: 1 document date: 2022-01-31




[pdf]

nl 8711369239698 productsheet hendi xcdn FD |||

Inductiekookplaat model 3500 D XL **239698** Digitale instelling van vermogen, temperatuur en timer via aanraak-gevoelige toetsen Volledig roestvast stalen behuizing en hoogwaardig glaskeramiek Met eenvoudig te reinigen vetfilter en dubbele ventilator Geschikt voor pannen met een bodemmaat van minimaal ...

lang:nl **score:23** filesize: 46.4 K page_count: 1 document date: 2025-02-06




[pdf] User Manual Instructions

INDUCTION COOKER gastro pl User manual Gebruiksaanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'utente Instrucțiunile utilizatorului Manual 239377 Induction cooker

Web media hendi files |||

User manual Gebruiksaanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'utente rden gestoken dat juist is genstalleerd en geaard. 21 Bedieningspaneel van het apparaat Itemnr: **239698** 6 7 4 2 1 5 1. ON/OFF AAN/UIT - toets: Gebruik deze toets om het apparaat in of uit te ...

lang:en **score:22** filesize: 692.44 K page_count: 72 document date: 2019-05-31



[pdf] User Manual Instructions

Untitled Bekijk de handleiding Hendi Inductiekookplaat model 3500 digitaal bol original media s N15wDgKDkgPL |||

User manual Gebrauchsanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'utente Instrucțiunile utilizatorului INDUCTION COOKER Item: **239698** 239711 You should read this user manual carefully before using the appliance. Bevor Sie das Gert in Betrieb nehmen, sollten S...

lang:en **score:22** filesize: 1.32 M page_count: 72 document date: 2022-08-10




[pdf]

DownloadInduction cooker model 3500 D XL HENDI Tools for Chefsuk 8711369239698

productsheethendi xcdn nl FD uk productsheet |||

3500 D XL **239698** , , 160 300 : 20 : : 230 Rated Frequency Hz : 50 Hz, 60 Hz C : 35C C : 240C : : : Measurements :1 : : 390 : 560 : 120 : 3500 : : 390x560x H 120 EAN : 871...

lang:nl **score:22** filesize: 50.38 K page_count: 1 document date: 2025-07-09



[pdf]

DownloadInduction cooker model 3500 D XL HENDI Tools for Chefsel 8711369239698

productsheethendi xcdn nl FD el productsheet |||

induction 3500 D XL **239698** , . . 160 300 mm. . : 20 kg. : Voltage : 230 Rated Frequency Hz : 50 Hz, 60 Hz C : 35C C : 240C : : : PC mm mm mm input W Measurements :1 : : 390 : 560 : 120 : 3500 : ...

lang:en **score:22** filesize: 50.85 K page_count: 1 document date: 2025-07-09


HENDI
 Tools Made in China

Placa de inducción modelo 3500 D XL

Aplicación: cocina de la industria, de temperatura y del temporizador controlados por pantalla táctil. Para uso en cocina comercial. Función de protección de sobrecalentamiento y apagado automático. Para placa de cocina con un diámetro de hasta 400 mm. Para gasificación en altura. Cada máquina permite hasta 20 kg.

Especificaciones

Cantidad de platos	Cuatro
Voltaje	220V
Temperatura de la superficie por hora en T°C	200°C
Temperatura de la superficie por hora en T°C	240°C
Temperatura de la unidad	Resistencia
Control de seguridad	No
Protección a sobrecalentamiento	Si
Protección de la unidad	Si
Longitud (mm)	400
Ancho (mm)	400
Altura (mm)	120
Profundidad (mm)	100
Peso neto (kg)	20,50
Peso bruto (kg)	25,50

Especificaciones de transporte

Código EAN	471130222249
Idioma estándar	EN 60335-1
Idioma manual (kg)	11,5
Peso neto (kg)	7,50
Capacidad máxima (kg)	200
Capacidad mínima (kg)	100
Capacidad por unidad (kg)	100
Capacidad por unidad (kg)	100
Capacidad máxima (kg)	100
Peso máximo (kg)	100

HENDI S.p.A.

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

HENDI Ptehdar S.p.A.

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

HENDI GmbH

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

HENDI S.R.L.

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

PEH HENDI Tools Ltd. Bulgaria E.

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

HENDI S.R.L.

Industria e Commercio S.p.A.
 Via S. Giovanni, 10
 20139 Milano, Italia

[\[pdf\]](#)

Placa de inducción modelo 3500 D XL es 8711369239698 productsheet hendi xcdn nl FD |||

Placa de induccion modelo 3500 D XL **239698** Ajuste digital de la potencia, la temperatura y el temporizador mediante controles tactiles. Carcasa de acero inoxidable. Con filtro de grasa fcilmente limpiable y doble ventilacin. Apto para ollas con un diametro de fondo entre 160 y 300 mm. Pies ajustables e...

lang:es score:22 filesize: 48.16 K page_count: 1 document date: 2024-06-09


HENDI
 Tools for Chef

Induction cooker model 3500 4 XL

270W

Digital power, temperature and timer setting via touch-sensitive controls. Operates on dual frequency (50/60 Hz) with automatic phase filter and double voltage (100V/240V) for gases with bottom diameter between 146 and 205 mm (height adjustable base). Maximum load of the induction cooker 20 kg.

Specifications

Material	Stainless steel
Making control	Electronic
Power	2300
Use temperature	Continuous
Control mode	Electronic
Temperature record	No
Protection	1
Protecting type	Box
Length (mm)	280
Width (mm)	340
Depth (mm)	120
Power (kW)	3.5
Program number	80
Maximum net	2000 x 400 x 100

Transport specifications

Weight (kg)	107 (110) 50/50
Gross weight (kg)	5.13
Net weight (kg)	3.68
Vol. (m³)	0.14 (0.15)
Weight per box (kg)	100
Export (in box) (mm)	340
Quantity per export carton	1
Export carton per carton	1
Plastic packaging (kg)	242

Model 3500 4 XL

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

Model 3500 4 XL + A

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

Model 3500 4 XL + 2000 W

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

Model 3500 4 XL + 2000 W + A

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

Model 3500 4 XL + 2000 W + A

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

Model 3500 4 XL + A

- 2300 W
- 280 x 340 x 120 mm
- 107 kg (110) net
- 0.14 m³

[\[pdf\]](#) Specifications

Product sheet Induction cooker model 3500 D XL en 8711369239698 productsheet hendi xcdn nl FD |||

Induction cooker model 3500 D XL **239698** Digital power, temperature and timer setting via touch-sensitive controls Stainless steel housing With easily cleanable grease filter and double ventilation Suitable for pans with bottom diameter between 160 and 300 mm Height adjustable feet Maximum load of th...

lang:nl score:22 filesize: 95.22 K page_count: 1 document date: 2022-06-23

[illegible]

[\[pdf\]](#)

PobierzKuchenka indukcyjna 3500 D XL HENDI Tools for Chefspl 8711369239698 productsheethendi
xcdn nl FD pl productsheet |||

Kuchenka indukcyjna 3500 D XL **239698** Ustawianie mocy, temperatury i czasu na panelu dotykowym Obudowa ze stali nierdzewnej Ochrona przed przegrzaniem podwójne wentylatory Filtr przeciwtłuszczowy łatwy w czyszczeniu Automatyczne włączanie i dostosowanie powierzchni grzewczej do podstawy garnka lub pat...

lang:en score:22 filesize: 49.74 K page_count: 2 document date: 2025-09-19



Induktiesoonplaat 3500 D XL

Sensorgaanel võimuse, temperatuuri ja gaasi reguleerimiseks Korpus on valmistatud roostevabast terasest. Oukosensoriotsikute, ventilaatori diameeter 140mm, gaasiühenduste väljaulatavus 100mm. Raviakugaasid väljuvad - kütte puhanalt Automaatne väljalülitus ja kuumutamis ajakõõna vastavus rõlu diameetris. Mõeldud insulatsiooniparadele põhja diameetriga 100-200 mm. Reguleeritava rõhu suurus ja läbivoolu kiirus. Raviakugaasi kiirus: 20 kg



Machine indexed	Transport specifications
Usage class	EAN
Weight (kg)	220
Rated Frequency (Hz)	50 Hz, 60 Hz
Power (kW)	20/25
Speed range (m/s)	0-200%
Use temperature	-10-40°C
Relative humidity	20-90%
Electrician needed	no
Material	+
Plastic parts	+
Length (mm)	2000
Width (mm)	500
Height (mm)	500
Power Input (kW)	20/25
Flow (m/min)	16
Maximum users	200/250/300/320

Transpondi spetsifikatsioonid	
EAN	871136022909
Manufacturer code	86196180
Gross weight (kg)	9.32
Net weight (kg)	7.38
Export carton length (mm)	585
Export carton width (mm)	462
Export carton height (mm)	345
Quantity per export carton	2
Sales units per pallet	24
Plastic packaging (grams)	342

[illegible]

Indukční vařič 3500 D XL

Digitální nastavení teploty a času přes dotykový displej. Tělo z nerezové oceli. Se snadno čistitelným filtrem zadržujícím mastnotu a se 2 ventily. Vhodný pro nádobí o průměru dna mezi 160 a 300 mm. 5 výšek nastavitelných nohou. Připevnění maximální zatížení trouby: 20 kg.



Specifické	
Odolnosť proti:	Kuchyň
Náplň:	230
Rated Frequency (Hz):	50 Hz, 60 Hz
Rated voltage of TCI:	30°C
Rated frequency of TCI:	240°C
Rated temperature:	Celcius
Rated power:	Indukce
Typ odvodu odpadových vôd:	Nie
Material:	Nerezová oceľ
Rated size:	1
Typ izolácie:	Kerolite
Delka (mm):	380
Šírka (mm):	560
Výška (mm):	120
Príkon (W/100):	2500
Programovanie:	Nie
Model:	200.Sa2.04E1

Pfeprawni specifikace	
EAN	8711348224495
Int. order code	84176180
Minib. length (kg)	9.13
Cost. length (kg)	7.88
Export carton length (mm)	585
Export carton width (mm)	442
Export carton height (mm)	345
Quantity per export carton	2
Sales units per pallet	24
Plastic packaging (kg)	242

[illegible]

[\[pdf\]](#)

Download Induction cooker model 3500 D XL HENDI Tools for Chefset 8711369239698

productsheethendi xcdn nl FD et productsheet |||

Induktsioonpliit 3500 D XL **239698** Sensorpaneel vimsuse, temperatuuri ja aja reguleerimiseks Korpus on valmistatud roostevabast terasest lekuumenemiskaitse, ventilaatorite olemasolu Rasvakogumisfilter lihtne puhastada Automaatne vjljalitus ja kuumutamispiirkonna vastavus nu diameetrile Meldud indukt...

lang:en score:22 filesize: 46.75 K page_count: 1 document date: 2025-07-09

[\[pdf\]](#)

DownloadInduction cooker model 3500 D XL HENDI Tools for Chefscs 8711369239698

productsheethendi xcdn nl FD cs productsheet |||

Indukcn vaic 3500 D XL **239698** Digitln nastaven teploty a casu pes dotykov displej
Tlo z nerezov oceli Se snadno cistitelnm filtrem zadrzujcm mastnotu a se 2 ventilytory
Vhodn pro ndob o prmru dna mezi 160 a 300 mm S vskov nastavitelnmi nohami
Ppustn maximln zatzen trouby: 20 kg Specifikace Oblast p...

lang:nl score:22 filesize: 47.42 K page_count: 1 document date: 2025-07-09


HENDI
 Tools We Craft

Indukcijska ploča model 3500 D XL

270476

Električno ogrevanje, potopljena temperaturna in legirana površina, izmenična napetost, moč, izločanje toplote in oddajanje toplote 5, 7, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 87, 90, 93, 96, 99, 102, 105, 108, 111, 114, 117, 120, 123, 126, 129, 132, 135, 138, 141, 144, 147, 150, 153, 156, 159, 162, 165, 168, 171, 174, 177, 180, 183, 186, 189, 192, 195, 198, 201, 204, 207, 210, 213, 216, 219, 222, 225, 228, 231, 234, 237, 240, 243, 246, 249, 252, 255, 258, 261, 264, 267, 270, 273, 276, 279, 282, 285, 288, 291, 294, 297, 300, 303, 306, 309, 312, 315, 318, 321, 324, 327, 330, 333, 336, 339, 342, 345, 348, 351, 354, 357, 360, 363, 366, 369, 372, 375, 378, 381, 384, 387, 390, 393, 396, 399, 402, 405, 408, 411, 414, 417, 420, 423, 426, 429, 432, 435, 438, 441, 444, 447, 450, 453, 456, 459, 462, 465, 468, 471, 474, 477, 480, 483, 486, 489, 492, 495, 498, 501, 504, 507, 510, 513, 516, 519, 522, 525, 528, 531, 534, 537, 540, 543, 546, 549, 552, 555, 558, 561, 564, 567, 570, 573, 576, 579, 582, 585, 588, 591, 594, 597, 600, 603, 606, 609, 612, 615, 618, 621, 624, 627, 630, 633, 636, 639, 642, 645, 648, 651, 654, 657, 660, 663, 666, 669, 672, 675, 678, 681, 684, 687, 690, 693, 696, 699, 702, 705, 708, 711, 714, 717, 720, 723, 726, 729, 732, 735, 738, 741, 744, 747, 750, 753, 756, 759, 762, 765, 768, 771, 774, 777, 780, 783, 786, 789, 792, 795, 798, 801, 804, 807, 810, 813, 816, 819, 822, 825, 828, 831, 834, 837, 840, 843, 846, 849, 852, 855, 858, 861, 864, 867, 870, 873, 876, 879, 882, 885, 888, 891, 894, 897, 900, 903, 906, 909, 912, 915, 918, 921, 924, 927, 930, 933, 936, 939, 942, 945, 948, 951, 954, 957, 960, 963, 966, 969, 972, 975, 978, 981, 984, 987, 990, 993, 996, 999, 1002, 1005, 1008, 1011, 1014, 1017, 1020, 1023, 1026, 1029, 1032, 1035, 1038, 1041, 1044, 1047, 1050, 1053, 1056, 1059, 1062, 1065, 1068, 1071, 1074, 1077, 1080, 1083, 1086, 1089, 1092, 1095, 1098, 1101, 1104, 1107, 1110, 1113, 1116, 1119, 1122, 1125, 1128, 1131, 1134, 1137, 1140, 1143, 1146, 1149, 1152, 1155, 1158, 1161, 1164, 1167, 1170, 1173, 1176, 1179, 1182, 1185, 1188, 1191, 1194, 1197, 1200, 1203, 1206, 1209, 1212, 1215, 1218, 1221, 1224, 1227, 1230, 1233, 1236, 1239, 1242, 1245, 1248, 1251, 1254, 1257, 1260, 1263, 1266, 1269, 1272, 1275, 1278, 1281, 1284, 1287, 1290, 1293, 1296, 1299, 1302, 1305, 1308, 1311, 1314, 1317, 1320, 1323, 1326, 1329, 1332, 1335, 1338, 1341, 1344, 1347, 1350, 1353, 1356, 1359, 1362, 1365, 1368, 1371, 1374, 1377, 1380, 1383, 1386, 1389, 1392, 1395, 1398, 1401, 1404, 1407, 1410, 1413, 1416, 1419, 1422, 1425, 1428, 1431, 1434, 1437, 1440, 1443, 1446, 1449, 1452, 1455, 1458, 1461, 1464, 1467, 1470, 1473, 1476, 1479, 1482, 1485, 1488, 1491, 1494, 1497, 1500, 1503, 1506, 1509, 1512, 1515, 1518, 1521, 1524, 1527, 1530, 1533, 1536, 1539, 1542, 1545, 1548, 1551, 1554, 1557, 1560, 1563, 1566, 1569, 1572, 1575, 1578, 1581, 1584, 1587, 1590, 1593, 1596, 1599, 1602, 1605, 1608, 1611, 1614, 1617, 1620, 1623, 1626, 1629, 1632, 1635, 1638, 1641, 1644, 1647, 1650, 1653, 1656, 1659, 1662, 1665, 1668, 1671, 1674, 1677, 1680, 1683, 1686, 1689, 1692, 1695, 1698, 1701, 1704, 1707, 1710, 1713, 1716, 1719, 1722, 1725, 1728, 1731, 1734, 1737, 1740, 1743, 1746, 1749, 1752, 1755, 1758, 1761, 1764, 1767, 1770, 1773, 1776, 1779, 1782, 1785, 1788, 1791, 1794, 1797, 1800, 1803, 1806, 1809, 1812, 1815, 1818, 1821, 1824, 1827, 1830, 1833, 1836, 1839, 1842, 1845, 1848, 1851, 1854, 1857, 1860, 1863, 1866, 1869, 1872, 1875, 1878, 1881, 1884, 1887, 1890, 1893, 1896, 1899, 1902, 1905, 1908, 1911, 1914, 1917, 1920, 1923, 1926, 1929, 1932, 1935, 1938, 1941, 1944, 1947, 1950, 1953, 1956, 1959, 1962, 1965, 1968, 1971, 1974, 1977, 1980, 1983, 1986, 1989, 1992, 1995, 1998, 2001, 2004, 2007, 2010, 2013, 2016, 2019, 2022, 2025, 2028, 2031, 2034, 2037, 2040, 2043, 2046, 2049, 2052, 2055, 2058, 2061, 2064, 2067, 2070, 2073, 2076, 2079, 2082, 2085, 2088, 2091, 2094, 2097, 2100, 2103, 2106, 2109, 2112,

[illegible]



HENDI
FOOD SERVICE EQUIPMENT

Uzer manual
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir

Uzer manual
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir

INDUCTION COOKER



Qabir 23977

Uzer manual
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir

Uzer manual
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir
Qabir qabir qabir qabir

[\[pdf\]](#)

DownloadInduction cooker model 3500 D XL HENDI Tools for Chefshr 8711369239698

productsheethendi xcdn nl FD hr productsheet |||

Indukcijska ploca model 3500 D XL **239698** Digitalno napajanje, postavke temperature i tajmera preko kontrola osjetljivih na dodir Kuiste od nehrajujeg celika S filterom za mast koji se lako cisti i dvostrukom ventilacijom Pogodno za tave s promjerom dna izmeu 160 i 300 mm Noge podesive po visini Dopus...
lang:en score:21 filesize: 46.8 K page_count: 1 document date: 2025-07-09

[\[pdf\]](#)

Download Induction cooker model 3500 D XL HENDI Tools for Chefssk 8711369239698

productsheethendi xcdn nl FD sk productsheet ||

Indukcn varic model 3500 D XL **239698** Nastavenie vkonu, teploty a casu na
dotykovom paneli Konstrukcia je vyroben z nehrdzavejcej ocele Ochrana pred
prehriatm, disponuje dvojitmi ventilarmi akho cistiten filter na zachytvanie tuku
Automatick zapnanie a nastavovanie ohrevnej plochy na dno hrnca alebo...
lang:es score:21 filesize: 48.09 K page_count: 1 document date: 2025-07-09

[\[pdf\]](#) User Manual Instructions

INDUCTION COOKER herdi xcdn nl this manual carefully paying particular attention to the safety regulations outlined below Safety This appliance is intended for commercial use The must only be used purpose which it was and designed manufacturer not liable any damage caused by incorrect operation improper Manual 239377 Induction cooker Web FD

User manual Gebruiksaanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d'emploi Istruzioni per l'uso Bedienungsanleitung 21
Bedieningspaneel van het apparaat Itemnr: **239698** 6 7 4 2 1 5 1. ON/OFF AAN/UIT - toets: Gebruik deze toets om het apparaat in of uit te zetten.


lang:en score:21 filesize: 687.36 K page count: 72 document date: 2019-05-31



[pdf]

katalog nowe ceny v2 indd bartoszfasiiecki gazetka 2509 media hendi pl |||

Zobacz film 73900 67900 TWJ Zobacz film 91900 79900 TWJ do -25 NOWE, NISZE CENY Oferta wan ... x440x H 120 739,00 679,00 min 140 mm 3500 W max 320 mm 230 V KUCHENKA INDUKCYJNA MODEL 3500 D XL **239698** I Ustawianie mocy, temperatury i czasu na panelu dotykowym Obudowa wykonana ze stali nier...
lang:pl score:20 filesize: 4.98 M page_count: 6 document date: 2020-09-25



[Hendi Induction Cooker User Manual \(Item 239377\)](#)

Comprehensive user manual for the Hendi Induction Cooker (Item 239377), detailing safety regulations, operation, maintenance, troubleshooting, and technical specifications for professional use.

lang:en score:18 filesize: 596.01 K page_count: 72 document date: 2022-01-26



[pdf]

katalog HENDI RU 2019 ceny export indb bartoszfasiiecki hendi ru system4 ua |||

Tools for chefs I 2019 - GN GN , 2019 HEND ... 3 , 239766 239773 239766 360x H 180 EUR 112,85 EXW, **239698** min 140 3500 max 320 230 B 3500 D XL I , , - ...
lang:tl score:16 filesize: 44.3 M page_count: 542 document date: 2019-02-20



[pdf]

Каталог HENDI 2024 ua ► Супниця UNIQ Hendi 860540 зелена купити у Києві Україні ціна характеристики відгуки System4 274ad4786c3abca69fa097b85867d9a4 system4 |||

www.hendi.com , GN , , , , , , , , , , , , , , 2024/25 ... 280 : 20 USD 239711 230 3500 342x431x H 116 498,00 160 3500 300 230 B **239698** 3500 D XL , , 160 300 : 20 ...
lang:de score:14 filesize: 51.9 M page_count: 770 document date: 2024-11-21




[\[pdf\]](#)

katalog HENDI PL 2018 bez markerow indb bartoszfasiiecki hendi pl files

KATALOG 2018 URZDZENIA GASTRONOMICZNE ul. Magazynowa 5, 62-023 Gdki, tel. 61 658 70 00, fax 61 658 ... dnia do garnkw i patelni indukcyjnych o rednicy od 140 do 320 mm Regulowana wysoko nek kod V W **239698** 230 3500 mm 390x500x H 120 cena PLN 1199,- Filtr przeciwtluszczowy zabezpiecza silnik ...

lang:pl score:14 filesize: 55.22 M page_count: 564 document date: 2018-01-30



[\[pdf\]](#)

bartoszfasiiecki KATALOG HENDI PL 2017 050217 low hendi pl files

KATALOG 2017 Profesjonalny sprzt gastronomiczny KATALOG 2017 Firma HENDI Polska jest czci midzy ... i patelni indukcyjnych od 140 do 320 mm rednicy Regulowana wysoko nek kod mm W V cena PLN **239698** 390x500x H 120 3500 230 1090,- Filtr przeciwtluszczowy zabezpiecza silnik przed zabrudzen...

lang:pl score:14 filesize: 45.6 M page_count: 504 document date: 2017-02-06



[\[pdf\]](#) Catalog

katalog EN 2018 indb bartoszfasiiecki HENDI Catalogue web hendi eu products product folders

HendiCatalogue2018

CATALOGUE 2018 professional food service equipment CATALOGUE 2018 HENDI Food Service Equipment ... de V 209523 230 W 1000 mm 455x333x H 62 209523 289 THERMAL PROCESSING THERMAL PROCESSING **239698** 290 INDUCTION COOKER MODEL 3500 D XL I Digital power, temperature and timer setting via t...

lang:en score:14 filesize: 44.47 M page_count: 396 document date: 2017-11-14

[\[pdf\]](#)

hendi обладнання для ресторанівНезалежно від того яка ваша роль у гастрономічній індустрії чи ви шеф кухар власник ресторану менеджер їдальні кондитер ми готові

надихати274ad4786c3abca69fa097b85867d9a4system4 ua 274ad4786c3abca69fa097b85867d9a4

srsItd AfmBOoo4q XxXvE8qb IJjy3TYcDggYLVdN5VTwib1AoHLbAQp2uQdy ресторанівhendi

ресторанівMKF664TS MKF1064TS MKF1664TS відстань між рівнями 80 мм ЕКА Призначений

вимірювання та контролю температури всередині Незалежно надихатисystem4

AfmBOor7vOXphdJmbEJDZ6SS2oG8no ot7rW2ju1oD1xZysNeWK47DGvsystem4

IJjy3TYcDggYLVdN5VTwib1AoHLbAQp2uQdysystem4 AfmBOop3xvbUmb

VV2yr1fbO89flr8PFYGPnfw3rF2XcLaDXVDh5t8d

VV2yr1fbO89flr8PFYGPnfw3rF2XcLaDXVDh5t8dsystem4
AfmBOoqEiWUPMeynGwEK8JU6gj7LOGtCITBDaukx jOBSfFhxVISASjV
AfmBOorjtjOOB4esss03JAGFTUiaVckZc obObpfp8TkcXj2 fxK8Zvjsystem4 jOBSfFhxVISASjVsystem4
AfmBOoqVplmJtj SOvh7LenvTLRNcDPs6xk OUu4e WZ6gl3U igR0E AfmBOoo7O
ukA7sJDmxGe4n3FT4PBBGjX7 6E0TV3Q3ZJ5yVruJnaXkKsystem4
AfmBOoqzoBEkF0EbE0D3QHeLoWkDBXvqhclCPtJaNC74h ZhS xNSBHvsystem4 igR0Esystem4
AfmBOOp77axq2JtZHCd00AZlgQni4ITkqZwgt n pkpgxgDZ5Wor1L1Nb pkpgxgDZ5Wor1L1Nbsystem4
AfmBOorbVJmQVDoGb2rWuEwpMY9pOSJKuZ8wAGNfva1w3xwvWoDcgVXi
AfmBOopxVv58JdYWMGE8UOFfD0EqvRUzVHxHABNj9J0cmCWpFTKeH6Lesystem4
AfmBOooGUBnQ9iKpwnbr2H t1R JUrnGz QiLkrgzmEb V rl1mTC7pPsystem4
AfmBOorbVJmQVDoGb2rWuEwpMY9pOSJKuZ8wAGNfva1w3xwvWoDcgVXisystem4
AfmBOoqzHDCy4E24eTL21FW7WIIZ 46ngJj7MbOel wV8mw3pbOg5a9p
AfmBOoqNmaDvelLfxmCZRTpgcE JzsD31D 0dK5ZFu0Cn7VT6JCNM8LYsystem4
AfmBOorxXm7aMtPbObHLyPs G6KCFwQZ sONVSLwDY1 MiPvKg3CnqVPsystem4
AfmBOoo9pXBzmK5N9Pm2PObnkBUKoiYtKarswxKINcbUhtfO5N1PtnNhsystem4
AfmBOoqyeOQKDb8EEVrza3EWeal6sng pdrC6dR8YCxi AES89tuRFQvsystem4
AfmBOOpAkT7NuAHM95PMc52sOmTBZP21Ogekm1ZYa4ZDJW 4TAKQunHvsystem4
AfmBOOpvPtO1NS2DE3E djVzT7RZIPXHtJgF62R NeltXiHVUxP9cLENsystem4
AfmBOOpzGcMxy1lsVuQhY26K7 QWFTGnNWZUkj7JaAWFcyzqJEG12Lj4system4
wV8mw3pbOg5a9psystem4 AfmBOoqNw8jitgkFrRduSdQcMSWQAxAMIS2B4TnHvGaxuRjymRZqgvvcv
AfmBOoqNw8jitgkFrRduSdQcMSWQAxAMIS2B4TnHvGaxuRjymRZqgvvcvsystem4
AfmBOoohDhrE4ujEoeSib0XxQtflmLYz9Nv8JJEYGKse4JJji0mfFS9SS AfmBOoq
vwDmjpSjIMnl7HydWRm75RZ6ZyfuAh6s5g83i6JfIX6igmodsystem4 AfmBOorVYdSf
hTiLkFSfxh2kpm3LC9bFO AdfGpPWHZhmWQQsRs1937system4
AfmBOorMoWm2vYn9evHuq0zbXlbU5HcRVNbBwR LDSlPfJqXZCFa21AOsystem4 AfmBOOpB
zfltf7UWLsYR4KuwlplwscDPN1yAj5WvrgzWetUQooTQIfUesystem4 AfmBOoo0WahJYkNTEgV5
q25YozLlItNdBL5SwhVEmdmImPa9FQQ6EUysystem4
AfmBOoohDhrE4ujEoeSib0XxQtflmLYz9Nv8JJEYGKse4JJji0mfFS9SSsystem4
AfmBOOpdxEudXI4UyqxA9Bky83yVLdRomxDU9UbJAXrvT6miL1ARd4oZ
AfmBOorG6r1VwgqznFig3HXv0r1t3PimnYdobzaVXu7w7A3gbjEFvJEsystem4 AfmBOoozUn4Nuo
2rorqKBjLZE4eXoitRuzcd0ePp5M5PAAz i0QTqywsystem4 AfmBOooj7DL2kArxr
96oz4NXsw8O2O0jAKUCs5DNytlldsh4cY5L67Kksystem4 AfmBOoqoC
GKWrd05OQI3lDdNIJtK4aQwHutwTHYn5bC16hcT8ulIE3Xsystem4 AfmBOoo1TDcdorIMlvFimCxTPx
rMtTF44 2wRYK6xb0ba eSLE 4DZcsystem4
AfmBOOpdxEudXI4UyqxA9Bky83yVLdRomxDU9UbJAXrvT6miL1ARd4oZsystem4 AfmBOoqHhF27 muK
uiY4l5V1YY q8Q 9O9j4PRjyx2GTGhSZdJEw84m 9O9j4PRjyx2GTGhSZdJEw84msystem4
AfmBOoqj85c72RZ00XKrfABirO9doSsz9zveJKLOq1yWrKB66gxELlepssystem4
AfmBOoqj85c72RZ00XKrfABirO9doSsz9zveJKLOq1yWrKB66gxELlepssystem4
AfmBOorPuOmJt4TQfiA43UoGP23oTO 7Aqcd0bd0xx0D07Rlkzn ykqcb надихатив1system4
ykqcbssystem4 AfmBOoo1C6m0kDZgcpfNleHSkyPyPoHo5okSC tcm9bo5vTROSE6TjM2
tcm9bo5vTROSE6TjM2system4 AfmBOordQPouhfLM2tkyuREpJhxyb36HEWO66W4EBfI04rA
5WhIFnOz ресторанів MKF664TS всередині Незалежно надихати v1 system4
ot7rW2ju1oD1xZysNeWK47DGv fxK8Zvj 6E0TV3Q3ZJ5yVruJnaXkK xNSBHv 4TAKQunHv rl1mTC7pP
MiPvKg3CnqVP 0dK5ZFu0Cn7VT6JCNM8LY
AfmBOopxVv58JdYWMGE8UOFfD0EqvRUzVHxHABNj9J0cmCWpFTKeH6Le NeltXiHVUxP9cLEN
AfmBOoo9pXBzmK5N9Pm2PObnkBUKoiYtKarswxKINcbUhtfO5N1PtnNh AES89tuRFQv
QWFTGnNWZUkj7JaAWFcyzqJEG12Lj4 vwDmjpSjIMnl7HydWRm75RZ6ZyfuAh6s5g83i6JfIX6igmod
LDSlPfJqXZCFa21AO q25YozLlItNdBL5SwhVEmdmImPa9FQQ6EUy
zfltf7UWLsYR4KuwlplwscDPN1yAj5WvrgzWetUQooTQIfUe AdfGpPWHZhmWQQsRs1937 4DZc
i0QTqyw GKWrd05OQI3lDdNIJtK4aQwHutwTHYn5bC16hcT8ulIE3X
AfmBOorG6r1VwgqznFig3HXv0r1t3PimnYdobzaVXu7w7A3gbjEFvJE
96oz4NXsw8O2O0jAKUCs5DNytlldsh4cY5L67Kk



AfmBOoqvsyoPG7O1vWZ71cDplHLY3uJ2HOkHxu54SFuIX7TQeCrJDtDI AfmBOorIW7F
XclceR51KZnEwk9vMVeVcZWCHTzEUR8KKn91n47gVqTC 5WhlFnOzsystem4
XclceR51KZnEwk9vMVeVcZWCHTzEUR8KKn91n47gVqTCsystem4
AfmBOoqvsyoPG7O1vWZ71cDplHLY3uJ2HOkHxu54SFuIX7TQeCrJDtDIsystem4
AfmBOoq5emnZ7ZZyECtVxdk d8 RosM N1Uqvzr58OmfJ8gzml8sKsdu
AfmBOooltLypCW5kGLYK4jYP49SQWJ c5ZCaSVJXUnRgJIGq9wJPcPg2system4
N1Uqvzr58OmfJ8gzml8sKsdusystem4
AfmBOorcTzwmdGcHnaZe7tl9e1cHqEx2igwxkbJvHvBiF8oXXMlgwu01
AfmBOorcTzwmdGcHnaZe7tl9e1cHqEx2igwxkbJvHvBiF8oXXMlgwu01system4
AfmBOoqgJlsiwbsq7l3kvOxGJM8OmpTd3qAUyAC2DUQDnzRYxVamfrX1
AfmBOoqgJlsiwbsq7l3kvOxGJM8OmpTd3qAUyAC2DUQDnzRYxVamfrX1system4
AfmBOorG6wQC9bPdPI1nR0fsc8XIL4bvOnDWBRsWg0 0HMu yKXULpz AfmBOooPIP3LYrfJ3S
UUB4lkeXoNSmxj9J82s LBzJbwia1qkj222G5system4 AfmBOoq23quvzEZB4IMjJQv x
P9mcVSv9oltnxYT50Alj QN9nJswsystem4 AfmBOop5 txloYiCt15Sh 68xVENLQBxV0AJ2ybmf3Z
Y16b1N20Sz Ussystem4 yKXULpzsystem4 AfmBOoqpjYJaMv6TulAAFOvr
snIPJG2y5XvL3BHWZQzN6nkRphynZZ snIPJG2y5XvL3BHWZQzN6nkRphynZZsystem4 AfmBOopjD4G
5B6Zts2Rng3cNIMN3HySm6R3b8wLGU JEUveoZUShiu2
AfmBOopX049a1GucRcl9m9hNokzawFov0iVaM Hxne DDfT 3dN46VHN
AfmBOopTdskcwrya2cG5IDRRIWgeC29ncTN88JoBrnQHCeheBKSrGnx
AfmBOootqBXO0SC73JL9hyvEz hAHcFyxJpctTlmJHpKjLLuGLhVY6Fg ||| ||| www.hendi.com , GN , , , , , ,
, , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658
70 41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T:
||| www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12,
62-023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI
Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI
5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export
hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , ,
, , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70
41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: |||
www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-
023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI
Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI
5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export
hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , ,
, , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70
41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: |||
www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-
023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI
Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI
5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export
hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , ,
, , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70
41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T: |||
www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI 5000 , , , , - 2 HENDI ul. Firmowa 12, 62-
023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export hendi.pl www.hendi.com HENDI
Innovatielaan 6, 6745 XW De Klomp T: ||| www.hendi.com , GN , , , , , , , , , , 2024/25 , , - , . HENDI
5000 , , , , - 2 HENDI ul. Firmowa 12, 62-023 Robakowo T: 48 61 658 70 41 F: 48 61 658 70 01 export
hendi.pl www.hendi.com HENDI Innovatielaan 6, 6745 XW De Klomp T:
www.hendi.com , GN , , , , , , , , , , 2024/25 ... 280 : 20 USD 239711 230 3500
342x431x H 116 498,00 160 3500 300 230 B **239698** 3500 D XL , , 160 300 : 20 ...
lang:it score:14 filesize: 51.9 M page_count: 770 document date: 2024-11-21



[\[pdf\]](#)

katalog HENDI 2020 media hendi pl B2B |||

Tools for Chefs I 2020 tel. 61 221 00 11 www.hendi.pl GARNKI I PATELNIE
POJEMNIKI GN GN PRZYBORY C ... 0 340x440x H 120 739,00 min 140 mm 3500 W
max 320 mm 230 V KUCHENKA INDUKCYJNA MODEL 3500 D XL **239698** I
Ustawianie mocy, temperatury i czasu na panelu dotykowym Obudowa wykonana ze
stali nier...

lang:pl score:13 filesize: 141.69 M page_count: 698 document date: 2020-09-01



[\[pdf\]](#)

Induction cookers media hendi pl 239773 239322 239346 l 239780 NEW MODEL WOK 3 ply material
With s stainless steel handle with softgrip stainless lid Specific ally for use 239766 autumn cooking a4 en 2
export eng |||

Au COOKING Induction cookers INDUCTION COOKERS BLACK LINE Very clean design suitable for live coo ... m. Height adjustable feet. min 160 mm 3500 W max 320 mm 230 V INDUCTION COOKER MODEL 3500 D XL **239698** I Digital power, temperature and timer setting via touch-sensitive controls Stainless st...

lang:en score:13 filesize: 3.85 M page_count: 9 document date: 2021-09-29




[\[pdf\]](#)

Gastrro Hendi 2017 gastrro pl media katalogi |||

Profesjonalny sprzęt gastronomiczny KATALOG 2017 Firma HENDI Polska jest częścią międzynarodowej Grupy ... i patelni indukcyjnych od 140 do 320 mm średnicy Regulowana wysokość kod mm W V cena PLN **239698** 390x500x H 120 3500 230 1090,- Filtr przeciwtłuszczowy zabezpiecza silnik przed zabrudzeniem...

lang:pl score:13 filesize: 50.3 M page count: 503 document date: 2017-02-07



[\[pdf\]](#) Catalog

katalog 2017 EN2 indb bartoszfasiiecki Katalog low hendi pl files

CATALOGUE 2017 FUTURE EQUIPMENT www.grafen.com professional food service equipment CATALOGUE 201 ... pans with a minimum of 140 mm and a maximum of 320 mm. Height adjustable feet. code mm W V **239698** 390x500x H 120 3500 230 331,75 Fat filter protects the motor against dirt thus extending ...
lang:en **score:13** filesize: 48.69 M page_count: 492 document date: 2017-04-25



[\[pdf\]](#)

katalog 2017 DE indb bartoszfasiiecki KATALOG HENDI Katalogus hfse hu 2022 01 |||

KATALOG 2017 Professionelle Kchenprodukte KATALOG 2017 HENDI Food Service Equipment ist Anbiere ... t fr Kochgeschirr von 140 mm bis maximal 320 mm. Hhenverstellbare Fsse. Artikelnummer mm W V **239698** 390x500x H 120 3500 230 239711 INDUKTIONSKOCHER MODELL 3500 D Digitale Leistungs-, Temp...
lang:de **score:13** filesize: 42.23 M page_count: 356 document date: 2017-01-03



[\[pdf\]](#) Catalog

catalogue HENDI EE 2019 indb I HENDI pl KCDEGA EXCLUSIVE DESIGN POTTIDE KOMPLEKT 9 OSA
Pott kaanega 2 75 l Ø180x k 115 mm 5 1 Ø240x 6 0 Ø220x 165 30 giu — Rahvusvaheline grupp asutati
üle 80 aasta tagasi ja on tänapäeval toiduaine tööstuse kaubanduse jaoks mõeldud professionaalsete
seadmete ja Sisustusekspert katalog hendi ee low media |||
I 2019 POTID JA PANNID GN-NUD KGITARVIKUD KONDIITRITARVIKUD
MEHAANILINE TTLELINE TERMILINE TTLELINE ... H 180 hind EUR 78,80 Hinnad
EXW, toodud ilma km-ta Vaadake videoklippi Vaadake videoklippi **239698** min 140
mm 3500 W max 320 mm 230 V INDUKTSIOONPLIIT 3500 D XL I Sensorpaneel
vimsuse, t...
lang:nl **score:13** filesize: 42.59 M page_count: 528 document date: 2019-06-27



[pdf]

katalog HENDI PL 2021 0921 media hendi pl |||

Tools for Chefs I 2021 tel. 61 221 00 11 www.hendi.pl GARNKI I POJEMNIKI GN DESKI, NOE, PRZYBORY C ... 0 3500 340x440x H 120 810,00 min 160 mm 3500 W max 315 mm 230 V KUCHENKA INDUKCYJNA 3500 D XL **239698** I Ustawianie mocy, temperatury i czasu na panelu dotykowym Obudowa ze stali nierdzewnej ... lang:pl **score:13** filesize: 182.44 M page_count: 790 document date: 2021-09-17



[pdf]

Letöltöm Katalógusok HFSE HENDI Webshop Katalogus 2022 DE hfse hu 08 |||

2022/2023 KCHENCHF GASTRONOM MARTIN KILGA I #CHEFSFORHENDI TPFE, PFANNEN GASTRONORMBEHLTER K ... nummer V W mm 239711 230 3500 340x440x H 120 259,50 min 160 mm 3500 W max 300 mm 230 V **239698** INDUKTIONSKOCHER MODELL 3500 D XL Digitale Strom-, Temperatur- und Timereinstellung ber ber... lang:de **score:13** filesize: 66.28 M page_count: 448 document date: 2022-08-03