Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- > LEDVANCE /
- > SYLVANIA LED PAR38 Flood Light Bulb Instruction Manual (Model 79736)

LEDVANCE 79736

SYLVANIA LED PAR38 Flood Light Bulb Instruction Manual

Model: 79736

1. Introduction

This manual provides essential information for the safe and effective use of your SYLVANIA LED PAR38 Flood Light Bulb, Model 79736. This LED bulb is designed as an energy-efficient replacement for traditional 90W halogen flood lights, offering 1175 lumens of 5000K Daylight illumination. It is suitable for both indoor and outdoor applications.



Image: The SYLVANIA LED PAR38 Flood Light Bulb, shown both in its retail packaging and as a standalone unit, highlighting its design and branding.

2. SAFETY INFORMATION

- Risk of Electric Shock: Always turn off power to the fixture at the circuit breaker before inspecting, installing, or removing the bulb.
- Risk of Burns: Allow the bulb to cool before handling.
- Not for Emergency Exits: This bulb is not intended for use with emergency exit fixtures or emergency lights.
- **Dimmability:** This bulb is dimmable. Ensure your dimmer switch is compatible with LED technology to prevent flickering or damage. Consult the dimmer manufacturer's instructions for compatibility.

- Enclosed Fixtures: This bulb is suitable for use in enclosed fixtures and is wet-rated for outdoor use.
- Disposal: Dispose of bulbs according to local regulations. This product is RoHS compliant and contains no mercury or lead.

3. PACKAGE CONTENTS

• 2 x SYLVANIA LED PAR38 Flood Light Bulbs (Model 79736)

4. Installation

- 1. Turn Off Power: Before installation, ensure the power to the light fixture is turned off at the circuit breaker or fuse box.
- 2. Remove Existing Bulb: Carefully unscrew the old bulb from the fixture. Allow it to cool if it has been recently in use.
- 3. Inspect Fixture: Verify that the fixture is compatible with an E26 medium base and PAR38 bulb shape.
- 4. **Install New Bulb:** Gently screw the SYLVANIA LED PAR38 bulb into the E26 medium base socket until it is finger-tight. Do not overtighten.
- 5. Restore Power: Turn the power back on at the circuit breaker.



Image: A detailed view of the SYLVANIA LED PAR38 Flood Light Bulb, showing its E26 medium base and floodlight design, essential for proper installation.

5. OPERATION

The SYLVANIA LED PAR38 Flood Light Bulb operates like a standard light bulb. Once installed and power is restored, activate the light using the wall switch or fixture control.

- Instant On: The bulb provides full brightness immediately upon activation, with no warm-up time required.
- **Dimmable Functionality:** If connected to a compatible dimmer switch, adjust the light output to your desired level. Ensure the dimmer is rated for LED bulbs to avoid performance issues.
- **Daylight Color Temperature:** This bulb emits a 5000K Daylight color, providing a crisp, refreshing, and energetic light suitable for various environments.




Image: A visual guide demonstrating various light color temperatures, with the 5000K Daylight option highlighted, indicating the light quality produced by this bulb.

6. MAINTENANCE

The SYLVANIA LED PAR38 Flood Light Bulb requires minimal maintenance.

- Cleaning: Ensure the power is off and the bulb is cool before cleaning. Wipe the bulb with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- No User-Serviceable Parts: Do not attempt to disassemble or repair the bulb. Doing so will void the warranty and may pose a safety risk.

7. TROUBLESHOOTING

If you encounter issues with your LED bulb, refer to the following common problems and solutions:

- Bulb Does Not Light:
 - Ensure the power to the fixture is on.

- Check that the bulb is screwed in securely.
- Test the bulb in a known working fixture.
- Verify the circuit breaker has not tripped.

• Bulb Flickers or Buzzes:

- Ensure your dimmer switch is compatible with LED bulbs. Incompatible dimmers can cause flickering or buzzing.
- o If not using a dimmer, ensure the bulb is securely tightened in the socket.

• Reduced Brightness:

- o If using a dimmer, ensure it is set to maximum brightness.
- Confirm the bulb is not in an environment with extreme temperatures that could affect performance.

If these steps do not resolve the issue, contact customer support.

8. SPECIFICATIONS

Brand	LEDVANCE (SYLVANIA)
Model Number	79736
Light Type	LED
Bulb Shape Size	PAR38
Bulb Base	E26 Medium
Wattage	13 Watts
Incandescent Equivalent	90 Watts
Brightness	1175 Lumens
Color Temperature	5000K (Daylight)
Voltage	120 Volts
Dimmable	Yes
Indoor/Outdoor Use	Indoor, Outdoor (Wet Rated)
Average Rated Life	11,000 Hours
Material	Plastic
Special Features	Dimmable, Energy Efficient, RoHS Compliant

9. WARRANTY AND SUPPORT

This SYLVANIA LED PAR38 Flood Light Bulb (Model 79736) is covered by a**3-year warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical assistance, or product inquiries, please contact LEDVANCE customer support through their official website or the retailer where the product was purchased. Please have your proof of purchase and the product model number (79736) available when contacting support.

@ 2025 LEDVANCE. All rights reserved. SYLVANIA is a registered trademark.