

WeMo F7C059

WeMo F7C059 Dimmer Wi-Fi Light Switch User Manual

Model: F7C059

1. INTRODUCTION

The WeMo F7C059 Dimmer Wi-Fi Light Switch allows you to control and dim your lights from anywhere using the WeMo app, voice commands, or directly from the wall switch. This device integrates with your existing Wi-Fi network, eliminating the need for a separate hub. It is compatible with Amazon Alexa, Google Assistant, and Apple HomeKit, offering flexible control options for your smart home lighting.



Image: Front view of the WeMo F7C059 Dimmer Wi-Fi Light Switch, showing its sleek white design with a vertical dimming strip and a circular power button.

2. IMPORTANT SAFETY INFORMATION

Please read and understand all safety instructions before installation and use. Failure to follow these instructions may result in electric shock, fire, or property damage.

- **Risk of Electric Shock:** Always turn off power at the circuit breaker before installing or servicing the switch.
- **Neutral Wire Required:** This device requires a neutral wire for operation. If your existing switch box does not have a neutral wire (typically white), this dimmer is not compatible.
- **Single-Pole Installation Only:** This dimmer is designed for single-pole light switches only. It is not compatible with 3-way (multi-location control) switches.
- **Avoid Metal Faceplates:** Not recommended for use with metal faceplates, as this may interfere with Wi-Fi signal.
- **Indoor Use Only:** This device is intended for indoor use in dry locations.
- **Maximum Wattage:** Adhere to the specified maximum wattage: 400W Incandescent (single-gang), 250W Incandescent (multi-gang), 150W CFL/LED (single or multi-gang).

3. PACKAGE CONTENTS

Verify that all items are present in your package:

- WeMo Wi-Fi Smart Dimmer (F7C059)
- Quick Start Guide (not included in this digital manual)
- Wire Nuts (typically included for installation)



Image: The WeMo Wi-Fi Smart Dimmer shown alongside its retail packaging, highlighting the product and its box.

4. INSTALLATION (SETUP)

This section guides you through the physical installation of your WeMo Dimmer. If you are unsure about any steps, consult a qualified electrician.

4.1 Pre-Installation Checks

1. **Verify Compatibility:** Ensure your existing switch is a single-pole switch (controls lights from one location) and that a neutral wire is present in the electrical box.
2. **Tools Required:** You will need a screwdriver, wire strippers, and electrical tape.

4.2 Wiring Instructions

1. **Turn Off Power:** Locate your circuit breaker panel and turn off the power to the light switch you are replacing. Verify the power is off by attempting to turn on the light.
2. **Remove Old Switch:** Carefully remove the existing wall plate and unscrew the old switch from the electrical box. Disconnect the wires, noting their connections.
3. **Identify Wires:**
 - **Line (Hot) Wire:** Typically black, brings power from the circuit breaker.
 - **Load Wire:** Typically black, sends power to the light fixture.
 - **Neutral Wire:** Typically white, required for the WeMo Dimmer.
 - **Ground Wire:** Typically green or bare copper.
4. **Connect WeMo Dimmer:**
 - Connect the WeMo Dimmer's **black wire** to the electrical box's **Line (Hot) wire**.
 - Connect the WeMo Dimmer's **red wire** to the electrical box's **Load wire**.
 - Connect the WeMo Dimmer's **white wire** to the electrical box's **Neutral wire**.
 - Connect the WeMo Dimmer's **green wire** to the electrical box's **Ground wire**.

Use wire nuts to secure all connections. Ensure all connections are tight and insulated with electrical tape if necessary.

5. **Mount the Dimmer:** Carefully push the wired dimmer into the electrical box. Screw the dimmer into place.
6. **Install Wall Plate:** Attach your existing or a new standard rocker-style wall plate.
7. **Restore Power:** Return to your circuit breaker panel and turn the power back on.

SET THE MOOD FROM ANYWHERE



CONTROL

Control, schedule and dim lights from anywhere.



SCHEDULE

Set on/off times or sync lights to the sun.



OPTIMIZE

The only dimmer that calibrates to your specific bulbs.



NIGHT MODE

Protect your eyes at night automatically.

Image: A close-up view of the WeMo Dimmer with its wires (black, red, white, green) extending, ready for electrical connection. This illustrates the wiring process.

SINGLE POLE DIMMER (NOT 3-WAY SWITCH COMPATIBLE)



Image: Diagram illustrating that the WeMo Dimmer is compatible with single-pole switches (one switch controlling one light) and not with 3-way switches (multiple switches controlling one light).

5. WeMo APP SETUP

After physical installation, set up your WeMo Dimmer using the WeMo app to enable smart features.

1. **Download the WeMo App:** Download the free WeMo app from the Apple App Store (for iOS) or Google Play Store (for Android).
2. **Launch App and Add Device:** Open the WeMo app and follow the on-screen instructions to add a new device.
3. **Connect to WeMo Wi-Fi:** Your phone will temporarily connect to the WeMo Dimmer's Wi-Fi network during setup.
4. **Connect to Home Wi-Fi:** Select your home 2.4GHz Wi-Fi network and enter the password when prompted.
5. **Name Your Dimmer:** Give your dimmer a descriptive name (e.g., "Living Room Lights").
6. **Calibrate Dimmer:** The app will guide you through a calibration process to optimize dimming for your specific bulbs (incandescent, CFL, or LED) and prevent flickering.

SET UP DIMMER WITHOUT BREAKING A SWEAT



- 1 Install just like a regular dimmer
- 2 Download the free app
- 3 Dim your lights from anywhere

Image: A smartphone displaying the WeMo app interface, showing controls for dimming, scheduling, and night mode settings for a connected light switch.

6. OPERATION

Control your lights using the physical switch, the WeMo app, or voice commands.

6.1 Manual Control

- **On/Off:** Press the main circular button to turn the lights on or off.
- **Dimming:** Slide your finger along the vertical touch-sensitive strip to adjust brightness levels.

6.2 App Control

The WeMo app provides advanced control features:

- **Remote Control:** Turn lights on/off and adjust brightness from anywhere with an internet connection.
- **Schedules and Timers:** Set custom schedules for lights to turn on/off or dim at specific times, or sync with sunrise/sunset.
- **Night Mode:** Configure a low-light setting for specific hours to protect your eyes from bright lights during the night.



NIGHT MODE

Night Mode keeps your retinas sane during 3am trips to the bathroom or kitchen.

Image: A couple relaxing on a couch, watching television, with the text "Set the mood from anywhere" suggesting remote control of lighting.

7. VOICE CONTROL INTEGRATION

Integrate your WeMo Dimmer with popular voice assistants for hands-free control.

- **Amazon Alexa:** Enable the WeMo skill in the Alexa app and discover devices. You can then say commands like, "Alexa, dim the living room lights to 50%."
- **Google Assistant:** Link your WeMo account in the Google Home app. Use commands such as, "Hey Google, turn off the bedroom light."
- **Apple HomeKit:** While advertised as compatible, some users may experience issues with HomeKit setup. Ensure your WeMo Dimmer firmware is up to date. If a HomeKit code is not present on the device or packaging, direct integration may not be immediately available.



Image: A visual representation of voice control, showing a speech bubble with "Dim the lights to 20%." and logos for Apple HomeKit, Amazon Alexa, and Google Assistant.

8. MAINTENANCE

To ensure optimal performance and longevity of your WeMo Dimmer:

- **Cleaning:** Wipe the dimmer and wall plate with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Firmware Updates:** Regularly check the WeMo app for available firmware updates. These updates can improve performance, add features, and enhance security.
- **Power Cycling:** If the dimmer becomes unresponsive, try turning off the power at the circuit breaker for 10 seconds, then turning it back on.

9. TROUBLESHOOTING

If you encounter issues with your WeMo Dimmer, refer to the following common problems and solutions:

Problem	Possible Cause / Solution
---------	---------------------------

Problem	Possible Cause / Solution
Dimmer does not turn on/off or dim.	• Ensure power is on at the circuit breaker. • Verify wiring connections are secure and correct (Line/Load wires are not reversed). • Confirm a neutral wire is connected. • Check bulb compatibility and wattage.
Cannot connect to WeMo app or Wi-Fi.	• Ensure your Wi-Fi router is on and broadcasting a 2.4GHz network. • Move closer to the dimmer and router during setup. • Temporarily disable mobile data on your phone during setup. • Try resetting the dimmer (refer to WeMo support for specific reset procedures). • Reinstall the WeMo app if persistent issues occur.
Lights flicker or dimming range is poor.	• Recalibrate the dimmer through the WeMo app for your specific bulb type. • Ensure your bulbs are dimmable LED/CFL or incandescent. • Check that the total wattage of connected bulbs does not exceed the dimmer's maximum rating.
Voice control not working.	• Ensure your WeMo account is correctly linked in the Alexa or Google Home app. • Verify the dimmer is named appropriately and recognized by the voice assistant. • Check your internet connection.

10. SPECIFICATIONS

Feature	Detail
Model Number	F7C059
Brand	WeMo
Operating Voltage	120 VAC
Max Wattage (Incandescent)	400W (single-gang), 250W (multi-gang)
Max Wattage (CFL/LED)	150W (single or multi-gang)
Connectivity Protocol	Wi-Fi (2.4GHz 802.11b/g/n)
Control Method	App, Voice, Manual
Controller Type	Amazon Alexa, Google Assistant, HomeKit, WeMo App
Circuit Type	1-way (Single-Pole)
Neutral Wire	Required
Product Dimensions	3.3 x 1.7 x 5 inches
Item Weight	8 ounces

Feature	Detail
Color	White



11. WARRANTY AND SUPPORT




For warranty information, technical support, or further assistance, please visit the official WeMo support website or contact their customer service. Details are typically available on the product packaging or the WeMo website.

Online Support: www.wemo.com/support (Example link, actual link may vary)

© 2023 WeMo. All rights reserved. Information subject to change without notice.

Related Documents - F7C059

	WEMO Réfrigération Mobile: Produits, Histoire et Technologie Explorez la gamme complète de solutions de réfrigération mobile de WEMO, incluant les glacières à compresseur, réfrigérateurs solaires et congélateurs. Découvrez l'histoire de l'entreprise fondée en 1967 et les spécifications techniques des modèles clés comme les séries B-20P, B30P, B46S et B56S.
	Wemo Smart Dimmer (WDS060) Setup Guide: Installation & App Connection Install and set up your Wemo Smart Dimmer with this comprehensive guide. Learn about compatibility, tools, wiring, app connection, and troubleshooting for model WDS060.
	Wemo Smart Plug Quick Start Guide Get started quickly with your Wemo Smart Plug. This guide provides setup instructions, control options with Apple Home and Siri, and troubleshooting tips for seamless smart home integration.
	Wemo Smart Plug Quick Start Guide Quickly set up and control your Wemo Smart Plug using Apple HomeKit, Siri, and Thread technology. Includes setup, control, troubleshooting, and safety information.
	Setting Up Your Wemo Smart Light Switch 3-Way (WLS0503) with Apple HomeKit Learn how to easily add and set up your Wemo Smart Light Switch 3-Way, model WLS0503, to the Apple Home app using NFC or HomeKit code setup. Compatible with Thread and neutral wiring.



[pdf] Installation Guide Instructions Frequently Asked Questions Diagram

Wiring Diagrams of Wemo® Wi Fi Smartwemo dinner light wire guidedwebstaurantstore documents wemo guided srsltid AfrmBOoouFw7tlbEAlgPe2dc2S9AilxhUYA0h9aalJE lhaGD S 8Wak |||

4/5/2018 Knowledge Article Wiring Diagrams of Wemo Wi-Fi Smart Dimmer, **F7C059**
Body The Wemo Wi-Fi Smart Dimmer, **F7C059** controls different dimming levels of a dimmable light bulb, including switching it ON and OFF. This article shows the correct wiring diagram for the Wemo Dimmer. WARNING: Elec...

lang:en score:43 filesize: 121.89 K page_count: 2 document date: 2020-02-10

[pdf] Installation Guide Instructions Frequently Asked Questions Guide Diagram

Wiring Diagrams of Wemo® Wi Fi Smart Dimmer F7C059 belkin force Articles articles en US FAQ Wemo p pubstatus o 611 5FOdO4L images na ssl amazon l 4 5 2018 Knowledge Article 1 2 USER GUIDE entuity 0000 0165 PD008 core reference

4/5/2018 Knowledge Article Wiring Diagrams of Wemo Wi-Fi Smart Dimmer, **F7C059**
Body The Wemo Wi-Fi Smart Dimmer, **F7C059** controls different dimming levels of a dimmable light bulb, including switching it ON and OFF. This article shows the correct wiring diagram for the Wemo Dimmer. WARNING: Electric...

lang:en score:43 filesize: 116.41 K page_count: 2 document date: 2018-04-05

[pdf] Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 3inch Slim Selectable DimmerList 20211214 v 1639597821 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice SLIM GIMBAL SELECTABLE LED LIGHTS Dimmer
Compatibility Guide Sunco Lighting Inc ... MARTIN JERRY MJ-SD01 TP-LINK KASA SMART HS220 WATTSTOPPER MICO DETECTOR DCD267-W WEMO WEMO - **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:39 filesize: 186.99 K page_count: 1 document date: 2021-12-14

[pdf] Installation Guide Diagram

Wiring Diagrams Smarthome The Wemo® Wi Fi Smart Dimmer F7C059 controls different dimming levels of a dimmable light bulb including switching it ON and OFF This article shows the correct wiring diagram Wemo 44513 cache m2 smarthome manuals

The Wemo Wi-Fi Smart Dimmer, **F7C059** controls different dimming levels of a dimmable light bulb, including switching it ON and OFF. This article shows the correct wiring diagram of the Wemo Dimmer. WARNING: Electrical wirings of the Wemo Dimmer should be done by a professional electrician. Incorrect ...

lang:en score:39 filesize: 123.23 K page_count: 2 document date: 2017-06-27



The Brighter Choice



BRO-BULB LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted for the light fixture in a simulated environment.

Actual results may vary.

Brand	Model	Brand	Model	
BATON	PA43-CT	LEXTON	LIGHT ADJACENT DIMMER 800W	
LEARNER	PA43-ESW		WHITE 100W-600W	
LEXTON	P05-12-800W	LEXTON	WALL-1200W-H	
	PRO-800W		DUAL-1200P-H	
	100W-800-100W		WALL-1000W-H	
	0000-60-800W		PD-600W-WP	
	100-00-112Z		TDS-1000W-H	
	100W-0100-1Z		PP0020-H	
	100W-0100-1Z		WALL-1000W-H	
	100W-01-16Z		WALL-1000W-H	
	100W-001-10Z		DTL-1000P-H	
	100W-001-12Z		DUAL-1000W-H	
	100W-001-12Z		DUAL-100W-H	
	100W-001-10Z		DTL-100W-H	
	100W-001-10Z	TRULINK	KASA-SMART-100Z	
	100W-001-10Z	MARTIN	Z889V-AJ-0001	
	100W-001-10Z		WYBORN	FT009

We highly recommend using an LED dimmer that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication that the dimmer being used is not compatible with the lights. Please contact dimmer manufacturer for maximum lamp and dimmer capacity.

*"Always ensure "zero-volt" lights control are turned on immediately to their maximum level. The slider needs to be moved above "minimum" light level for the lights to start up and if they were set to fully off. Then, the slider can be lowered to give a lower light level than the dimmer cannot be turned on to just the minimum level.

																																																																																																																																				
---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	--

[illegible]

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting BR30 DimmerList 20211213 v](#)

1639692881 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice BR30 LED BULB Dimmer Compatibility Guide Sunco Lighting Inc. Sunco compatib ... TCL-153PDH-WH DVCL-153PR-WH DVCL-153P-WH TP-LINK KASA SMART HS220 MARTIN JERRY MJ-SD01 WEMO **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:39 filesize: 137.28 K page_count: 1 document date: 2021-12-14

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting BR30 HL DimmerList 20220330 v](#)

1651168009 cdn shopify s files 1 0011 5517 0351 |||

BR30 HIGH LUMEN LED BULB Dimmer Compatibility Guide This compatibility list is based on testing cond ... TGCL-153PH MARTIN JERRY MARTIN JERRY SMART MJ-SD01 TP LINK KASA SMART WEMO WIFI LIGHT SWITCH **F7C059** We highly recommend using a ELV electronic low voltage dimmer compatible with LED lights. ...

lang:en score:39 filesize: 920.49 K page_count: 1 document date: 2022-03-30

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting BR30 Selectable Dimmer](#)List 20210325 v

1640209701 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice BR30 LED BULB, SELECTABLE CCT Dimmer Compatibility Guide Sunco Lighting Inc. ... SLV-600P RRD-6CL MRF2S-6ND-120 MARTIN MJ-SD01 TP LINK Kasa Smart WATTSTOPPER DCD267 WEMO **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:39 filesize: 147.55 K page_count: 1 document date: 2021-03-25



The Brighter Choice



SLIM SELECTABLE LED LIGHTS

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model	Brand	Model	Notes
EATON	KAUCER1	LUTTERN	LED100-100W	✓
	KAUCER2		LED100-150W	✓
	KAUCER3		LED100-200W	✓
	KAUCER4		LED100-250W	✓
	KAUCER5		LED100-300W	✓
	KAUCER6		LED100-350W	✓
	KAUCER7		LED100-400W	✓
	KAUCER8		LED100-450W	✓
	KAUCER9		LED100-500W	✓
	KAUCER10		LED100-550W	✓
EATON	KAUCER11	LUTTERN	LED100-600W	✓
	KAUCER12		LED100-650W	✓
	KAUCER13		LED100-700W	✓
	KAUCER14		LED100-750W	✓
	KAUCER15		LED100-800W	✓
	KAUCER16		LED100-850W	✓
	KAUCER17		LED100-900W	✓
	KAUCER18		LED100-950W	✓
	KAUCER19		LED100-1000W	✓
	KAUCER20		LED100-1050W	✓
EATON	KAUCER21	LUTTERN	LED100-1100W	✓
	KAUCER22		LED100-1150W	✓
	KAUCER23		LED100-1200W	✓
	KAUCER24		LED100-1250W	✓
	KAUCER25		LED100-1300W	✓
	KAUCER26		LED100-1350W	✓
	KAUCER27		LED100-1400W	✓
	KAUCER28		LED100-1450W	✓
	KAUCER29		LED100-1500W	✓
	KAUCER30		LED100-1550W	✓
EATON	KAUCER31	LUTTERN	LED100-1600W	✓
	KAUCER32		LED100-1650W	✓
	KAUCER33		LED100-1700W	✓
	KAUCER34		LED100-1750W	✓
	KAUCER35		LED100-1800W	✓
	KAUCER36		LED100-1850W	✓
	KAUCER37		LED100-1900W	✓
	KAUCER38		LED100-1950W	✓
	KAUCER39		LED100-2000W	✓
	KAUCER40		LED100-2050W	✓
EATON	KAUCER41	LUTTERN	LED100-2100W	✓
	KAUCER42		LED100-2150W	✓
	KAUCER43		LED100-2200W	✓
	KAUCER44		LED100-2250W	✓
	KAUCER45		LED100-2300W	✓
	KAUCER46		LED100-2350W	✓
	KAUCER47		LED100-2400W	✓
	KAUCER48		LED100-2450W	✓
	KAUCER49		LED100-2500W	✓
	KAUCER50		LED100-2550W	✓
EATON	KAUCER51	LUTTERN	LED100-2600W	✓
	KAUCER52		LED100-2650W	✓
	KAUCER53		LED100-2700W	✓
	KAUCER54		LED100-2750W	✓
	KAUCER55		LED100-2800W	✓
	KAUCER56		LED100-2850W	✓
	KAUCER57		LED100-2900W	✓
	KAUCER58		LED100-2950W	✓
	KAUCER59		LED100-3000W	✓
	KAUCER60		LED100-3050W	✓
EATON	KAUCER61	LUTTERN	LED100-3100W	✓
	KAUCER62		LED100-3150W	✓
	KAUCER63		LED100-3200W	✓

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Slim Selectable DimmerList 20201126 v
1613429871 cdn.shopify.s/files/1/0011/5517/0351/|||

The Brighter Choice SLIM SELECTABLE LED LIGHTS Dimmer Compatibility Guide
Sunco Lighting Inc. Sun ... LEGRAND TP-LINK RHCL453PW P-PKG1W-WH-R KASA
SMART HS220 WATTSTOPPER MICO DETECTOR DCD267-W WEMO **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:38 filesize: 219.4 K page_count: 1 document date: 2020-11-26

The Brighter Choice

A15 LED BULB LED BULB Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility is lab based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model	Dimmer	Brand	Model	Dimmer
LITTON	9647000-10W	✓	LITTON	9647000-10W	✓
	9647000-20W	✓		9647000-20W	✓
	9647000-30W	✓		9647000-30W	✓
	9647000-40W	✓		9647000-40W	✓
	9647000-60W	✓		9647000-60W	✓
	9647000-75W	✓		9647000-75W	✓
	9647000-100W	✓		9647000-100W	✓
	9647000-125W	✓		9647000-125W	✓
	9647000-150W	✓		9647000-150W	✓
	9647000-175W	✓		9647000-175W	✓
LITTON	9647000-10W	✓	LITTON	9647000-10W	✓
	9647000-20W	✓		9647000-20W	✓
	9647000-30W	✓		9647000-30W	✓
	9647000-40W	✓		9647000-40W	✓
	9647000-60W	✓		9647000-60W	✓
	9647000-75W	✓		9647000-75W	✓
	9647000-100W	✓		9647000-100W	✓
	9647000-125W	✓		9647000-125W	✓
	9647000-150W	✓		9647000-150W	✓
	9647000-175W	✓		9647000-175W	✓
LITTON	9647000-10W	✓	LITTON	9647000-10W	✓
	9647000-20W	✓		9647000-20W	✓
	9647000-30W	✓		9647000-30W	✓
	9647000-40W	✓		9647000-40W	✓
	9647000-60W	✓		9647000-60W	✓
	9647000-75W	✓		9647000-75W	✓
	9647000-100W	✓		9647000-100W	✓
	9647000-125W	✓		9647000-125W	✓
	9647000-150W	✓		9647000-150W	✓
	9647000-175W	✓		9647000-175W	✓
LITTON	9647000-10W	✓	LITTON	9647000-10W	✓
	9647000-20W	✓		9647000-20W	✓
	9647000-30W	✓		9647000-30W	✓
	9647000-40W	✓		9647000-40W	✓
	9647000-60W	✓		9647000-60W	✓
	9647000-75W	✓		9647000-75W	✓
	9647000-100W	✓		9647000-100W	✓
	9647000-125W	✓		9647000-125W	✓
	9647000-150W	✓		9647000-150W	✓
	9647000-175W	✓		9647000-175W	✓
LITTON	9647000-10W	✓	LITTON	9647000-10W	✓
	9647000-20W	✓		9647000-20W	✓
	9647000-30W	✓		9647000-30W	✓
	9647000-40W	✓		9647000-40W	✓
	9647000-60W	✓		9647000-60W	✓
	9647000-75W	✓		9647000-75W	✓
	9647000-100W	✓		9647000-100W	✓
	9647000-125W	✓		9647000-125W	✓
	9647000-150W	✓		9647000-150W	✓
	9647000-175W	✓		9647000-175W	✓

We highly recommend using an LED dimmer that is also an E12 (electrons low voltage) dimmer. A buzzing or flickering light is typical indication that the dimmer being used is not compatible with the lights. Please consult manufacturer for maximum lamp wattage and voltage.

*May experience "pop" lights can be turned on immediately to their maximum level. The slider needs to be raised above the minimum light level for lights to turn on for just a few seconds off. Thus, the slider can be lowered to the minimum light level the dimmer cannot be turned on or off by itself.

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting A15 Candelabra DimmerList 20201013 v
1613426544 cdn.shopify.com/files/1/0011/5517/0351/|||

The Brighter Choice A15 CANDELABRA LED BULB Dimmer Compatibility Guide
Sunco Lighting Inc. Sunco ... -WH TGCL-153P-WH MJ-SD01 RHCL453PW P-
PKG1W-WH-R MASTER 300W KASA SMART HS220 MICO DETECTOR DCD267-W
F7C059 We highly recommend using an LED dimmer that is also an ELV electronic
low voltage dimmer....

lang:en score:38 filesize: 147.3 K page count: 1 document date: 2020-10-13

[\[pdf\]](#) User Manual Instructions Warranty Catalog

Spotlights Reflectors Flood Bulbs Instruction Manual MODEL Warning To reduce the risk of injury user must read instructions manual carefully Recommended dimmer model 1 LUTRON MACL 153M WH 2 DVCL 153P a20387d8 044c 4761 ac82 3781f5f01e89 images thdstatic catalog Images a2 This is original instruction please all before operating VEVOR reserves a clear interpretation our The 840a882c 253d 4cab a6a5 25232d20289c images 3781f5f01e89 images 84 840a882c 25232d20289c ||| ||| Technical Support and E-Warranty Certificate www.vevor.com/support Spotlights Reflectors Flood Bulbs Instruction Manual MODEL: L12-BR30D-10W We continue to be committed to provide you tools with competitive price. Save Half , Half Price or Technical Support and E-Warranty Certificate www.vevor.com/support Spotlights Reflectors Flood B ... UTRON DVCL-153PR-WH 11 LUTRON CTCL-153PDH-WH 12 P-PKG1W-WH-R 13 Leviton DW6HD-1BZ 14 Wemo - **F7C059** 15 LUTRON P-PKG1W-WH 16 LEVITON IPL06-011-10Z 17 LEVITON 06674-002-10W 18 LEVITON RDL...

lang:en score:38 filesize: 150.27 K page count: 4 document date: 2024-09-20

HUNCO
LIGHTS

8" SM SELECTABLE LED LIGHT

Dimmer Compatibility Guide

This compatibility list is based on testing conducted by the manufacturer in a laboratory setting. Actual results may vary.

BRAND	MODEL	
LEATON	DELUXE	✓
	DELUXE BRIST	✓
	PIVOT 4.0 DIM	✗
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
HUNCO	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
HUNCO	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓

BRAND	MODEL	
LEATON	CANON STREET 8.0 DIM	✓
	CANON STREET 8.0 DIM	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
	DELUXE 8.0	✓
HUNCO	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
HUNCO	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓
	PIVOT 4.0	✓

We highly recommend using a UL listed dimmer compatible with all 8 inch LED lights. Replacing or Reconnecting typically an individual bulb or the dimmer will affect the entire fixture. Please consult dimmer manufacturer for the maximum wattage capacity.

*Any equipment used or behavior in which lights cannot be used is not recommended for best installation. To resolve this issue, first make the cable connection to the dimmer in the correct direction, then install the lowest light recommended.






BAFFLE 4" LED DOWNLIGHT

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted for the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model	ST1	Brand	Model	ST1
BATON	PA42R-C1		WHITE	WHT050-ND00	
LEARNED	NA02LR00V		LUTRON	NA02L0TR04H	
LEATON	NA101-002-100		CTL	CTL01TR01H	
	ED08H-2.600V		DVLS	DVLS01H	
	ED08-400-112		DVLS	DVLS01H-040	
	ED08-001-112		NA02	NA02H-040	
	ED08H-0114.2		PD400	PD400-04H	
	ED08H-001-112		TC01	TC01H-04H	
	ED08H-001-112				
	ED08H-182		NA02	NA02H-18VH	
	PL01H-011-102		DVLS	DVLS01H-04	
	ED08H-001-112		TP-LINK	KA08BNA0H-H122	
	TP01H-011-102		WARTN	J080Y-041-0001	
	TP01H-011-102				
	LIGHT ALMOND	HO-W072-0800	W0700	W0700	

We highly recommend using an LED driver that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication the driver being used is not compatible with the lights. Please consult driver manufacturers for maximum loads per dimmer capacity.

*Many electronic "dimmers" lights cannot be turned on immediately to their maximum level. The other needs to be turned on by the minimum light level for the lights to first turn on. If they were initially off, this would cause the lowest light to a lower light level than the driver cannot be turned on to just the minimum level.

The Brighter Choice

5W/6" DIMMABLE SELECTRETROFIT LED LIGHT

Dimmer Compatibility

Always consult your Dimmer compatibility list to insure proper testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model		Brand	Model	
LEGRAND	PRO-CENTRA		LETRON	CASTLE MOUNT KRYPTON	
LEVITON	DECELRA DIMMKT			DECELRA DIMMKT VOLTAGE	
	MDA-12X-0000			MACT-12000	
	RD-06-BL-2			ETCL-12000A	
	RD-06-BL-2			DVET-3000	
	RD-06-BL-2			DVCL-10000	
	RD-06-102			DVCL-15000	
	RD-06-BL-2			MACT-12000H	
	RD-06-102			HYDRALC	
	RD-06-102			SLV-000P	
	TSM-01			TSC-1000H	
	RD-06-102		MARTIN BECK	MA-020	
	6654-PQW		TP LINK	KASA DIMM	
	RD-06-BL-2		WINDO	FF-005	

DIMMER BEST PRACTICES

Dimmer & Compatible Dimmer

- Always be concerned using an LED dimmer that is an LED driver (aka: a electronic low voltage dimmer or trailing edge dimmer) as they may not be compatible with your LED bulbs.
- Proper compatibility can avoid buzzing or flickering light.

Dimmer Sense Capacity

- Consider your product manufacturer's info to find the full rated load – the max number of light bulbs per dimmer.
- Always add extra margin over your dimmer can handle.

Tracking Dimmer "On-Off" Cycle

- "On-Off" refers to the sensor switching of an light when using a dimmer switch.
- If your light bulb is not your desired brand/manufacturer at the installation time when you first flip the switch, instead, flip the slider up to measure the turn on and then the slider down to the lower light and flip you prefer.

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 8in Slim Selectable DimmerList 20220418
v 1651071771 cdn shopify s files 1 0011 5517 0351 |||

8 SLIM SELECTABLE LED LIGHT Dimmer Compatibility Guide This compatibility list is based on testing ... TGCL-153PH MARTIN JERRY MARTIN JERRY SMART MJ-SD01 TP LINK KASA SMART WEMO WIFI LIGHT SWITCH **F7C059** We highly recommend using a ELV electronic low voltage dimmer compatible with LED lights. ... lang:en score:38 filesize: 924.93 K page_count: 1 document date: 2022-04-18

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Baffle 4inch S11 DimmerList 20211214 v
1639596831 cdn.shopify.s/files/1/0011/5517/0351/|||

The Brighter Choice BAFFLE 4 LED DOWNLIGHT Dimmer Compatibility Guide
Sunco Lighting Inc. Sunco ... TP-LINK KASA SMART HS220 TSM10-012-1LW
MARTIN JERRY MJ-SD01 LIGHT ALMOND NO.6672 600W WEMO **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:38 filesize: 146.79 K page_count: 1 document date: 2021-12-14

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 6inch Gimbal Selectable DimmerList
20210805 v 1628204585 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice 5/6 GIMBAL SELECTABLE RETROFIT LED LIGHT Dimmer
Compatibility Guide Sunco Ligh ... L-153P MACL-153MH RRD-6CL SLV-600P TGCL-
153PH MARTIN JERRY MJ-SD01 TP LINK KASA SMART WEMO **F7C059** DIMMER
BEST PRACTICES Choose a Compatible Dimmer We highly recommend using an
LED dimmer th...

lang:en score:38 filesize: 161.75 K page_count: 1 document date: 2021-08-05



The Brighter Choice

4" BAFFLE SELECTABLE RETROFIT LED LIGHT

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model		Brand	Model	
LEGRAND	PRCL-4209P	☑	LUTRON	CASSETA SMART PD-WALL	☑
LEONARDO	DC120A-SMART	☑		CASSETA SMART PD-WALL	☑
	IPRCL-1/2 600W	☑		MACL-153M	☑
	CG009-BL-2	☑		TCCL-153PH	☑
	CG009-BL-2	☑		DVCL-600P	☑
	CG009-BL-2	☑		DVCL-103PR	☑
	CG009-BL-2	☑		DVCL-153M	☑
	CG009-BL-2	☑		MACL-153MH	☑
	IPRCL-102	☑		RRR-SCL	☑
	IPRCL-102	☑		SLV-600P	☑
	TD000-SL	☑		TCCL-153PH	☑
	6670-SLR	☑	MARTIN JERRY	MJ-SD01	☑
	6670-SLR	☑	TP LINK	KASA SMART	☑
	CG009-BL-2	☑	WEMO	FT0059	☑

DIMMER BEST PRACTICES

Choose a Compatible Dimmer

- We highly recommend using an LED dimmer that is an LED dimmer (i.e. electronic low voltage dimmer or trailing edge dimmer).
- Do not use an HCL dimmer (magnetic low voltage dimmer) with LED bulbs.
- Proper compatibility can avoid a buzzing or flickering light.

Dimmer Dimmer Capacity

- Consult your dimmer manufacturer's info to find the full rated load - the max number of light bulbs per dimmer.
- Avoid adding more wattage than your dimmer can handle.

Trailing Edgeing a Pop-Up Light

"Pop-Up" refers to the audible engineering of a light when using a dimmer switch. If your light pops up, your dimmer cannot illuminate at the maximum level when you first flip the switch. Instead, raise the slider up to reduce them turn on the switch and move the slider down to the lower light level you prefer.

[pdf] Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 4inch Baffle Selectable DimmerList

20210805 v 1628605500 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice 4 BAFFLE SELECTABLE RETROFIT LED LIGHT Dimmer

Compatibility Guide Sunco Lighti ... L-153P MACL-153MH RRD-6CL SLV-600P

TGCL-153PH MARTIN JERRY MJ-SD01 TP LINK KASA SMART WEMO **F7C059**

DIMMER BEST PRACTICES Choose a Compatible Dimmer We highly recommend

using an LED dimmer th...

lang:en **score:38** filesize: 161.98 K page_count: 1 document date: 2021-08-05



The Brighter Choice

5/6" SMOOTH SELECTABLE RETROFIT LED LIGHT

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model		Brand	Model	
LEGRAND	PRCL-4209P	☑	LUTRON	CASSETA SMART PD-WALL	☑
LEONARDO	DC120A-SMART	☑		CASSETA SMART PD-WALL	☑
	IPRCL-1/2 600W	☑		MACL-153M	☑
	CG009-BL-2	☑		TCCL-153PH	☑
	CG009-BL-2	☑		DVCL-600P	☑
	CG009-BL-2	☑		DVCL-103PR	☑
	CG009-BL-2	☑		DVCL-153M	☑
	CG009-BL-2	☑		MACL-153MH	☑
	IPRCL-102	☑		RRR-SCL	☑
	IPRCL-102	☑		SLV-600P	☑
	TD000-SL	☑		TCCL-153PH	☑
	6670-SLR	☑	MARTIN JERRY	MJ-SD01	☑
	6670-SLR	☑	TP LINK	KASA SMART	☑
	CG009-BL-2	☑	WEMO	FT0059	☑

DIMMER BEST PRACTICES

Choose a Compatible Dimmer

- We highly recommend using an LED dimmer that is an LED dimmer (i.e. electronic low voltage dimmer or trailing edge dimmer).
- Do not use an HCL dimmer (magnetic low voltage dimmer) with LED bulbs.
- Proper compatibility can avoid a buzzing or flickering light.

Dimmer Dimmer Capacity

- Consult your dimmer manufacturer's info to find the full rated load - the max number of light bulbs per dimmer.
- Avoid adding more wattage than your dimmer can handle.

Trailing Edgeing a Pop-Up Light

"Pop-Up" refers to the audible engineering of a light when using a dimmer switch. If your light pops up, your dimmer cannot illuminate at the maximum level when you first flip the switch. Instead, raise the slider up to reduce them turn on the switch and move the slider down to the lower light level you prefer.

[pdf] Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 6inch Smooth Selectable DimmerList

20211214 v 1639779532 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice 5/6 SMOOTH SELECTABLE RETROFIT LED LIGHT Dimmer

Compatibility Guide Sunco Ligh ... L-153P MACL-153MH RRD-6CL SLV-600P TGCL-

153PH MARTIN JERRY MJ-SD01 TP LINK KASA SMART WEMO **F7C059** DIMMER

BEST PRACTICES Choose a Compatible Dimmer We highly recommend using an

LED dimmer th...

lang:en **score:38** filesize: 192.78 K page_count: 1 document date: 2021-12-14



The Brighter Choice

PAR38 PLUS BRIGHT LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model		Brand	Model	
LEGRAND	PRCL-4209P	☑	LUTRON	CASSETA SMART PD-WALL	☑
LEONARDO	DC120A-SMART	☑		CASSETA SMART PD-WALL	☑
	IPRCL-1/2 600W	☑		MACL-153M	☑
	CG009-BL-2	☑		TCCL-153PH	☑
	CG009-BL-2	☑		DVCL-600P	☑
	CG009-BL-2	☑		DVCL-103PR	☑
	CG009-BL-2	☑		DVCL-153M	☑
	CG009-BL-2	☑		MACL-153MH	☑
	IPRCL-102	☑		RRR-SCL	☑
	IPRCL-102	☑		SLV-600P	☑
	TD000-SL	☑		TCCL-153PH	☑
	6670-SLR	☑	MARTIN JERRY	MJ-SD01	☑
	6670-SLR	☑	TP LINK	KASA SMART	☑
	CG009-BL-2	☑	WEMO	FT0059	☑

DIMMER BEST PRACTICES

Choose a Compatible Dimmer

- We highly recommend using an LED dimmer that is an LED dimmer (i.e. electronic low voltage dimmer or trailing edge dimmer).
- Do not use an HCL dimmer (magnetic low voltage dimmer) with LED bulbs.
- An incompatible switch may cause lights to buzz, flicker, or otherwise malfunction.

Dimmer Dimmer Capacity

- Do not exceed the maximum wattage capacity of the dimmer switch.
- Consult the manufacturer and manufacturer's information for your specific dimmer to find its maximum LED wattage capacity.

Trailing Edgeing a Pop-Up Light

"Pop-Up" refers to the audible engineering of a light when using a dimmer switch. If you experience a "pop-up" issue, your dimmer cannot be turned on immediately to a minimum level. Raise the slider to allow the lights to turn on above the minimum level, then lower the slider down to your preferred level of brightness.

[pdf] User Manual Installation Guide Troubleshooting Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco Lighting PAR38 Plus Bright DimmerList 20211021 v

1660057547 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice PAR38 PLUS BRIGHT LED BULB Dimmer Compatibility Guide

Sunco Lighting Inc. Sun ... CL-153PDH DVCLV-300P DVCL-153PR DVCL-153P

MACL-153MH RRD-6CL SLV-600P TGCL-153PH MJ-SD01 KASA SMART **F7C059**

DIMMER BEST PRACTICES Choose a Compatible Dimmer We highly recommend

using an LED dimmer th...

lang:en **score:38** filesize: 1.36 M page_count: 1 document date: 2021-10-22

[pdf] User Manual Installation Guide Label

How to set up the Wemo® Wi-Fi Smart Dimmer F7C059 RZWR VHWXSWKH HPR L L6PDUW 39

LPPHU The is designed be calibrated your specific bulb This device features easy use technology making

it simple For to know how reset Wemo click here Before you begin Download and install App smartphone

after installation Use control dimmable lighting 44513 user manual 81F3MgG4eXL cache m2 smarthome

manuals images na ssl amazon l

How to set up the Wemo Wi-Fi Smart Dimmer,**F7C059** The Wemo Wi-Fi Smart

Dimmer, **F7C059** is designed to be calibrated to your specific bulb. This device

features easy-to-use technology making it simple for you to control your dimmable

lighting from anywhere and at any time. This article will help you s...

lang:en **score:38** filesize: 264.69 K page_count: 7 document date: 2017-06-27

How to set up the Wemo® Wi-Fi Smart Dimmer, F7C059

The Wemo® Wi-Fi Smart Dimmer, F7C059 is designed to be calibrated to your specific bulb. This device features easy-to-use technology making it simple for you to control your dimmable lighting from anywhere and at any time. This article will help you set up your Wemo Dimmer.

NOTE: The following steps are for the Wemo Dimmer that is in Setup mode. If your device is not in Setup mode, reset the Wemo Dimmer and return to this article when ready. To know how to reset your Wemo Dimmer, click [here](#).

Before you begin:

- Download and install the Wemo App for your smartphone to use after installation.
- Use your smartphone at the location where the Wemo Dimmer will be installed to determine the signal.
- If you are NOT familiar with electrical work, contact a professional electrician. Nevertheless, self-install content is also available online for installing a Single-Wire Dimmer only and all wiring are present. A neutral wire must be present.
- If you are installing more than one switch or the switch is existing Wemo Dimmer, wire down the Wemo (CL) located on the label at the bottom of the first wire. This is the temporary reference switch setup (SSS) for each individual Wemo Dimmer.

NOTE: The SSS is Wemo Dimmer box for a non-configured Wemo Dimmer, where xxx is the last three digits of the Wemo Dimmer's Serial Number (SN).

Step 1: Shut OFF the circuit breaker of the light switch you are replacing. Flip the switch multiple times to make sure the power is OFF.

Step 2: Remove your existing switch plate and pull out the light switch. You should see two additional wires (neutral wires) connected to a neutral wire as well as the line and ground wires. You need the neutral wires to install a Wemo Dimmer. Do not try to do it without the neutral wires. To see the correct wiring diagram, click [here](#).

NOTE: Be careful! HOT is reverse the line and load wires. Otherwise, nothing will work.

Step 3: If you are replacing an existing Wemo Dimmer, label the line and load wires using the stickers provided. If you are replacing a non-dimmer light switch, unscrew the old switch. To identify the line and load wires, click [here](#).

Step 4: Following the wiring diagram, use the wire nuts to connect the Wemo Dimmer's wires to your home wires. Be careful to install the line and load wires. Then remove the stickers, screw the Wemo Dimmer into the wall, and attach the baffle plate. To see the correct wiring diagram, click [here](#).

Step 5: Turn ON the circuit breaker. During boot-up, the dimmer's LED will pulse white. When it turns to pulsing blue, it is ready for set-up in the Wemo App.

Step 6: Download the Wemo App but do not launch it yet. Go to [App Store](#) for iOS devices and go to [Google Play](#) for Android devices.

[illegible][illegible]

Sunco

ST64 FILAMENT LED BULB

Dimmer Compatibility Guide

This compatibility list is based on testing conducted by the manufacturer in a laboratory environment. Actual results may vary.

MODELS

DL-SL-8L-2700K

BRAND	MODEL
AM	SDM-100/2700/WHITE 600W
ALMOND	LUXDM800-52 600W
CTL	DM600-12-3/LED/WH 600W
LEGRAND	RHCL435PTC
LEGRAND	RHCL435PW
LEVITON	603-6631-A 600W
LEVITON	6631-A 600W
LEVITON	6631-LA 600W
LEVITON	6681
LEVITON	6683-302 600W
LEVITON	6684 600W
LEVITON	DDE06-BLZ 600W
LEVITON	DL06-001-LZ
LEVITON	DL06-010-BLZ
LEVITON	DDMX1-01H-BLZ
LEVITON	DSE06-001-302
LEVITON	DSL06-001-LZ
LEVITON	DWHD-1B2
LEVITON	PI06 600W
LEVITON	PI06-BLZ 600W

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting PAR38 Ultra Bright DimmerList 20201119
v 1612991275 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice PAR38 ULTRA BRIGH LED BULB Dimmer Compatibility Guide
Sunco Lighting Inc. Sun ... LEGRAND TP-LINK RHCL453PW P-PKG1W-WH-R KASA
SMART HS220 WATTSTOPPER MICO DETECTOR DCD267-W WEMO **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:38 filesize: 134.17 K page_count: 1 document date: 2020-11-19

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting 4in Smooth Selectable Retrofit](#)

DimmerList 20220325 v 1652714695 cdn shopify s files 1 0011 5517 0351 |||

4 SELECTABLE RETROFIT LED LIGHT Dimmer Compatibility Guide This compatibility list is based on test ... TGCL-153PH MARTIN JERRY MARTIN JERRY SMART MJ-SD01 TP LINK KASA SMART WEMO WIFI LIGHT SWITCH **F7C059** We highly recommend using a ELV electronic low voltage dimmer compatible with LED lights. ...

lang:en score:38 filesize: 930.01 K page_count: 1 document date: 2022-03-25

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco Lighting DimmerList ST64 C 8W v 1689187988 cdn shopify s files 1 0011 5517 0351 |||](#)

ST64 FILAMENT LED BULB Dimmer Compatibility Guide This compatibility list is based on testing conduc ... WH 600W TG-600PH-IV 600W TG-600PH-WH 600W TG-600PNLH-WH TGCL-153PH-WH TGCL-153PH-WH 600W P-PKG1W-WH **F7C059** We highly recommend using a ELV electronic low voltage dimmer compatible with LED lights. ...

lang:en score:38 filesize: 158.31 K page_count: 3 document date: 2023-07-10

[illegible]

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting PAR20 DimmerList 20200116 v](#)

1597954157 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice PAR20 LED BULB Dimmer Compatibility Guide Sunco Lighting
Inc. Sunco compati ... L-153PDH-WH CTCL-153PDH-WH DVCL-153P-WH MSCL-
OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 **F7C059**

We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:38 filesize: 183.85 K page_count: 2 document date: 2020-01-16

[illegible]

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting G25 DimmerList 20200116 v 1583447371

cdn.shopify.s/files/1/0011/5517/0351/|||

The Brighter Choice G25 LED BULB Dimmer Compatibility Guide Sunco Lighting Inc.
Sunco compatibi ... AELV-600-WH MACL-153MLH-WH DVCL-153P-WH MSCL-
OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 **F7C059**

We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:38 filesize: 156.46 K page count: 2 document date: 2020-01-16

[illegible]

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting BR20 DimmerList 20200114 v](#)

1583446746 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice BR20 LED BULB Dimmer Compatibility Guide Sunco Lighting
Inc. Sunco compatib ... CL-153PDH-WH DVCL-153PR-WH DVCL-153P-WH MSCL-
OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 **F7C059**

We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:38 filesize: 150.75 K page_count: 2 document date: 2020-01-14

The Brighter Choice

BAFFLE 5x6 LED DOWNLIGHT

Dimmer Compatibility Guide

Sunco Lighting Inc.'s "Tolerant" compatibility has been based upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand	Model	D1†	Brand	Model	D1†
EATON	FALCZ-1	C	BWITE	NK02A-BREV	C
LEDVANCE	PML4XRFW	L	LUTRON	MAGL-TBEMWH	C
LEVITON	5074-RD-DIM	C	CTL	TSLPDA-HH	C
	EDD9BL-2-RDWB	C	DVL	TSPR-HM	C
	DSLR-003-RL1	C	DVL	TSPR-MHS	C
	DSLR-003-LL2	C	MAGL-TBBRW-HH	C	
	DSLR-003-LL2	C	MAGL-TBBRW-HH	C	
	PS04BL-WHP	C			
	PS04BL-WHT	C			
	PS04BL-LL2	C			
	PS04BL-160	C			
	PLSR-011-SZ	C	MAGL-TBDM-HH	C	
	PLSR-011-SZ	C			
	PLSR-011-SZ	C			
	TSR01-C-12U	C	TP-LINK	KASA-DAMMT-H220	C
	TSR01-C-12U	C	MARTIN	JERRY-AJ-J001	C
	LSPT-MANIC-NK02E-BRDW	C	RANDO	FT0039	C

We highly recommend using an LED Dimmer that is also an ELV (electronic low voltage) dimmer. A buzzing or flickering light is typically an indication that the dimmer being used is not compatible with the lights. Please consult dimmer manufacturer for maximum lamp watt per dimmer capacity.

*Note: appearance “flicker”, lights cannot be turned on immediately to their maximum level. The slider needs to be moved above the minimum light meter for the lights to start turn on as if they were already off. Then, the slider can be moved to give a lower light output; the dimmer cannot be forced on just the minimum level.

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Baffle 5 6inch S11 DimmerList 20211214
v 1639596569 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice BAFFLE 5/6 LED DOWNLIGHT Dimmer Compatibility Guide
Sunco Lighting Inc. Sunc ... TP-LINK KASA SMART HS220 TSM10-012-1LW
MARTIN JERRY MJ-SD01 LIGHT ALMOND NO.6672 600W WEMO **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:38 filesize: 153.19 K page_count: 1 document date: 2021-12-14

The Brighter Choice

SMOOTH 5/6" LED DOWNLIGHT Dimmer Compatibility Guide

Sunco Lighting Inc.'s ("Sunco's") compatibility list is based upon testing conducted by the manufacturer in its laboratory environment.

Actual results may vary.

Brand	Model	S11	Brand	Model	S11
EATON	AJLZC-1			WHITE 10070A-B00V	
LEARNER	PHELR43PWP		LITFTRN	MAGL-T183H-AH1	
LEVITON	D61R-RDZ-100			ETSL-T18P2P-AH1	
	D61R-W-2-KW00			DLSL-T18P0H-AH1	
	D61R-W-001-L1E			DCLS-T18P-AH01	
	D61R-001-L1E			MAGL-T183H-AH1	
	D60M-011-BL2			FDSBMS-08HP	
	D60R-001-10Z			TGCL-T18P0H-AH1	
	D60R-001-L1E			PPH02-W-AH1	
	D60R-18Z			MAGL-T183H-AH1H	
	PLR01-001-10Z			DUSL-T18P-AH1	
	R61R-001-10Z				
	R61R-001-L1E		TY-LINK	KASA-SAMMT-H220	
	T3010S-D-11AR		NARTTN	JOBRY AJX-J001	
	LIGHT ALUMINO NICKETS-08HW		H80SD	TF0209	

We highly recommend using an ELI dimmer that is also an ELC (electronic low voltage) dimmer. A buzzing or flickering light fixture can occur if the dimmer being used is not compatible with the lights. Please consult dimmer manufacturer for maximum power per dimmer capacity.

*Only equipment "Zero Ohm" lights cannot be turned on immediately to their maximum level. The rider needs to be raised above 10% first, hold it there for the lights to start up and if they were already off, turn the slider can be lowered to get a lower light level, the dimmer will then ramp back up to the maximum level.

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Smooth 5 6inch S11 DimmerList
20211214 v 1639603340 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice SMOOTH 5/6 LED DOWNLIGHT Dimmer Compatibility Guide
Sunco Lighting Inc. Sunc ... TP-LINK KASA SMART HS220 TSM10-012-1LW
MARTIN JERRY MJ-SD01 LIGHT ALMOND NO.6672 600W WEMO **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:38 filesize: 137.84 K page_count: 1 document date: 2021-12-14

The Brighter Choice

56W¹ BAFFLE SELECTABLE RETROFIT (96SLM)

LED LIGHT

Dimmer Compatibility Guide

Always verify the fixture's compatibility with a dimmer upon testing conducted by the manufacturer in a lab simulated environment. Actual results may vary.

Brand		Model		Brand		Model	
LUTRON	PHILIPS		+	LUTRON	CASETA SMART PROVIEW		+
	DECORA SMART		+		CASETA SMART PROVIEW		+
	PRO SL 3.00N		+		MACH-120N		+
	PRO SL 3.00N		+		CTCL-120N		+
	ROSLN-16.2		+		DEW-300P		+
	ROSLN-16.2		+		DVCL-120N		+
	ROSLN-16.2		+		DWCL-150P		+
	ROSLN-16.2		+		MACH-120N		+
	ROSLN-16.2		+		PROSLC		+
	ROSLN-16.2		+		SLV-600P		+
LUTRON	TM301L		+	MARTIN LUCE	TGS-120N		+
	TM301L-100		+		MA-200Z		+
	66SL-P20N		+	TP LINK	KAIA SMART		+
	ROSLN-16.2		+		PR200		+

DIMMER BEST PRACTICES

Choose a Compatible Dimmer

- Is always recommended using an LED-dimmer that is an ELY-dimmer (aka, electronic low voltage-dimmer or trailing-edge-dimmer)
- Do not use an MLT-dimmer (magnetic low-voltage-dimmer) with LED bulbs
- Proper connection can avoid a buzzing or Flickering light

Dimmer Voltage Capacity

Consider your dimmer manufacturer's info for the total load limit – the max number of light bulbs per dimmer

• Always select more dimmers than your dimmer can handle

Trailing-Edge Selectable Dimmer

"Trailing-Edge" refers to the way a dimmer controls the light when using a dimmer switch.

If your light bulb has a dimmer control feature at the maximum heat sink (see the "Trailing-Edge" switch), choose the slider to

position between the sun and the switch and/or the dial down the lower end (see the "Trailing-Edge" switch).

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting 6inch Baffle L6 Selectable DimmerList
20211214 v 1639690991 cdn.shopify.s/files/1/0011/5517/0351/|||

The Brighter Choice 5/6 BAFFLE SELECTABLE RETROFIT 965LM LED LIGHT
Dimmer Compatibility Guide Su ... L-153P MACL-153MH RRD-6CL SLV-600P TGCL-
153PH MARTIN JERRY MJ-SD01 TP LINK KASA SMART WEMO **F7C059** DIMMER
BEST PRACTICES Choose a Compatible Dimmer We highly recommend using an
LED dimmer th...

lang:en score:38 filesize: 166.03 K page_count: 1 document date: 2021-12-14

6" ULTRA-SLIM SELECTABLE DOWNLIGHT Dimmer Compatibility Guide		6" ULTRA-SLIM SELECTABLE DOWNLIGHT Dimmer Compatibility Guide	
This compatibility table is based on testing conducted by the manufacturers in a lab-controlled environment. Actual results may vary.		This compatibility table is based on testing conducted by the manufacturers in a lab-controlled environment. Actual results may vary.	
BRAND	MODEL	BRAND	MODEL
LITTON	IMALL-HUB	LITTON	KE75-KH09
LITTON	IMCL-UPH	LITTON	KECL-001-002
LITTON	IMALL-HUBS	LITTON	KECL-001-002
LITTON	CTL5-UPHSP	LITTON	IMCL-UPHSP
LITTON	P-PMGHP	WATTSTOPPER	OD0817
LITTON	DMCL-UPHSP	WEMO	FC049
LITTON	ELC-UPHSP		
LITTON	TCLC-UPH		
LITTON	P-PMGHB		

We highly recommend using LED electronics low-voltage dimmer compatible with LED lights. Buzzing or flickering is typically an indication that the dimmer and lights used are not compatible. Please consult dimmer manufacturers for maximum wattage capacity.

Maximum wattage depends on the behavior in which a light is connected to a dimmer, such as pulse-width modulation (PWM) or phase-cut. To resolve this issue, first isolate the switch across the behavior in which the light is connected to the dimmer, then talk to the manufacturer for a remedy.

lang:en score:38 filesize: 39.66 K page_count: 1 document date: 2023-05-17

4" SLIM BAFFLE SEALEABLE LED LIGHT Dimmer Compatibility Guide					
The compatibility list is based upon testing conducted by the manufacturer in a simulated environment. Actual results may vary.					
Brand	Model	Brand	Model		
EATON	566939	LUTRON	TS6-600W		
	566941		TS6-600W-200V-WH		
	566942		TS6-600W-200V-WH		
	566943		TS6-600W-200V-WH		
	566944		TS6-600W-200V-WH		
	566945		TS6-600W-200V-WH		
	566946		TS6-600W-200V-WH		
	566947		TS6-600W-200V-WH		
	566948		TS6-600W-200V-WH		
	566949		TS6-600W-200V-WH		
LUTRON	566950	LUTRON	TS6-600W-200V-WH		
	566951		TS6-600W-200V-WH		
	566952		TS6-600W-200V-WH		
	566953		TS6-600W-200V-WH		
	566954		TS6-600W-200V-WH		
	566955		TS6-600W-200V-WH		
	566956		TS6-600W-200V-WH		
	566957		TS6-600W-200V-WH		
	566958		TS6-600W-200V-WH		
	566959		TS6-600W-200V-WH		
LUTRON	566960	LUTRON	TS6-600W-200V-WH		
	566961		TS6-600W-200V-WH		
	566962		TS6-600W-200V-WH		
	566963		TS6-600W-200V-WH		
	566964		TS6-600W-200V-WH		
	566965		TS6-600W-200V-WH		
	566966		TS6-600W-200V-WH		
	566967		TS6-600W-200V-WH		
	566968		TS6-600W-200V-WH		
	566969		TS6-600W-200V-WH		
LUTRON	566970	LUTRON	TS6-600W-200V-WH		
	566971		TS6-600W-200V-WH		
	566972		TS6-600W-200V-WH		
	566973		TS6-600W-200V-WH		
	566974		TS6-600W-200V-WH		
	566975		TS6-600W-200V-WH		
	566976		TS6-600W-200V-WH		
	566977		TS6-600W-200V-WH		
	566978		TS6-600W-200V-WH		
	566979		TS6-600W-200V-WH		
LUTRON	566980	LUTRON	TS6-600W-200V-WH		
	566981		TS6-600W-200V-WH		
	566982		TS6-600W-200V-WH		
	566983		TS6-600W-200V-WH		
	566984		TS6-600W-200V-WH		
	566985		TS6-600W-200V-WH		
	566986		TS6-600W-200V-WH		
	566987		TS6-600W-200V-WH		
	566988		TS6-600W-200V-WH		
	566989		TS6-600W-200V-WH		
LUTRON	566990	LUTRON	TS6-600W-200V-WH		
	566991		TS6-600W-200V-WH		
	566992		TS6-600W-200V-WH		
	566993		TS6-600W-200V-WH		
	566994		TS6-600W-200V-WH		
	566995		TS6-600W-200V-WH		
	566996		TS6-600W-200V-WH		
	566997		TS6-600W-200V-WH		
	566998		TS6-600W-200V-WH		
	566999		TS6-600W-200V-WH		
LUTRON	567000	LUTRON	TS6-600W-200V-WH		
	567001		TS6-600W-200V-WH		
	567002		TS6-600W-200V-WH		
	567003		TS6-600W-200V-WH		
	567004		TS6-600W-200V-WH		
	567005		TS6-600W-200V-WH		
	567006		TS6-600W-200V-WH		
	567007		TS6-600W-200V-WH		

lang:en score:38 filesize: 154.73 K page_count: 1 document date: 2021-11-19

[illegible]

lang:en score:38 filesize: 159.26 K page_count: 2 document date: 2020-01-14

Sunco

5/6" LED 15W DISK DOWNLIGHT

Dimmer Compatibility Guide

This compatibility list is based on testing conducted by the new technology or life spaned commercial. Actual results may vary.

BRAND	MODEL
LITTON	WALL-HUB
LITTON	DEEL-CLIP
LITTON	P-PLUG-HUB
LITTON	WALL-HUB
LITTON	TUGL-HUB
LITTON	DEEL-HUB
LITTON	CTCL-HUBPH
LITTON	P-PINGW
LITTON	DEEL-HUBP
LITTON	REX-HUB-LA

BRAND	MODEL
LITTON	SLR-HUBP
LITTON	DEEL-CLC
LITTON	DEEL-HUB
LITTON	P-PING-HUB
LITTON	6674-HUBPH
LITTON	DEELT-6600P
LITTON	PLUG-6600P
LITTON	DH900-BE
LITTON	DESLA-00-4-2
LITTON	PLUG-00-01C

© 2015 Sunco Lighting, Inc. All rights reserved. Sunco Lighting, Inc. is not responsible for any errors or omissions.

We highly recommend using a LED electronic low-voltage dimmer compatible with LED lights. Dimming or flickering is typically an indication that the dimmer and LED lights are not compatible. Please consult dimmer manufacturer for maximum and minimum load capacity.

*"Non-response" may or may not be a defect. It may be a result of the dimmer being used, or the LED lights being used. To resolve this issue, first make the dimmer switch down to the minimum level to turn the lights on, then slowly increase the dimmer level to the desired level.

lang:en score:38 filesize: 57.07 K page_count: 2 document date: 2023-05-18

[illegible][illegible][illegible]

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting A19 GU24 DimmerList 20200114 v](#)

1583183146 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice A19 GU24 LED BULB Dimmer Compatibility Guide Sunco Lighting Inc. Sunco comp ... H MACL-153MLH-WH DVCL-153P-WH MSCL-OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-DM600 **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:37 filesize: 153.93 K page_count: 2 document date: 2020-01-14

[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting A15 Yellow DimmerList 20200114 v](#)

1583182051 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice A15 LED Bulb with Bug Repellent Technology Dimmer Compatibility Guide Sunco Lig ... H MACL-153MLH-WH DVCL-153P-WH MSCL-OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-DM600 **F7C059** A15 We highly recommend using an LED dimmer that is also an ELV electronic low voltage di...

lang:en **score:37** filesize: 157.3 K page_count: 2 document date: 2020-01-14


[\[pdf\]](#) Installation Guide Specifications Guide

[View Installation Guides Manuals and Specs Sunco — Lighting A21 Bulb DimmerList 20200114 v](#)

1583184434 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice A21 LED BULB Dimmer Compatibility Guide Sunco Lighting Inc.
Sunco compatibi ... H MACL-153MLH-WH DVCL-153P-WH MSCL-OP153MH-WH
TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-DM600 **F7C059** We
highly recommend using an LED dimmer that is also an ELV electronic low voltage
dimmer....

lang:en score:37 filesize: 160.12 K page_count: 2 document date: 2020-01-14



lang:en score:37 filesize: 11.91 M page_count: 23 document date: 2017-09-30

The Brighter Choice

SMOOTH 4" LED DOWNLIGHT

General Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility list is based upon testing conducted for the manufacturer in its actual environment. Actual results may vary.

Brand	Model	511	Brand	Model	511
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
Aurora	8000V-0100	LUMINANCE	8000V-0100	8000V-0100	
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000V-0100		8000V-0100		
	8000				

[illegible]

The Brighter Choice.

DISK 5/6" LED DOWNLIGHT 12W

Dimmer Compatible

Sunco Lighting Inc.'s ("Sunco") compatibility list is based upon testing conducted with the manufacturer at the simulated environment.

Actual results may vary.

Brand	Model	Brand	Model
ADLINE	ADLINE-401	LEUTON	LEUTON-101
ADLINE	ADLINE-402		
AL	AL-100000001		
AL	AL-100000002		
AL	AL-100000003		
AL	AL-100000004		
AL	AL-100000005		
AL	AL-100000006		
AL	AL-100000007		
AL	AL-100000008		
AL	AL-100000009		
AL	AL-100000010		
AL	AL-100000011		
AL	AL-100000012		
AL	AL-100000013		
AL	AL-100000014		
AL	AL-100000015		
AL	AL-100000016		
AL	AL-100000017		
AL	AL-100000018		
AL	AL-100000019		
AL	AL-100000020		
AL	AL-100000021		
AL	AL-100000022		
AL	AL-100000023		
AL	AL-100000024		
AL	AL-100000025		
AL	AL-100000026		
AL	AL-100000027		
AL	AL-100000028		
AL	AL-100000029		
AL	AL-100000030		
AL	AL-100000031		
AL	AL-100000032		
AL	AL-100000033		
AL	AL-100000034		
AL	AL-100000035		
AL	AL-100000036		
AL	AL-100000037		
AL	AL-100000038		
AL	AL-100000039		
AL	AL-100000040		
AL	AL-100000041		
AL	AL-100000042		
AL	AL-100000043		
AL	AL-100000044		
AL	AL-100000045		
AL	AL-100000046		
AL	AL-100000047		
AL	AL-100000048		
AL	AL-100000049		
AL	AL-100000050		
AL	AL-100000051		
AL	AL-100000052		
AL	AL-100000053		
AL	AL-100000054		
AL	AL-100000055		
AL	AL-100000056		
AL	AL-100000057		
AL	AL-100000058		
AL	AL-100000059		
AL	AL-100000060		
AL	AL-100000061		
AL	AL-100000062		
AL	AL-100000063		
AL	AL-100000064		
AL	AL-100000065		
AL	AL-100000066		
AL	AL-100000067		
AL	AL-100000068		
AL	AL-100000069		
AL	AL-100000070		
AL	AL-100000071		
AL	AL-100000072		
AL	AL-100000073		
AL	AL-100000074		
AL	AL-100000075		
AL	AL-100000076		
AL	AL-100000077		
AL	AL-100000078		
AL	AL-100000079		
AL	AL-100000080		
AL	AL-100000081		
AL	AL-100000082		
AL	AL-100000083		
AL	AL-100000084		
AL	AL-100000085		
AL	AL-100000086		
AL	AL-100000087		
AL	AL-100000088		
AL	AL-100000089		
AL	AL-100000090		
AL	AL-100000091		
AL	AL-100000092		
AL	AL-100000093		
AL	AL-100000094		
AL	AL-100000095		
AL	AL-100000096		
AL	AL-100000097		
AL	AL-100000098		
AL	AL-100000099		
AL	AL-100000100		
AL	AL-100000101		
AL	AL-100000102		
AL	AL-100000103		
AL	AL-100000104		
AL	AL-100000105		
AL	AL-100000106		
AL	AL-100000107		
AL	AL-100000108		
AL	AL-100000109		
AL	AL-100000110		
AL	AL-100000111		
AL	AL-100000112		
AL	AL-100000113		
AL	AL-100000114		
AL	AL-100000115		
AL	AL-100000116		
AL	AL-100000117		
AL	AL-100000118		
AL	AL-100000119		
AL	AL-100000120		
AL	AL-100000121		
AL	AL-100000122		
AL	AL-100000123		
AL	AL-100000124		
AL	AL-100000125		
AL	AL-100000126		
AL	AL-100000127		
AL	AL-100000128		
AL	AL-100000129		
AL	AL-100000130		
AL	AL-100000131		
AL	AL-100000132		
AL	AL-100000133		
AL	AL-100000134		
AL	AL-100000135		
AL	AL-100000136		
AL	AL-100000137		
AL	AL-100000138		
AL	AL-100000139		
AL	AL-100000140		
AL	AL-100000141		
AL	AL-100000142		
AL	AL-100000143		
AL	AL-100000144		
AL	AL-100000145		
AL	AL-100000146		
AL	AL-100000147		
AL	AL-100000148		
AL	AL-100000149		
AL	AL-100000150		
AL	AL-100000151		
AL	AL-100000152		
AL	AL-100000153		
AL	AL-100000154		
AL	AL-100000155		
AL	AL-100000156		
AL	AL-100000157		
AL	AL-100000158		
AL	AL-100000159		
AL	AL-100000160		
AL	AL-100000161		
AL	AL-100000162		
AL	AL-100000163		
AL	AL-100000164		
AL	AL-100000165		
AL	AL-100000166		
AL	AL-100000167		
AL	AL-100000168		
AL	AL-100000169		
AL	AL-100000170		
AL	AL-100000171		
AL	AL-100000172		
AL	AL-100000173		
AL	AL-100000174		
AL	AL-100000175		
AL	AL-100000176		
AL	AL-100000177		
AL	AL-100000178		
AL	AL-100000179		
AL	AL-100000180		
AL	AL-100000181		
AL	AL-100000182		
AL	AL-100000183		
AL	AL-100000184		
AL	AL-100000185		
AL	AL-100000186		
AL	AL-100000187		
AL	AL-100000188		
AL	AL-100000189		
AL	AL-100000190		
AL	AL-100000191		
AL	AL-100000192		
AL	AL-100000193		
AL	AL-100000194		
AL	AL-100000195		
AL	AL-100000196		
AL	AL-100000197		
AL	AL-100000198		
AL	AL-100000199		
AL	AL-100000200		
AL	AL-100000201		
AL	AL-100000202		
AL	AL-100000203		
AL	AL-100000204		
AL	AL-100000205		
AL	AL-100000206		
AL	AL-100000207		
AL	AL-100000208		
AL	AL-100000209		
AL	AL-100000210		
AL	AL-100000211		
AL	AL-100000212		
AL	AL-100000213		
AL	AL-100000214		
AL	AL-100000215		
AL	AL-100000216		
AL	AL-100000217		
AL	AL-100000218		
AL	AL-100000219		
AL	AL-100000220		
AL	AL-100000221		
AL	AL-100000222		
AL	AL-100000223		
AL	AL-100000224		
AL	AL-100000225		
AL	AL-100000226		
AL	AL-100000227		
AL	AL-100000228		
AL	AL-100000229		
AL	AL-100000230		
AL	AL-100000231		
AL	AL-100000232		
AL	AL-100000233		
AL	AL-100000234		
AL	AL-100000235		
AL	AL-100000236		
AL	AL-100000237		
AL	AL-100000238		
AL	AL-100000239		
AL	AL-100000240		
AL	AL-100000241		
AL	AL-100000242		
AL	AL-100000243		
AL	AL-100000244		
AL	AL-100000245		
AL	AL-100000246		
AL	AL-100000247		
AL	AL-100000248		
AL	AL-100000249		
AL	AL-100000250		
AL	AL-100000251		
AL	AL-100000252		
AL	AL-100000253		
AL	AL-100000254		
AL	AL-100000255		
AL	AL-100000256		
AL	AL-100000257		
AL	AL-100000258		
AL	AL-100000259		
AL	AL-100000260		
AL	AL-100000261		
AL	AL-100000262		
AL	AL-100000263		
AL	AL-100000264		
AL	AL-100000265		
AL	AL-100000266		
AL	AL-100000267		
AL	AL-100000268		
AL	AL-100000269		
AL	AL-100000270		
AL	AL-100000271		
AL	AL-100000272		
AL	AL-100000273		
AL	AL-100000274		
AL	AL-100000275		
AL	AL-100000276		
AL	AL-100000277		
AL	AL-100000278		
AL	AL-100000279		
AL	AL-100000280		
AL	AL-100000281		
AL	AL-100000282		
AL	AL-100000283		
AL	AL-100000284		
AL	AL-100000285		
AL	AL-100000286		
AL	AL-100000287		
AL	AL-100000288		
AL	AL-100000289		
AL	AL-100000290		
AL	AL-100000291		
AL	AL-100000292		
AL	AL-100000293		
AL	AL-100000294		
AL	AL-100000295		
AL	AL-100000296		
AL	AL-100000297		
AL	AL-100000298		
AL	AL-100000299		
AL	AL-100000300		
AL	AL-100000301		
AL	AL-100000302		
AL	AL-100000303		
AL	AL-100000304		
AL	AL-100000305		
AL	AL-100000306		
AL	AL-100000307		
AL	AL-100000308		
AL	AL-100000309		
AL	AL-100000310		
AL	AL-100000311		
AL	AL-100000312		
AL	AL-100000313		
AL	AL-100000314		
AL	AL-100000315		
AL	AL-100000316		
AL	AL-100000317		
AL	AL-100000318		
AL	AL-100000319		
AL	AL-100000320		
AL	AL-100000321		
AL	AL-100000322		
AL	AL-100000323		
AL	AL-100000324		
AL	AL-100000325		
AL	AL-100000326		
AL	AL-100000327		
AL	AL-100000328		
AL	AL-100000329		
AL	AL-100000330		
AL	AL-100000331		
AL	AL-100000332		
AL	AL-100000333		
AL	AL-100000334		
AL	AL-100000335		
AL	AL-100000336		
AL	AL-100000337		
AL	AL-100000338		
AL	AL-100000339		
AL	AL-100000340		
AL	AL-100000341		
AL	AL-100000342		
AL	AL-100000343		
AL	AL-100000344		
AL	AL-100000345		
AL	AL-100000346		
AL	AL-100000347		
AL	AL-100000348		
AL	AL-100000349		
AL	AL-100000350		
AL	AL-100000351		
AL	AL-100000352		
AL	AL-		

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Smoth 4inch S11 DimmerList 20200114 v
1598302956 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice SMOOTH 4 LED DOWNLIGHT Dimmer Compatibility Guide
Sunco Lighting Inc. Sunco ... H MACL-153MLH-WH DVCL-153P-WH MSCL-
OP153MH-WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-
DM600 **F7C059** S11 We highly recommend using an LED dimmer that is also an ELV
electronic low voltage di...

lang:en score:37 filesize: 158.07 K page_count: 2 document date: 2020-01-14

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting Gimbal 5 6inch L10 DimmerList
20200114 v 1631823553 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice GIMBAL 5/6 LED DOWNLIGHT Dimmer Compatibility Guide
Sunco Lighting Inc. Sunc ... 00W P-PKG1W-WH MACL-153MLH-WH MSCL-
OP153MH-WH TG-603PGH-WH JERRY MJ-SD01 MEW-DM600 KASA SMART
HS220 **F7C059** L10 We highly recommend using an LED dimmer that is also an ELV
electronic low voltage di...

lang:en score:37 filesize: 149.1 K page_count: 2 document date: 2020-01-14

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting DiskLight 5 6inch 12W DimmerList
20200114 v 1587133900 cdn shopify s files 1 0011 5517 0351 |||

The Brighter Choice DISK 5/6 LED DOWNLIGHT 12W Dimmer Compatibility Guide
Sunco Lighting Inc. Su ... H MACL-153MLH-WH DVCL-153P-WH MSCL-OP153MH-
WH TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-DM600 **F7C059**
We highly recommend using an LED dimmer that is also an ELV electronic low
voltage dimmer....

lang:en score:37 filesize: 153.48 K page_count: 2 document date: 2020-01-14

[illegible][illegible]

EIKO DIMMING COMPATIBILITY GUIDE

B7D2, 10/16/14M

Before Office Support - How to set up the Wemo Wi-Fi Smart Dimmer



How to set up the Wemo Wi-Fi Smart Dimmer

[Watch the installation video](#)

[Compatible with Alexa/Amazon Echo](#)
[https://www.belkin.com/us/support/article/TheBelkin.com/2015052](#)

[How to install the Belkin Wemo Wi-Fi Smart Dimmer using Alexa](#)
[https://www.belkin.com/us/support/article/TheBelkin.com/2015060](#)

Find the link in the Wemo app

- [Wemo Dimmer F71000: Not compatible](#)
- [Wemo Dimmer F71000C: Not compatible](#)
- [Wemo Dimmer F71000C: Not compatible](#)

[Activate your WemoDimmer Now!](#)

[What does the smart bulb look like?](#)
[https://www.belkin.com/us/support/article/TheBelkin.com/2015090](#)

The Wemo Wi-Fi Smart Dimmer, F71000 and F71000C make it easy for you to control your dimmable lighting anywhere you are and anytime you want.

If you are NOT familiar with electrical work, or feel uncomfortable about it, contact a professional electrician.

Watch the installation video

This video shows the installation of a Wemo Wi-Fi Smart Dimmer.

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting T10 Filament DimmerList 20200120 v1586273861 cdn.shopify s.files.1.0011.5517.0351 |||

The Brighter Choice T10 FILAMENT LED BULB Dimmer Compatibility Guide Sunco Lighting Inc. Sunco ... ASTER 300W TAANCIL DIM-L13B TP-LINK KASA SMART HS220 WATTSTOPPER MICO DETECTOR DCD267-W WEMO **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:37 filesize: 178.73 K page_count: 3 document date: 2020-01-20

[\[pdf\]](#) Installation Guide Specifications Guide

View Installation Guides Manuals and Specs Sunco — Lighting G25 Filament DimmerList 20200116 v1583447434 cdn.shopify.s/files/1/0011/5517/0351/|||

The Brighter Choice G25 FILAMENT LED BULB Dimmer Compatibility Guide Sunco Lighting Inc. Sunco ... KG1W-WH JERRY MJ-SD01 UC7067RYE DIMMER MASTER 300W DIM-L13B KASA SMART HS220 MICO DETECTOR DCD267-W **F7C059** We highly recommend using an LED dimmer that is also an ELV electronic low voltage dimmer....

lang:en score:37 filesize: 337.35 K page_count: 3 document date: 2020-01-16

[\[pdf\]](#) Guide Warrant

Dimming Compatibility Guide cdn eiko content |||

DIMMING COMPATIBILITY GUIDE LED Lamps LS3 LED Fixture service. solutions.
simplicity. S I M P L Y E ... 453PW SMART DIMMER MASTER 300W TP LINK - KASA
SMART HS220 WATTSTOPPER MICO DETECTOR DCD267-W WEMO - **F7C059** L
2.5WA15/8X XGC /D/E26 L4.5WA15/8X XGC /D/E26 L5.5WA15/8X X PF/D/E26
L6WA15/8X X PF/D/E12...

lang:en score:36 filesize: 700.75 K page_count: 8 document date: 2024-08-23

Belkin Wemo WiFi Smart Dimmer: Installation and Setup Guide

A comprehensive guide on installing and setting up the Belkin Wemo WiFi Smart Dimmer (models F7C059 and WSD060), covering physical installation, wiring, app configuration, and brightness adjustments for a seamless smart home experience.

lang:en score:35 filesize: 2.42 M page count: 34 document date: 2022-09-07

Dimming Compatibility Guide for

LED A Lamps

LED BR Lamps



EIKO.COM

Lynnette Schaeffer DIMMING GUIDE Literature DimmingGuide cdn eiko content |||

DimminTgaCbolemopfaCtoibnltiteynG ... 453PW SMART DIMMER MASTER 300W

Wemo - **F7C059** L2.5WA15/8XXGC/D/E26 L4.5WA15/8XXGC/D/E26

lang:en score:35 filesize: 477.6 K page_count: 6 document date: 2023-10-27

[View Installation Guides Manuals and Specs Sunco — Lighting PAR30 DimmerList 20200116 v](#)

Equivalent 11W Dimmable 4000K Cool White 850 LM E26 Base Exterior Wet Rated Super Bright IP65

B07LFS8Q2V B01LWLUP7O B01MSDRP93 B07M5HYWZB B01MZG5KN 6K 4PK B08B17NNSY

amazon images I |||

Inc. Sunco compati ... L-153PDH-WH CTCL-153PDH-WH DVCL-153P-WH MSCl-

We highly recommend using an LED dimmer that is also an ELV electronic low

voltage dimmer....

lang:en score:31 filesize: 176.08 K page_count: 2 document date: 2020-01-16



The Brightest Choice

A15 LED BULB

Dimmer Compatibility Guide

Sunco Lighting Inc. ("Sunco") compatibility is based upon testing conducted by the manufacturer in a lab simulated environment.

Actual results may vary.

Brand	Model	A15	Dimmer	Model	A15
DELUXE	DELUXE-001	N/A	ON/OFF	DELUXE-001 12.2	N/A
	DELUXE-002			DELUXE-002	
AL	AL-001	N/A	ON/OFF	AL-001-001 102	N/A
	AL-002			AL-001-002 102	
COOPER	COOP-001 12.2	N/A	ON/OFF	COOP-001 102	N/A
	COOP-002 12.2			COOP-002 102	
ECON	ECON-001	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	
ECON	ECON-001 12.2	N/A	ON/OFF	ECON-001 102	N/A
	ECON-002 12.2			ECON-002 102	

cdn.shopify.s/files/1/0011/5517/0351/10-Pack-LED-Bulb-Dimmable-Refrigerator-Appliance-Bulbs-8W

UL Energy Star Daylight 3000K Warm White User Guide B09HNC86S8 B08LP5CC18 B08LP7T2VF

B07W6MHDXM B08LP7QTZR B08LP79RQB B08LP5MFYC B07LFRSL83 B07C2LMFT7 B08LQ6XSZ9

The Brighter Choice A15 LED BULB Dimmer Compatibility

TG-603PGH-WH KASA SMART HS220 JERRY MJ-SD01 MEW-DM600 **F7C059** A15

We highly recommend using an LED dimmer that is also an ELV electronic low

voltage di...

lang:en score:31 filesize: 148.14 K page_count: 2 document date: 2020-01-14

 24-425.582.7533 Email: info@solidapollo.com www.SolidApollo.com	
Approved Dimmer List for Solid Apollo's Dimmable Transformers	
GE • Z-wave Plus ZWB3005 Legrand • Legrand Adorne (MLV) AD1P70311/0W4 Lutron • Lutron Decora Digital DDA11-BLZ • Lutron Decora Slide DS05-1LZ • Lutron Decora Slide DSM1D • Lutron Decora Smart DSW100-1BZ • Lutron Decora Smart (MLV) DSW6RD • Lutron Toggle Slide TSM10-1L1 Lutron • Lutron Avroca (MLV) AVO1-600P • Lutron Caseta Wireless (MLV) PS-SNE • Lutron Caseta Wireless (MLV) PS-100X0 • Lutron Maestro (MLV) MA-PRO • Lutron Nova T (MLV) NTLV-600 • Lutron Radio RA2 (MLV) RRD-6ND • Lutron Radio RA2 (MLV) RRD-PRO Kasa Smart • TP-Link Kasa Smart HS220P3 Belkin • Wemo WiFi F7C059	
2125 196th St. SW, Lynnwood, WA 98036	24-425.582.7533 www.SolidApollo.com

[pdf]

Approved Dimmer List for Solid Apollo s Dimmable 4 days ago — Lutron Radio RA2 MLV RRD PRO

Kasa Smart TP Link HS220P3 Belkin Wemo WiFi F7C059 2025 srsItid AfmBOoq8JxLXvMx2zSmr uj
NHRKH zWBm657ByNF ZVGC20HN V dqp solidapollo |||

Tel: 425.582.7533 Email: info solidapollo.com www.SolidApollo.com Approved
Dimmer List for Solid Apo ... V RRD-6ND Lutron Radio RA2 MLV RRD-PRO Kasa
Smart TP-Link Kasa Smart HS220P3 Belkin Wemo WiFi **F7C059** 2125 196th St. SW,
Suite 112, Lynnwood, WA 98036 Tel: 425.582.7533 www.SolidApollo.com ...
lang:it score:28 filesize: 36.14 K page_count: 1 document date: 2025-01-06