

**Shad D0B34106**

# Shad SH34 Carbon Top Case Instruction Manual

Model: D0B34106

## 1. INTRODUCTION

---

Thank you for choosing the Shad SH34 Carbon Top Case. This manual provides essential information for the proper installation, operation, and maintenance of your new motorcycle luggage. Designed in Barcelona, the SH34 offers a practical and secure storage solution for your rides.

**Key Features:**

- Capacity for 1 jet helmet.
- Maximum load capacity of 3 kg.
- Includes rack and a complete set of screws for installation.
- Durable construction with a stylish carbon finish.



*Image: The Shad SH34 Carbon Top Case in its closed position, showcasing its sleek design and carbon-textured lid.*

## 2. SETUP AND INSTALLATION

---

Proper installation is crucial for the safety and stability of your top case. Please follow these steps carefully.

### 2.1. Unpacking and Component Check

Upon opening the package, ensure all components are present:

- Shad SH34 Carbon Top Case
- Mounting Rack (D0B34106)
- Set of screws and fasteners
- Keys for the locking mechanism

### 2.2. Mounting the Rack to Your Motorcycle

1. Identify the designated mounting points on your motorcycle's rear luggage carrier or specific Shad fitting kit (sold separately if not included with your motorcycle).
2. Position the provided mounting rack onto these points.
3. Secure the rack using the included screws and fasteners. Ensure all bolts are tightened securely, but do not overtighten to avoid damaging threads.

4. Verify that the rack is stable and does not wobble.

## 2.3. Attaching the Top Case to the Rack

1. Align the bottom of the SH34 Top Case with the mounting points on the installed rack.
2. Press down firmly until you hear a click, indicating that the case is securely latched onto the rack.
3. Use the key to lock the top case to the rack, preventing unauthorized removal.
4. Gently pull upwards on the case to confirm it is firmly attached before riding.



*Image: The Shad SH34 Carbon Top Case securely mounted on the rear rack of a motorcycle, ready for use.*

## 3. OPERATING INSTRUCTIONS

---

### 3.1. Opening and Closing the Top Case

- **To Open:** Insert the key into the lock cylinder and turn it to the unlock position. Press the release button, usually located near the lock, to unlatch the lid. Lift the lid upwards.
- **To Close:** Lower the lid until it clicks firmly into place. Ensure it is fully closed to prevent water ingress and secure contents.

### 3.2. Locking and Unlocking

- The SH34 features a robust locking mechanism that secures both the lid and the case to the mounting rack.
- **To Lock:** With the lid closed, turn the key to the lock position. Remove the key. The case is now locked and cannot be removed from the rack without the key.
- **To Unlock:** Insert the key and turn it to the unlock position. You can now open the lid or remove the case from the rack.



Image: The Shad SH34 Carbon Top Case shown open, demonstrating its capacity to comfortably hold a jet helmet and other small items like gloves.

### 3.3. Loading Capacity

The SH34 is designed to carry a maximum load of 3 kg (6.6 lbs). Do not exceed this weight limit to maintain vehicle stability and prevent damage to the case or mounting system. Distribute weight evenly inside the case.

## 4. MAINTENANCE

Regular maintenance will prolong the life and appearance of your Shad SH34 Top Case.

- **Cleaning:** Clean the exterior with a soft cloth, mild soap, and water. Avoid abrasive cleaners or solvents, which can damage the carbon finish and plastic.
- **Lock Mechanism:** Periodically lubricate the lock cylinder with a graphite-based lubricant to ensure smooth operation.
- **Mounting Hardware:** Regularly check all mounting screws and fasteners for tightness. Vibrations from riding can cause them to loosen over time.
- **Seals:** Inspect the rubber seals around the lid for any signs of wear or damage. Intact seals are essential for water resistance.

## 5. TROUBLESHOOTING

Here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Case difficult to open/close	Lock mechanism stiff; lid misaligned	Lubricate lock; ensure lid is properly aligned before closing.
Case feels loose on rack	Mounting screws loose; case not fully latched	Tighten all mounting screws; ensure case clicks securely onto the rack.
Water inside the case	Lid not fully closed; damaged seal	Ensure lid is fully closed; inspect and replace damaged seals if necessary.

## 6. SPECIFICATIONS

---

- **Manufacturer:** SHAD
- **Brand:** Shad
- **Model:** D0B34106
- **Item Weight:** 6.56 pounds (2.98 kg)
- **Product Dimensions:** 16.93 x 16.54 x 12.2 inches (43 x 42 x 31 cm)
- **Capacity:** 1 jet helmet
- **Maximum Load:** 3 kg (6.6 lbs)
- **First Available Date:** January 15, 2019

## 7. WARRANTY AND SUPPORT

---

Shad products are designed and manufactured to high-quality standards. For specific warranty information regarding your SH34 Carbon Top Case, please refer to the warranty card included with your purchase or visit the official Shad website.

For technical support, spare parts, or any inquiries not covered in this manual, please contact Shad customer service through their official channels. Always provide your product model number (D0B34106) and purchase details when seeking support.