

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Baffect](#) /
- › [Baffect Magnetic Double-Sided Window Cleaner 15-26mm Instruction Manual](#)

Baffect 15-26mm

Baffect Magnetic Double-Sided Window Cleaner

MODEL: 15-26MM GLASS THICKNESS

1. Introduction

This instruction manual provides essential information for the safe and effective use of your Baffect Magnetic Double-Sided Window Cleaner. This model is specifically designed for window glass with a thickness between **15mm and 26mm**. Please read this manual thoroughly before first use to ensure optimal performance and safety.



Image 1.1: Baffect Magnetic Double-Sided Window Cleaner and its box.

2. Important Safety Warnings

WARNING: The magnets in this device are extremely powerful. Improper handling can cause severe finger injuries or damage to the product or glass. Always exercise extreme caution.

- **Glass Thickness:** Ensure you have selected the correct model for your window glass thickness. This model is for **15-26mm glass**. Using a cleaner with magnets too strong for thin glass can make it difficult to move, while magnets too weak for thick glass will not adhere properly.
- **Finger Safety:** Keep fingers clear when bringing the two magnetic halves together or separating them. The magnetic force can cause them to snap together suddenly. Use the plastic separator provided when storing the device.
- **Safety Rope:** Always attach the included 2.5m safety rope to your wrist or a secure anchor point when cleaning the exterior side of windows to prevent the outer unit from falling.
- **Initial Placement:** When placing the cleaner on the window, apply the outside part to the glass first. Then, place the inside half on the interior side of the glass, maintaining a distance of at least 8 inches from the outside part. Slowly slide them together along the glass until they connect. Do not attach the two parts directly facing each other on the glass without this separation.

SAFE USE




Image 2.1: Safe Use Guidelines for the Magnetic Window Cleaner.

SAFE USE

Do not attach the two parts facing each other to the glass.



Apply the outside part of the window cleaner to the glass first and then the inside half but with a distance of at least 8 inches away from each other. Slide them together slowly along the glass.

Image 2.2: Proper Attachment Technique for the Window Cleaner.

3. Package Contents

Verify that all components are present in your package:

- Magnetic Window Cleaner Unit (2 halves)
- Cleaning Sponges (pre-installed or spare)
- Rubber Squeegee Strips (pre-installed or spare)
- Safety Rope (2.5m)
- Plastic Separator
- User Manual

INGENIOUS DESIGNS

BAFFECT



Image 3.1: Exploded View of Product Components.

4. Setup


4.1. Determine Window Glass Thickness

Before using, it is crucial to determine the thickness of your window glass to ensure compatibility and effective cleaning. This model is suitable for **15-26mm** glass.

1. Measure the **total length of your window frame**.

2. Measure the **inner length** of the window frame.
3. Measure the **outer length** of the window frame.
4. Calculate the glass thickness using the formula: **Window Glass Thickness = Total Frame Length - Inner Frame Length - Outer Frame Length.**

HOW TO CHOOSE THE RIGHT WINDOW CLEANER?



Glass Thickness = Total length of windowpane - Exterior length of windowpane - Internal length of windowpane.

TYPE	0.08IN	0.16IN	0.24IN	0.31IN	0.39IN	0.47IN	0.55IN	0.63IN	0.71IN	0.79IN	0.87IN	0.94IN	1.02IN	1.10IN	1.18IN
	2MM	4MM	6MM	8MM	10MM	12MM	14MM	16MM	18MM	20MM	22MM	24MM	26MM	28MM	30MM
	← 4-30MM (0.16IN-11.8IN) suitable for window thickness in this range →														
										← 18-30MM (0.71IN-1.18IN) suitable for window thickness in this range →					
							← 15-26MM (0.59IN-1.02IN) suitable for window thickness in this range →								
				← 8-15MM (0.31IN-0.59IN) suitable for window thickness in this range →											
	← 3-8MM (0.12IN-0.31IN) suitable for window thickness in this range →														

Image 4.1: Guide to Measuring Window Glass Thickness.

4.2. Prepare the Cleaner

1. **Separate the Halves:** Rotate the two halves of the cleaner 90 degrees in opposite directions to easily

separate them.

2. **Soak Sponges:** Submerge the cleaning sponges in water until fully saturated.
3. **Apply Detergent:** Apply your preferred window cleaning detergent evenly to both cleaning sponges.
4. **Attach Safety Rope:** Securely attach the safety rope to your wrist or a fixed object to prevent accidental drops of the outer unit.

HOW TO USE



1. Open step: Two side rotate 90° to opposite direction at thr same time in order to open it easily.



2. The brush of triangle sponge was soaked: Let the triangle sponge soaked in the water fully.



3. Put the detergent in the brush of triangle sponge: Two side of triangle sponge are fully and evenly coated with detergent.



4. Keep the safety rope in hand: Prevent the brush failing from high altitude.



5. Open the window: The brush with handle will be placed in the window and the brush with safety rope will be placed out of the window at the same place.



6. Close the window and lateral wipe: Wipe the glass from left to right and then from right to left continuously. The safety rope should be long enough.

Image 4.2: Preparation Steps for Window Cleaning.

5. Operating Instructions

Follow these steps for effective window cleaning:

1. **Place the Cleaner:** Following the safety instructions in Section 2, carefully place the outer half of the cleaner on the exterior side of the window. Then, place the inner half on the interior side, allowing the magnets to connect through the glass.
2. **Initial Wipe (Optional):** If you are using a spray detergent directly on the window, you may skip this step. Otherwise, begin by wiping the soap suds in an arc-shaped route from the bottom to the top, with the pointed end of the cleaner facing upwards.
3. **Remove Water Stains:** Wipe and remove water stains in an arc-shaped route from the top to the bottom, with the pointed end of the cleaner facing downwards.
4. **Final Wipe:** Wipe around the edges of the window, moving in the direction of the pointed end of the cleaner to ensure thorough cleaning.




Image 5.1: Recommended Cleaning Motions.

Always ensure the pointed end of the window cleaner moves first during the cleaning process for optimal results.




Image 5.2: Cleaning Path and Triangular Design.

6. Maintenance

6.1. Replacing Accessories

The cleaning sponges and rubber squeegee strips are detachable and can be replaced when worn out. To replace them, simply rotate the plastic fastener 90 degrees. Ensure the new squeegee is inserted correctly into its groove.



Image 6.1: Replacing Sponges and Squeegee.

6.2. Cleaning and Storage

After each use, rinse the sponges and squeegee strips thoroughly with clean water. Allow them to air dry completely before storing. Always use the plastic separator between the two magnetic halves when storing to prevent accidental snapping and potential damage or injury.

7. Troubleshooting

- **Cleaner does not stick or falls off:** The glass may be too thick for this model (15-26mm). Verify your window glass thickness using the method described in Section 4.1.
- **Cleaner is difficult to move:** The magnets may be too strong for your glass thickness, indicating your glass is thinner than 15mm. Verify your window glass thickness.
- **Leaves streaks on the window:** This can be caused by too much detergent, insufficient rinsing of the sponges, or improper wiping technique. Try reducing the amount of detergent, ensuring sponges are clean, and following the recommended wiping motions in Section 5.
- **Accidental snapping of magnets:** Always handle with care and use the plastic separator for storage. Refer to Section 2 for detailed safety warnings.

8. Specifications

Feature	Detail
Brand	Baffect
Model	15-26mm
Compatible Glass Thickness	15mm - 26mm
Product Dimensions	6.3"W x 5.3"H (approx. 6.3 x 2.76 x 5.31 inches)
Item Weight	1.31 Pounds
Safety Rope Length	2.5 meters

9. Warranty and Support

Baffect is committed to providing user-friendly products and considerate experience. Detailed instructions are provided with every purchase. If you encounter any issues during use or require assistance, please do not hesitate to reach out to Baffect customer support. Our team is dedicated to providing detailed guidance to resolve operational problems.

For specific warranty information, please refer to the product packaging or contact Baffect customer service directly.

