

[Manuals.plus](#) /

› [SLLEA](#) /

› SLLEA Car DC Adapter for Schumacher IP-1800I Jump Starter - Instruction Manual

SLLEA Car DC Adapter

SLLEA Car DC Adapter for Schumacher IP-1800I Jump Starter - Instruction Manual

1. INTRODUCTION

This manual provides instructions for the safe and effective use of your SLLEA Car DC Adapter. This adapter is designed to provide power to compatible devices, specifically the Schumacher IP-1800I 950A 400W Jump Starter, via a vehicle's 12V accessory (cigarette lighter) socket.

Please read this manual thoroughly before using the product to ensure proper operation and to prevent damage to the adapter or connected devices.

2. PRODUCT OVERVIEW

The SLLEA Car DC Adapter is a power supply cord designed for portability and convenience, allowing you to power or charge compatible devices from your vehicle's 12V power outlet. It features built-in over voltage and over heat protection for enhanced safety.



Figure 1: SLLEA Car DC Adapter. The image displays the SLLEA Car DC Adapter. It features a black coiled power cord connected to a black cigarette lighter plug. The plug has a metallic tip and side contacts for insertion into a vehicle's 12V accessory socket.

Key Features:

- DC Car Cigarette Lighter Plug Power Supply
- Over Voltage Protection
- Over Heat Protection

3. SETUP

1. Ensure your vehicle's engine is off before connecting the adapter.
2. Insert the cigarette lighter plug end of the SLLEA Car DC Adapter firmly into your vehicle's 12V accessory (cigarette lighter) socket.
3. Connect the other end of the adapter to the appropriate input port on your Schumacher IP-1800I Jump Starter.
4. Verify that all connections are secure and properly seated.

4. OPERATING INSTRUCTIONS

Once the adapter is securely connected to both your vehicle's 12V accessory socket and the Schumacher IP-1800I Jump Starter:

- If your vehicle's 12V accessory socket requires the ignition to be on, start your vehicle's engine.
- Refer to your Schumacher IP-1800I Jump Starter's manual for specific operating instructions related to charging or powering the jump starter using a DC input.
- The adapter will provide a stable power supply for charging or operating your compatible device.

5. MAINTENANCE

To ensure the longevity and optimal performance of your SLLEA Car DC Adapter, follow these maintenance guidelines:

- Keep the adapter clean and free from dust and debris. Use a dry, soft cloth for cleaning.
- Store the adapter in a dry place away from direct sunlight and extreme temperatures when not in use.
- Avoid bending or kinking the coiled cord excessively to prevent internal wire damage.
- Do not expose the adapter to moisture or liquids.

6. TROUBLESHOOTING

Adapter Not Providing Power:

- **Check Vehicle's 12V Socket:** Ensure the vehicle's 12V accessory socket is functioning. Test it with another known working device.
- **Secure Connection:** Verify that the adapter is fully and firmly inserted into the vehicle's socket.
- **Inspect Adapter:** Examine the adapter's plug for any visible damage, bent contacts, or corrosion.
- **Device Connection:** Confirm the Schumacher IP-1800I Jump Starter is correctly connected to the adapter and its power input port is clean.

Adapter Overheating:

- **Disconnect Immediately:** If the adapter feels excessively hot, disconnect it from both the vehicle and the jump starter.

- **Ensure Ventilation:** Make sure there is proper airflow around the adapter and the connected device.
- **Check Power Requirements:** Confirm that the connected device's power requirements do not exceed the adapter's specifications (400W). Using a device that draws too much power can cause overheating.

7. SPECIFICATIONS

Brand	SLLEA
Product Type	Car DC Adapter
Compatibility	Schumacher IP-1800I 950A 400W Jump Starter
Input	12V DC (from vehicle cigarette lighter)
Wattage	400 watts
Special Feature	Travel
UPC	723044590091

8. WARRANTY AND SUPPORT

Your SLLEA Car DC Adapter comes with the following warranty and support:

- **30 Days Money Back Guarantee**
- **60 Days Free Exchange** with Paid Return Label
- **830 Days Anytime Worry-Free Warranty**

For any questions, concerns, or support needs, please do not hesitate to contact SLLEA customer service. We are committed to assisting you.