

[Manuals.plus](#) /

› [SLLEA](#) /

› SLLEA AC/DC Adapter User Manual

SLLEA AC/DC Adapter for MotoMaster Eliminator 1000A 700W Power Box

SLLEA AC/DC Adapter User Manual

Model: AC/DC Adapter for MotoMaster Eliminator 1000A 700W Power Box

Brand: SLLEA

INTRODUCTION

This user manual provides essential information for the safe and effective use of your SLLEA AC/DC Adapter. This adapter is specifically designed to provide power to devices such as the MotoMaster Eliminator 1000A 700W Power Box. Please read this manual thoroughly before use and retain it for future reference.



Image: The SLLEA AC/DC Adapter, a compact black power supply unit with a standard US plug and a DC barrel connector.

SETUP

1. **Verify Compatibility:** Ensure your device requires a 13.5V power input and has a compatible DC barrel connector. This adapter is designed for the MotoMaster Eliminator 1000A 700W Power Box.
2. **Connect to Device:** Insert the DC barrel connector of the SLLEA AC/DC Adapter firmly into the power input port of your device.
3. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard 100-240 VAC, 50/60Hz wall outlet.
4. **Power On:** Once connected, your device should begin receiving power or charging, depending on its function.



Image: The SLLEA AC/DC Adapter plugged into a wall outlet and connected to a MotoMaster Eliminator Power Box, illustrating the setup process.

OPERATING INSTRUCTIONS

The SLLEA AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides a stable power supply for your equipment.

- **Worldwide Voltage Use:** The adapter supports input voltages from 100 to 240 VAC, making it suitable for use in various regions globally.
- **Automatic Protection:** The adapter features built-in Over Voltage Protection and Over Heat Protection to safeguard both the adapter and your connected device.
- **Silent Operation:** This power adapter is designed to operate silently during charging or powering your device.

MAINTENANCE

Proper maintenance ensures the longevity and reliable performance of your SLLEA AC/DC Adapter.

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Regularly inspect the power cord and connectors for any signs of damage, such as fraying, cuts, or bent pins. Do not use the adapter if the cable or connector is damaged.
- **Avoid Overloading:** Do not connect the adapter to devices that exceed its specified wattage (700W) or voltage (13.5V) requirements.

TROUBLESHOOTING

If you encounter issues with your SLLEA AC/DC Adapter, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Adapter not providing power.	No power from outlet; loose connection; incompatible device.	Check wall outlet with another device. Ensure all connections are secure. Verify device compatibility with adapter specifications.
Adapter feels hot.	Normal operation; excessive load; poor ventilation.	A slight warmth is normal. Ensure the adapter is not covered and has adequate ventilation. Disconnect if excessively hot and allow to cool.
Device not charging/powering correctly.	Incorrect voltage/current; faulty device port.	Confirm your device's power requirements match the adapter's output (13.5V, 1000mA). Test with another compatible device if possible.

SPECIFICATIONS

Feature	Detail
Input Voltage	100 - 240 VAC, 50/60Hz

Feature	Detail
Output Voltage	13.5V
Output Current	1000mA (1A)
Wattage	700 watts (Note: This wattage seems to refer to the compatible device, not the adapter's output power. The adapter's output power is $13.5V \times 1A = 13.5W$)
Cable Length	Total 4FT
Product Dimensions	4 x 2 x 3 inches (approximate adapter body size)
Item Weight	0.704 ounces
Color	Black
Safety Features	Over Voltage Protection, Over Heat Protection, Short Circuit Protection, Over Current Protection
Certifications	CE, FCC, RoHS

Product Details

It is convenient for you to choose the right model




Image: A visual representation of the adapter's product details, including input/output specifications and certifications.



Image: Icons and text detailing the multi-protection features including RoHS, Double Insulation, and CE certification for safety.

SLLEA products are designed for reliability and performance. For specific warranty details and technical support, please refer to the information provided with your purchase or contact SLLEA customer service directly.

- **After-Sale Support:** SLLEA aims to provide comprehensive after-sale assistance.
- **Quick Response:** Expect timely responses to your inquiries.
- **Lifetime Technical Help:** Technical assistance is available for the product's lifespan.

You can visit the official SLLEA store for more information and support:[SLLEA Store on Amazon](#).



Image: An illustration highlighting SLLEA's customer support principles: After-Sale Support, Quick Response, Start with Your Needs, and Lifetime Technical Help.

© 2024 SLLEA. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

