

URPOWER SC-015

URPOWER Dog Car Seat Cover

PRODUCT INSTRUCTION MANUAL

[Setup](#)[Operation](#)[Maintenance](#)[Troubleshooting](#)[Specifications](#)[Warranty & Support](#)

1. Setup

The URPOWER Dog Car Seat Cover is designed for quick and easy installation in most cars, trucks, and SUVs. Follow these steps to set up your seat cover:

1. **Unpack the Cover:** Carefully remove the seat cover from its carrying bag.
2. **Positioning:** Lay the seat cover flat across the back seat of your vehicle.
3. **Secure Headrest Straps:** Loop the adjustable straps around the front and rear headrests. Adjust the strap length to ensure a snug fit and proper height.
4. **Insert Seat Anchors:** Locate the seat anchors (often cylindrical) and push them firmly into the crease between the seat back and seat bottom. This helps prevent the cover from sliding.
5. **Close Side Flaps:** Zip up the side flaps to create a hammock-style enclosure, providing all-around protection for your car's interior and preventing your pet from falling into the footwell.
6. **Utilize Seatbelt Openings:** The cover features Velcro openings to allow access to your vehicle's seatbelt buckles. This enables you to use a pet seatbelt (not included) for added safety.



Figure 1: The URPOWER Dog Car Seat Cover laid out, showing its full coverage and attachment points. This image highlights the quilted design and the various straps and anchors for secure installation.



Figure 2: Two dogs are shown comfortably seated in the hammock configuration of the URPOWER car seat cover. The side flaps are zipped up, creating a secure and enclosed space for pets during travel.

2. Operation

The URPOWER Dog Car Seat Cover offers versatile configurations to suit your needs and your pet's comfort:

- **Hammock Style:** This is the primary configuration, achieved by zipping up the side flaps and attaching the straps to both front and rear headrests. It creates a secure barrier, preventing your pet from falling into the footwell or distracting the driver.
- **Bench Seat Style:** To convert to a standard bench seat cover, simply unzip the side flaps and fold them down. This allows passengers to sit alongside your pet or provides full access to the back seat while still protecting the upholstery.
- **Trunk Cargo Liner:** The cover can also be used in the trunk of SUVs or hatchbacks to protect the cargo area from dirt, fur, and spills. Lay it flat across the trunk space, securing it with available anchors or straps if applicable.

The cover's 4-layer waterproof and wear-proof fabric ensures your car seats remain protected from mud, liquid, hair, and

scratches. The non-slip backing, adjustable headrest anchors, and seat anchors provide stability, preventing the cover from shifting during travel.



Car Bench Style

Convert to original bench style by zipping down the side flaps and folding all the extra sides.

Figure 3: The car seat cover configured in bench style, allowing a child and a dog to share the back seat comfortably. The side flaps are unzipped and folded down.



Cargo Liner

Avoid scratching and soiling your cargo liner.


Figure 4: The URPOWER car seat cover is shown protecting the trunk area as a cargo liner, with two dogs resting inside. This demonstrates its versatility beyond just the back seat.

3. Maintenance

Keeping your URPOWER Dog Car Seat Cover clean is simple and helps prolong its lifespan:

- **Remove Hair and Dirt:** For light cleaning, use a vacuum cleaner to remove loose pet hair and debris.
- **Wipe with Damp Cloth:** For spills or mud, wipe the surface with a damp cloth. The waterproof material makes this very effective.
- **Rinse:** For more thorough cleaning, the cover can be rinsed with water.
- **Air Dry:** After cleaning, allow the seat cover to air dry completely before folding or storing it. Do not machine wash or tumble dry.

Available for Most Cars



Seat Anchors



Slip-proof PVC Backing



Velcro Seat Belt Opening



Zipper Design

Figure 5: A visual guide illustrating the recommended cleaning methods for the car seat cover, including wiping with a damp cloth, vacuuming, rinsing, and air drying.

4. Troubleshooting

If you encounter any issues with your URPOWER Dog Car Seat Cover, consider the following:

- **Cover is Slipping:** Ensure all adjustable headrest anchors are tightened securely and seat anchors are pushed firmly into the seat crease. The non-slip rubber backing should also be in direct contact with the car seat.
- **Pet Discomfort/Anxiety:** Ensure the cover is installed correctly and provides ample space for your pet. The mesh window allows for visibility and airflow, which can help reduce anxiety. Consider using a comfortable pet bed on top of the cover for added cushioning.
- **Difficulty Zipping Side Flaps:** Check that the fabric is not caught in the zipper. Ensure the cover is properly aligned and taut before attempting to zip.
- **Odor:** The material is designed to be odor-free. If an odor develops, ensure the cover is thoroughly cleaned and air-dried.

5. Specifications

Brand	URPOWER
Model Name	FBA_SC-015 (SC-015)
Size	Standard (54" W x 58" L)
Color	A-Black with Orange
Material	4-layer fabrics (Oxford 600D with PVC, Polyester, Oxford 600D with PPVC, Nonslip rubber backing)
Item Weight	2.33 pounds
Special Features	Multi-use: Dog Car Hammock, Dogs Bench Cover or Truck Cargo Liner, Side Flaps with Zipper, Mesh Window, Hard Bottom
Fit Type	Universal Fit
UPC	713924816571

6. Warranty & Support

Specific warranty details for the URPOWER Dog Car Seat Cover are not provided in this manual. For warranty information, product support, or any further inquiries, please visit the official URPOWER store or contact their customer service directly.

URPOWER Official Store: [Visit the URPOWER Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question