Manuals+

Q & A | Deep Search | Upload

Snap-on CT8850

Snap-On 18V 1/2" Drive Green MonsterLithium Impact Wrench Kit User Manual

Model: CT8850 Brand: Snap-on

1. PRODUCT OVERVIEW

The Snap-On 18V 1/2" Drive Green MonsterLithium Impact Wrench Kit (Part #CT8850GK2) is a high-performance cordless tool designed for professional use in automotive, industrial, and general maintenance applications. This kit provides powerful fastening and loosening capabilities for various bolts and nuts, offering portability and efficiency with its MonsterLithium battery technology.

The kit includes the impact wrench, two 5 Ah MonsterLithium batteries, a dual-charger, and this instruction manual, ensuring you have everything needed for immediate operation.

2. SAFETY INFORMATION

Always observe basic safety precautions when using power tools to reduce the risk of fire, electric shock, and personal injury.

- Read all instructions: Familiarize yourself with the tool's operation and safety guidelines before use.
- Wear eye protection: Always wear ANSI-approved safety goggles or safety glasses with side shields.
- Wear hearing protection: Prolonged exposure to noise from power tools can cause hearing damage.
- Keep work area clean and well-lit: Cluttered or dark areas invite accidents.
- Do not operate in explosive atmospheres: Do not use power tools in the presence of flammable liquids, gases, or dust.
- Secure workpiece: Always clamp or otherwise secure the workpiece to prevent movement during operation.
- Use correct tool for the job: Do not force a small tool or attachment to do the work of a heavy-duty tool.
- Maintain tools with care: Keep cutting tools sharp and clean for better and safer performance. Follow instructions
 for lubricating and changing accessories.
- **Battery Safety:** Use only specified chargers and batteries. Do not short-circuit, incinerate, or expose batteries to high temperatures.

3. PACKAGE CONTENTS

Your Snap-On 18V 1/2" Drive Green MonsterLithium Impact Wrench Kit (Part #CT8850GK2) should include the following items:

- 1 x Snap-On 18V 1/2" Drive MonsterLithium Impact Wrench
- 2 x Snap-On 5 Ah MonsterLithium Batteries
- 1 x Snap-On Dual-Charger
- 1 x Instruction Manual
- 1 x Carry Bag



Image 1: The Snap-On 18V 1/2" Drive Green MonsterLithium Impact Wrench Kit contents, including the impact wrench, batteries, and charger, neatly packed in the box.



Image 2: The black Snap-On branded carry bag, designed for convenient storage and transport of the impact wrench kit components.

4. SETUP

4.1 Charging the Batteries

- 1. Connect the dual-charger to a standard electrical outlet.
- 2. Slide the 5 Ah MonsterLithium batteries into the charging slots on the dual-charger. Ensure they are fully seated.
- 3. The charger's indicator lights will show the charging status. Refer to the charger's specific manual for detailed light indications.
- 4. Once fully charged, remove the batteries from the charger.

4.2 Installing/Removing Batteries

- To Install: Align the battery with the battery port on the impact wrench and slide it in until it clicks securely into place.
- To Remove: Press the battery release button(s) on the side of the battery and slide the battery out of the tool.

4.3 Attaching/Removing Sockets

- To Attach: Push the desired 1/2" drive socket onto the square drive anvil of the impact wrench until it locks securely.
- To Remove: Pull the socket firmly off the anvil. Some sockets may require a slight twist while pulling.

5. OPERATING INSTRUCTIONS

5.1 Powering On/Off

The impact wrench is activated by pressing the variable speed trigger. The tool will turn off when the trigger is released.

5.2 Forward/Reverse Selection

A forward/reverse selector switch is located above the trigger. Push the switch to the left for forward (tightening) rotation and to the right for reverse (loosening) rotation. Ensure the switch is in the center position for trigger lock-off when not in use or when changing accessories.

5.3 Operating the Impact Wrench

- 1. Select the appropriate socket for the fastener.
- 2. Ensure the battery is fully charged and properly installed.
- 3. Set the forward/reverse selector to the desired direction.
- 4. Place the socket firmly onto the fastener.
- 5. Press the variable speed trigger to begin operation. The speed is controlled by the amount of trigger depression.
- 6. Apply steady pressure to the tool to prevent it from jumping off the fastener.
- 7. For tightening, stop when the fastener is snug or reaches the desired torque. For loosening, continue until the fastener is free.

6. MAINTENANCE AND CARE

6.1 Cleaning

- Regularly clean the ventilation openings of the tool to prevent overheating.
- Use a soft, damp cloth to wipe down the tool's exterior. Do not use harsh chemicals or abrasive cleaners.
- · Keep the drive anvil clean and free of debris.

6.2 Storage

- Store the tool and batteries in a cool, dry place, away from direct sunlight and extreme temperatures.
- Ensure the forward/reverse selector is in the center (locked) position before storing.
- Store batteries with a partial charge (around 50%) if storing for extended periods to prolong battery life.
- Utilize the provided carry bag for organized and protected storage.

6.3 Battery Care

- Do not allow batteries to fully discharge before recharging.
- Avoid exposing batteries to water or extreme heat.
- If a battery is damaged or no longer holds a charge, dispose of it properly according to local regulations.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Tool does not start	Battery not charged Battery not properly installed Forward/reverse switch in center (locked) position	Charge battery Reinstall battery securely Move switch to forward or reverse position

Problem	Possible Cause	Solution
Reduced power/performance	Battery low on charge Overheating Worn carbon brushes (if applicable)	Recharge battery Allow tool to cool down Contact authorized service center
Socket not staying on anvil	Incorrect socket size Worn anvil or socket retention pin	Ensure 1/2" drive socket is used Inspect anvil and retention pin; contact service if damaged

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact Snap-On customer support or an authorized service center.

8. TECHNICAL SPECIFICATIONS

Feature	Specification
Model Number	CT8850
Part Number	CT8850GK2
Voltage	18 Volts
Drive Size	1/2 Inch
Battery Type	MonsterLithium
Battery Capacity	5 Ah
Operation Mode	Electric
Head Style	Fixed Square
Finish Type	Powder Coated
Color	Green, Red
Item Length	8.2 Inches
Material	TOOL
UPC	635133722569

9. WARRANTY AND CUSTOMER SUPPORT

Specific warranty information for the Snap-On 18V 1/2" Drive Green MonsterLithium Impact Wrench Kit is typically provided with the product at the time of purchase or can be found on the official Snap-On website. Please retain your proof of purchase for warranty claims.

For customer support, technical assistance, or to locate an authorized service center, please visit the official Snap-On website or contact their customer service department directly. Contact information can usually be found on the manufacturer's website or on the product packaging.

This manual is for informational purposes only. Snap-on reserves the right to make changes to products without prior notice.

Related Documents



Snap-on CT7850 1/2" 18 Volt Impact Wrench Parts List

Comprehensive parts list and exploded view diagram for Snap-on CT7850 series 1/2" 18 Volt Impact Wrenches, including models CT7850DB, CT7850M, CT7850P, CT7850QC, and CT7850QCM. This supplement provides detailed stock numbers and descriptions for all components, essential for maintenance and repair.



Snap-on Industrial Torque Range: Wrenches, Testers, and Calibrators

Explore the comprehensive range of Snap-on Industrial torque wrenches, electronic torque testers, and calibrators. Discover precision tools for accurate torque measurement and application, featuring advanced technology and robust design for industrial use.



Volkswagen and Audi OBD-II Readiness Code Charts

A technical manual providing detailed OBD-II readiness code charts and diagnostic procedures for Volkswagen and Audi vehicles. Covers drive cycles, engine-specific readiness tests, and frequently asked questions for automotive technicians.



Snap-on Africa PAIA Manual - Access to Information Guide

Official PAIA Manual for Snap-on Africa, outlining procedures for accessing company records and information as mandated by the Promotion of Access to Information Act.

Documents - Snap-on - CT8850



[pdf]

NEWS RELEASE swisniewski Get Monster Torque and Performance with the New Snap on CT8850 18 Volt Cordless Impact Wrench KENOSHA Wis Dec 9 2014 The new on® 1 2 inch is a monster when it comes to productivity versatility power Featuring an Lithium GetMonsterTorquewithNewSnap onCT8850 12 09 14 final www1 snapon display 231 ToolNews PressReleases

NEWS RELEASE For Immediate Release To U.S. Publications Only For More Information, Contact: Rick Secor 262 656-5561 richard.secor snapon.com Get Monster Torque and Performance with the New Snap-on **CT8850** 18 Volt Cordless Impact Wrench KENOSHA, Wis. Dec. 9, 2014 The new Snap-on **CT8850** 1/2-inch ... lang:en score:25 filesize: 181.76 K page_count: 1 document date: 2014-12-10



[pdf] Instructions

CT8850 CT8850P CT8850QC Snap on CT7850 23 20 motor assembly 1 50R 21 housing set 100R 22 end cap rear 26 forward reverse bar 16 24 ZCT8850CE c public snapon R RRD s |||

CT8850 / CT8850P / BC CT8850QC Cordless Impact Wrench ORIGINAL INSTRUCTIONS VERTALING VAN DE OORSPRONKELIJKE

GEBRUIKSAANWIJZING TRADUCTION DES INSTRUCTIONS ORIGINALES

BERSETZUNG DER ORIGINALANLEITUNGEN TRADUZIONE DELLE ISTRUZIONI ORIGINALI TRADUCCIN DE LAS INSTRUCCIONES ORIGINALES ZCT8850CE

lang:en score:24 filesize: 11.31 M page_count: 88 document date: 2020-04-07



[pdf] User Manual

Marketing Cordless Work Light Adams Plato T Snap on Incorporated CTLED8850 On Follow all safety messages in User's manual Fire explosion or electric shock can cause injury Sparks from motor ignite an atmosphere containing flammable vapor Do not use cordless tools a volatile and serious Read additional precautions pages discard used batteries return them to repair center for recycling NPA public snapon A ProdAnnouncements US

Cordless Work Light CTLED8850 Features and Benefits Super bright light 500 lumens Dual reflecto ... 801 80th Street, Kenosha, WI 53143 www.snapon.com May 2016 Page 1 of 2 CTLED8850 CTB8185 CTC720 **CT8850** CT8810A CDR8850 CTRS8850 CTGR8850 Related Items 4.0 Ah 18V Volt Lithium Battery 18V Lithium ... lang:en score:21 filesize: 213.66 K page count: 2 document date: 2016-05-12



SHAPON REUSTRIAL FRECA	P11702: NET 418						
Net Price List Build Date: February 2017	Citring 1000		-		Stations	later August	55.9013
			Price		_	_	
Bern Number	Description	Long Description	Greup	CAT 1300 Page			Weight
00000372466	TURMINBLE VI DEPRESSOR AS	TURN TABLE VTA 1 SET 2 PC DEPRESSOR ASSYPEDAL	105		914-31 39.34		660
0000000000	DEPRESSOR AS	DEPRESSOR ASSYPERAL	1 105		1079.65	1,447.33	2050
00000 (21000)	ALIGNMENT WH	ALIONMENT WHEEL STANSS				1,447,33	
00001280000 0000128000	TURMINGLE TR	TURN TABLE TRUCK 1 SET OF 2 COMPLADARY SET CAN USE 1 99/17	85		1,709.34	1,385.49	
00006310000 00046218000	4 POST CLOSE	APORT CLOSED CENTER MIKUFT	105		265.46.62	20.465.36	260
00046218000 00038809000	TODG POD WEI	TOOL/POWEIGHT PASSICAR	106		2634932	20,445.36	10
00007/6000	COME-MEDIUM	COME-MEDIUM 9 10 DE 6	105		110.00	30.10 84.77	20
	REAR SUPPLA	REAR SLIPPLATES	1 100		734.50	64.70 565.60	27.0
M004222000	HEAR SUPPLA	HEAR SUPPLATES	100		734.50	25.00	27.0
000000000 000000000	TRI TIP SISSET	TEL TIPE PETTE SCIENCE ST	805		52.60	10.00 40.00	10
DO 10-90000	COMP. CENTER	COMPLETATION OF TAXABLE PARKET	85		907 AC	40.00 80.00	
DO 10/912000	TRUCK CONE K	TRUCK COMB KIT	1 H00		401.00	226.29	12.00
	AGAPTERAINE.	ADAPTER-UNUI O SEE REMARKS	105		6/8.76	500.45	100
00110914000 00112354000	OPTIONAL HAV	OPTIONAL HAVE TYRIT 3.8	1 800		2 2 19 36	3 709 60	100
BD1 12 10 6000	DAYTON HANDS	DAYTON BIHEEL ADAPTER 24	1 105		150 m	1.185.00	550
BD1 12 1018000	4 ARM STAR Q	AARM STAR ON ADPTR 70000179	105		1,940,00	1,010.40	
B0112111000 B0112112000	5 ARM STAR O	S A BM STAR OK AD FTR 70000 179	1 05		1,020,00	1,070,40	540
80112112000 80112113000	4 TO 5 STAR	4 TO 5 STAR UPDATE HT70090818	85		615.00	42.55	120
B0112313000	220.1MM HWHA	220 15MH HWHA 700 0000-000	105		482.86	271.00	
801 12 29 2000 801 12 32 8000	220 1000 HWHA 0150-223 HMM	220 1AM HWHA 708 0009-008 0150 220 8MM 708F 948 007	105		402.96	523.25 623.25	
2000 1232 8800 2000 148 8 m	3 BOR MC BO	DESC 220 BMM 7088 998 007	MC		271.40	120.30	
	LUCK PERCH	LOCK MICHORGY THO THE PARTY OF	1 200.5	NT.	5.45	5.45	0.50
	LOCKWHOLL	LOCK N ROLL LATCH FOR KRL 1000		37	3.16	3.15	0.0
10:01 18/M 100 13L38 PV	SLDO TRAY	SLDG TRAY	1 801	21	46.76	45.75	20
100 DUSEPV 100 DUSEPV	MIN DR FLE	SIEN DRIFLEX HE ELECT TOROWR	M10		1,375.00	68.25	45
1002CASO 10007EM	TROP SLYRE	TRIGHT SILVE EPLS 27 00 HR 5030	- MC		1,375,30	3.55	
	2N DRIVE HED	ON DEWA RED MARKET TRIM	1 801		700.00	700,00	750
003/LHAPO	2H E-WIDE D	DHE-WIDE SRWR	801		309.00	269.00	410
MINISTRACA	2N EWIDED	SHEWDESHWE	801		399.00	280.00	350
WALESAPES	2" JW DRAMER	Z XW ORANGE	801		319.00	289.00	410
	TALEDAYDE D	THE WINE NEWS	601		200 00	280 (O)	95/9
	2N FW DRAWE	2N FW DRAWER ARTIC SLIVER WIS	1 901		399.00	389.00	350
1003LE1APM	2N ENWINED	DIVERSIDE SEARCH SECRET AND	801		299.00	289.00	250
1000	DEAR NO MEED	BEAR NO MEEDLE THRUST 752×12	801		970	9.34	10
10059		BE ARMS NEEDLE THRUST	100		9.70	475	
30W NIEPRO	OP TIONAL BIN	OPTIONAL BIN FILD AREC 300	200	er.	298.00	286.00	450
	OPTIONAL SIN	OPTIONAL BINELACK HRSC TOD		87	200.00	780.00	450
	OPTOMALEN	OPTIONAL BINEYS, BLU HR SC 100	1 000	NT NT	200.00	286.00	450
	OPTONALBN	OPTIONAL BIN MON OT BLU KRECTOD		107	298.00	296.00	450
10W103PG0 10W105PG0	OPTONALBN	OPTIONAL BIN NEULOW HRSC 100	001	87	290.00	280.00	460
	OPTIONAL BIN	OPTIONAL BIN EX GEN HESC 100	001	87	296.00	286.00	460
30W 95PAK	OPTIONAL BIN	OPTIONAL BIN ORANGE KRISC SEC	1 001	87	298.00	286.00	450
WWW.Select	OF TOTAL SIN	OPTIONAL BIN SILVER HRSC 100	860	N7	296.00	200.00	40
10W 10993	TROP SAYS B		1 001				400
D 10003	TROP DAYS	TRUST SILVE BRIT 222 HRA W TRUST SILVE BRIT 12 HRA N	001		22 80 13 36	22.00	0.0
10 19993 10 17-90A	TRUR SILVE S	TRUSH SIGN BRIT 12 KHA N TRUSH SIGN BTCH 48.62	001		44.50	61.00	02
	LOCKNROLL	LOOK N ROLL LATER 15 IN		N7	3.15	91.00	00
	LOCKWROLL	LOOK N ROLL LATCH 10 IN		37	4.00		00
10-2808 90-140-P	2PC PLR SST.	DP C PUR SET.		704	144.00	100.00	2.1
YO CEMAN	TARN SPC BU	14N 2FC BUMPER COVER SOCKETS	800	111701	66.85	100.00	63
0.8%	LOCKWHOLL	LO-OK N ROLL LATER 48 IN	A00	111701	4.65	4/6	
	SPC SHIPS M	OP C NADR HAP EXT SET	1 A00	121	00.30	4.25	0.4
201 TAB PA	LOCKING FOWE	LOCKING POWER ADAPTOR SET	1 G00	103	90.25	42.30 60.04	0.4
TO THE PA	SPC KNR LCK	SPC KNELCK EXTEST (EN-2416	000	1906	151.00	119.95	12
YO THEO BE	1MDR SPC LC	SHOR SPC LCK EXT SET	200	110	90.95	#7 m	
MULTS	UNVUNTSET	UNV JNT SET	600	100 Sept 100	10.40	190.13	65
	COVER TRM	COVER TRIM	1 200		9.35	9.35	0.0
0-950	LOCKMROLL	LOOK N ROLL LATCH 11.5 IN	001	57	2.00	2.00	00
10-4000 100 TMC1	SPC SHER LC	MAC THUS LOS THE ELASES	900	121	2.00	281.00	
	THOR FIPC US	SPC 0408 LCK IMPERTSET 9408 SPC UNI STBY TORK SET	800		299.00	200.00	
	REC MOREST	IPC WOREST SET/1 MAN 1180	400	70	135.80	181.95	0.0
	SPC WELP EAT	OP C WIND EXT SET (1-19-11(8)	A00	100	140.70	105.53	09
TOTAL STATE OF THE	SMOR HOUR EX	THORNOUS EXTENT OF THE TIPE	A00	108	117.26	87.04	Do
100 ETMANY	HES DRAY SET	HEX DRAY SET	A30	1119	131.00	99.25	0.4
1001TMANY 100TUPSET	SMAN DRIVERS	SHIN OR ORGANIZATION SKYSET	A41	110	152.85	19471	0.4
100 FEP SET	THE PERSON	SHOREFC EPT SHILLING SKTSET	A00	02	79.80	52.60	0.4
100 PTM	TABLE EFC SA	DIGITARY SAN SWIVEL MP SK ST	1 400	122	20170	180.31	DIR

[pdf] User Manual

Marketing Compact Cordless Floodlight Adams Plato T Snap on Incorporated CTL8850 On Follow all safety messages in User's manual Fire explosion or electric shock can cause injury Sparks from motor ignite an atmosphere containing flammable vapor Do not use cordless tools a volatile and serious Read additional precautions pages discard used batteries return them to repair center for recycling NPA public snapon A ProdAnnouncements US

Compact Cordless Floodlight CTL8850 Features and Benefits 18V Lithium Cordless LED Floodlight S ... et, Kenosha, WI 53143 www.snapon.com May 2016 Page 1 of 2 CTL8850 Related Items CTB8185 CTC720 **CT8850** CT8810A CDR8850 CTRS8850 CTGR8850 4.0 Ah 18V Volt Lithium Battery 18V Lithium Charger 18V Co...

lang:en score:21 filesize: 233.61 K page_count: 2 document date: 2016-05-12

[pdf] Guide Catalog Price List

untitled Burrow Tom SNAP ON INDUSTRIAL NRECA Net Price List IPL1702 QUICK CHANGE COUPLER 1 4 PT I18 42 80 32 53 ASSY 3IN TEMPLATE GUIDE 48 50 36 86 ANGLE LEVER START REV 800RP I15 249 00 SnaponIndustrialNRECAIPL17024NR reduced snapon display 901 WWW SNAP-ON INDUSTRIAL / NRECA Net Price List IPL1702 - NET 4NR Build Date: February 2017 Catalog 13 ... e List IPL1702 - NET 4NR Build Date: February 2017 Catalog 1300i Item Number CT8815ADB CT8815AP CT8850 CT8850BOOT CT8850DB CT8850G CT8850GDB CT8850CDB CT8850P CT8850QC CTA4410A CTA6818 CTA...


lang:de score:15 filesize: 3.44 M page_count: 464 document date: 2017-10-16



Snap-on Industrial Tools and Diagnostic Equipment Catalog

Explore the comprehensive range of professional-grade tools and diagnostic equipment from Snap-on Industrial. This catalog features a wide selection of high-quality products designed for industrial applications, including torque wrenches, socket sets, pliers, and more.

lang:de score:11 filesize: 3.47 M page count: 439 document date: 2019-07-13



[pdf] User Manual

State of Washington 6WA IPL1802 CAT1400i MBlandGeneralPriceUpdate EFFECTIVE 20180801 xlsx vg7879 Snap on MANUAL A C HOSE CRIMPER D00 639 2 3 8 IN BACKUP WRENCH Y00 N199 PLR BARTYPE 6T 14 1 8IN B01 StateofWashington EFFECT snapon display 901 WWW WashingtonState NASPO ValuePoint Professional-GradeTool Pricing State of Washington Contract: 01017 Market Basket I ... 10AP CT8810APDB CT8810AQC CT8810AQCDB CT8810BOOT CT8810GBOOT CT8810OBOOT CT8815A CT8815ADB CT8815AP CT8850 CT8850BOOT CT8850DB CT8850G CT8850GDB CT8850ODB CT8850P CT8850QC CTA8850 CTB3092 CTB3...

lang:de score:10 filesize: 1.92 M page_count: 432 document date: 2018-08-10