

JBL AC18/95

JBL Professional AC18/95 Compact 8-Inch 2-way Loudspeaker User Manual


Model: AC18/95

INTRODUCTION

The JBL Professional AC18/95 is a high-output, 2-way compact loudspeaker system designed for professional audio installations. It combines flexibility with high fidelity, making it suitable for various sound reinforcement applications. This manual provides essential information for the proper setup, operation, and maintenance of your AC18/95 loudspeaker.

Key features include:

- Frequency Range: 52 Hz - 20 kHz (-10 dB)
- Power Rating: 250W Continuous Pink Noise, 500W Program, 1000W Peak
- Durable and compact enclosure
- Dual Neutrik NL4 connectors plus screw terminal for versatile connectivity
- Attachment points for optional U-bracket, third-party Omni Mount type bracket, and stand mount accessory



SETUP

Proper setup is crucial for optimal performance and safety. Ensure all connections are secure before operating the loudspeaker.

1. Unpacking and Inspection

Carefully remove the loudspeaker from its packaging. Inspect the unit for any signs of damage that may have occurred during shipping. If damage is found, contact your dealer immediately.

2. Placement

Position the loudspeaker in a location that provides the desired sound coverage and is structurally sound to support its weight. Consider the 90° x 50° coverage pattern when determining placement.

3. Mounting Options

The AC18/95 offers several mounting options:

- **U-Bracket:** Utilize the integrated attachment points for an optional U-bracket for wall or ceiling mounting.
- **Omni Mount Type Bracket:** Compatible with third-party Omni Mount type brackets.
- **Stand Mount:** An accessory for stand mounting is available.

Always ensure that mounting hardware is rated for the loudspeaker's weight and that installation is performed by qualified personnel following local safety regulations.

4. Audio Connections

Connect the loudspeaker to a suitable amplifier using high-quality speaker cables. The AC18/95 features dual Neutrik NL4 connectors and screw terminals for flexible wiring. Ensure correct polarity (+ to + and - to -) for all connections.

- **Neutrik NL4:** Use professional speaker cables with NL4 connectors for secure and reliable connections.
- **Screw Terminals:** For permanent installations, use the screw terminals. Ensure bare wire is properly inserted and secured without stray strands.

OPERATING

The JBL AC18/95 is a passive loudspeaker and requires an external amplifier. Follow these general guidelines for operation:

1. Amplifier Matching

Ensure your amplifier's power output matches the loudspeaker's power handling capabilities. The AC18/95 has a program power rating of 500W and a peak power rating of 1000W at 8 Ohms impedance. Using an underpowered or overpowered amplifier can lead to damage.

2. Signal Chain

Connect your audio source (mixer, processor) to the amplifier's input, and then connect the amplifier's output to the AC18/95 loudspeaker. Ensure all volume controls are at their minimum before powering on equipment.

3. Power On/Off Sequence

To prevent transient pops and potential damage, always power on your audio system in the following order:

1. Audio sources (e.g., mixer, media player)
2. Audio processors (e.g., EQ, crossover)
3. Amplifiers

When powering off, reverse the sequence: Amplifiers first, then processors, then sources.

4. Level Setting

Gradually increase the amplifier's volume to the desired listening level. Avoid driving the amplifier into clipping (distortion), as this can severely damage the loudspeaker drivers.

MAINTENANCE

Regular maintenance helps ensure the longevity and optimal performance of your JBL AC18/95 loudspeaker.

1. Cleaning

Clean the exterior of the loudspeaker with a soft, dry cloth. For stubborn dirt, a slightly damp cloth can be used, followed by drying. Avoid using harsh chemicals, solvents, or abrasive cleaners, as these can damage the finish and components.

2. Inspection

Periodically inspect the loudspeaker for any signs of wear or damage, including:

- Loose or damaged grille
- Frayed or damaged cables
- Loose mounting hardware
- Unusual noises or vibrations during operation

Address any issues promptly to prevent further damage.

3. Storage

If storing the loudspeaker for an extended period, keep it in a cool, dry environment, away from direct sunlight and extreme temperatures. Protect it from dust and moisture.

TROUBLESHOOTING

This section provides solutions to common issues you might encounter with your AC18/95 loudspeaker.

Problem	Possible Cause	Solution
No sound from loudspeaker	No power to amplifier Incorrect or loose speaker cable connection Amplifier volume turned down Audio source issue	Check amplifier power and power cable. Verify speaker cable connections at both loudspeaker and amplifier. Ensure correct polarity. Increase amplifier volume gradually. Check audio source and signal chain.

Problem	Possible Cause	Solution
Distorted sound	Amplifier clipping Input signal too high Damaged loudspeaker driver	Reduce amplifier volume. Ensure amplifier is not overdriven. Lower the input signal level from the mixer or processor. Contact authorized service personnel for inspection.
Intermittent sound	Loose cable connection Faulty cable	Check and secure all cable connections. Try a different speaker cable.

SPECIFICATIONS

Detailed technical specifications for the JBL Professional AC18/95 Compact 8-Inch 2-way Loudspeaker.




Figure 2: Dimensions of the JBL Professional AC18/95 Loudspeaker.

Feature	Specification
Model Name	AC18/95
Brand	JBL
Speaker Type	2-way Loudspeaker (Woofer)
Frequency Range	52 Hz - 20 kHz (-10 dB)
Power Rating	250W Cont. Pink Noise, 500W Program, 1000W Peak
Impedance	8 Ohm
Product Dimensions (D x W x H)	14" x 13" x 20" (35.56 cm x 33.02 cm x 50.8 cm)
Item Weight	28 pounds (12.7 kg)
Speaker Size	8 Inches
Woofer Diameter	8 Inches
Tweeter Diameter	25 Millimeters (1-inch exit compression driver)
Coverage Pattern	90° x 50°
Connectivity Technology	Neutrik NL4, Screw Terminals
Audio Output Mode	Stereo (when used in pairs)
Mounting Type	Floor Standing (with accessory), Wall/Ceiling (with U-bracket/Omni Mount)
Color	Black
UPC	691991002113


WARRANTY


The JBL Professional AC18/95 Loudspeaker comes with a Limited Warranty. For specific terms, conditions, and duration of the warranty, please refer to the official JBL Professional website or the warranty card included with your product. Keep your proof of purchase for warranty claims.

SUPPORT

For further assistance, technical support, or service inquiries, please visit the official JBL Professional website or contact their customer service department. You can also find more information and products at the [JBL Store](#).

Related Documents - AC18/95


	JBL AWC82 All-Weather Compact 2-Way Coaxial Loudspeaker - Technical Specifications and Features Detailed specifications, key features, applications, performance data, and warranty information for the JBL AWC82 all-weather compact coaxial loudspeaker with an 8-inch LF driver.
	JBL Control 416C/T Standard Coverage Series Ceiling Loudspeaker - Technical Specifications Detailed technical specifications, features, and performance data for the JBL Control 416C/T, a 6.5-inch two-way coaxial ceiling loudspeaker designed for commercial and professional audio installations.
	JBL 5000 Series Cinema Systems: User's Guide and Specifications Comprehensive user's guide for JBL 5000 Series Cinema Systems, detailing system configurations, digital control, connections, power requirements, speaker placement, and technical specifications for models 5671, 5672, and 5674.
	JBL Control 1 Pro Professional Compact Loudspeaker User's Guide Comprehensive user's guide for the JBL Control 1 Pro, a compact, high-performance, magnetically shielded, two-way professional loudspeaker. Includes features, installation, troubleshooting, and specifications.
	Connecting JBL Speakers Together: A Comprehensive Guide Learn how to connect multiple JBL speakers wirelessly via Bluetooth for an enhanced audio experience. This guide covers connecting JBL speakers using the JBL Connect and Connect+ features, as well as troubleshooting common connection issues.
	JBL 4309 Studio Monitor Loudspeaker Owner's Manual Owner's manual for the JBL 4309 6.5-inch 2-way bookshelf studio monitor loudspeaker. Provides setup, connection, care, and specification details for optimal home audio performance.



[\[pdf\]](#) User Manual Specifications Warranty

AC1895 WH qxd thunsake See JBL Professional AC18 95 Manual Specs Compact 2 way Loudspeaker with 1 x 8 Inch LF AC18/95 markertek Attachments Manuals JBLProfessional |||


Technical Manual JBL Incorporated, 8500 Balboa Boulevard, P.O. Box 2200, Northridge, California 91329 U.S.A. JBL **AC18/95-WH** SPECIFICATIONS ACOUSTIC ELECTRICAL SPECIFICATIONS: Nominal Impedance: System Input Power Rating: Frequency Response: Frequency Range: System Sensitivity: Maximum S... lang:en score:41 filesize: 185.74 K page_count: 2 document date: 2016-04-20



[\[pdf\]](#) User Manual Specifications Warranty

AC1895 WH qxd thunsake See JBL Professional AC18 95 Manual Specs Compact 2 Way Loudspeaker System with 1 8 Inch LF White AC18/95 markertek Attachments Manuals JBLProfessional |||

Technical Manual JBL Incorporated, 8500 Balboa Boulevard, P.O. Box 2200, Northridge, California 91329 U.S.A. JBL **AC18/95-WH** SPECIFICATIONS ACOUSTIC ELECTRICAL SPECIFICATIONS: Nominal Impedance: System Input Power Rating: Frequency Response: Frequency Range: System Sensitivity: Maximum S... lang:en score:40 filesize: 185.74 K page_count: 2 document date: 2016-04-20



[\[pdf\]](#) User Manual Specifications Warranty Diagram

AC1895 WH qxd thunsake JBL AC18 95 MarkertekNominal Impedance 8 Ohms System Input Power Rating 250W Continuous Pink Noise 500W Program 1000W Peak Frequency Response 60 Hz 18 kHz ± 3 dBAC18/95 Manualmarkertek Attachments Manuals JBLProfessional AC18/95 Manual srsItd AfmBOopBTv9YnhF1CdcUqxHjdHkQsOyYY5mPdpt5Dw5d VH0qYye9 c MarkertekJBL dBJBL Incorporated 8500 Balboa Boulevard P O Box 2200 Northridge California 91329 U S A REV F PACKAGE WIRING DIAGRAM 04 10 Technical markertek cmarkertek AfmBOopN1EXfbl3XXl1tnhW ctlbnloVJA9Zz0 COJnhUnj GSn97nQn Technical JBL GSn97nQnmarkertek AfmBOop9n NQBYDg1vu 4fqHpYrypVxQbhrS bgoMgMhTfTTICjhXDCX |||

Technical Manual JBL Incorporated, 8500 Balboa Boulevard, P.O. Box 2200, Northridge, California 91329 U.S.A. JBL **AC18/95-WH** SPECIFICATIONS ACOUSTIC ELECTRICAL SPECIFICATIONS: Nominal Impedance: System Input Power Rating: Frequency Response: Frequency Range: System Sensitiv... lang:en score:33 filesize: 185.74 K page_count: 2 document date: 2016-04-20

[illegible][illegible][illegible]

AC1895 Compact 2-way Loudspeaker System with 1-8" U

Key Features:

- Compact enclosure
- 20 watt RMS power amplifier
- 100 WATT Programmable Speaker® Full Range Driver, 90°x90°x15° 2" x 8"
- 10 x 4 inch compression driver
- Dual bandpass 1/2 octave filters
- Multiple Amplifier Pairs for Ultimate Flexibility

Applications:

- Performance and Studios
- Houses of Worship
- Sports Arenas
- Multi-Sector Systems
- Ball Rooms
- Recreational Areas
- Educational Facilities

• Portable Audio/Visual Systems

AC1895 is a compact full-range loudspeaker system that can be used in a single room setting and yet be easily expanded. The enclosure is rugged, lightweight and has a 10 x 4 inch compression driver, mounted in an angled grille for wider dispersion. It contains a 20 WATT Programmable Speaker® driver and a 100 WATT compression driver. The 20 WATT Programmable Speaker® driver provides excellent low and mid-range response and a smooth response for 20 kHz. The 100 WATT compression driver provides excellent high frequency response and a smooth response for 20 kHz. The AC1895 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3-3. The AC1895-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3. The 3-way system is the AC1895-3-3-3. The AC1895-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3. The 3-way system is the AC1895-3-3-3-3. The AC1895-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3. The AC1895-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3. The 3-way system is the AC1895-3. The AC1895-3 is available in a 2-way or 3-way configuration. The 2-way system is the Standard AC1895-3-3

[\[pdf\]](#) Guide

Datablad AC18 95 h yttaler JBL kompakt h yttaler 8 HF 90x50 horn brakett ikke inkl hvit LydRommet Norge h yttaler lydrommet no Attachment DownloadFile Id 2402 |||

AC18/95 Compact 2-way Loudspeaker System with 1 - 8 LF Key Features: Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition™ Field Rotatable Waveguide with a 25 mm 1 in exit compression driver Dual Neutrik NL4 connectors plus screw terminals Multiple Attachment Points...

lang:en score:27 filesize: 312.2 K page_count: 2 document date: 2008-05-02

Crown DCI-N/DCI-DA Amplifiers: AE Series FIR Tuning Guide

Instructions for applying AE Series FIR tuning sets to Crown DCI-N and DCI-DA amplifiers for enhanced loudspeaker performance. Covers model compatibility, loading procedures, and parameter settings.

lang:en score:26 filesize: 338.54 K page_count: 4 document date: 2020-12-18

[\[pdf\]](#) Guide

AC18 95 u Compact 2 way Loudspeaker System with 1 8 LF SSAC18 50 CRP 5M 16 JBL Professional
8500 Balboa Boulevard P O Box 2200 Northridge California 91329 U S A 736695 082016 bhphotovideo lit
files jblpro en site elements ac18 spec sheet 80 ProductAttachments


AC18/95 Compact 2-way Loudspeaker System with 1 - 8 LF Key Features: u
Compact enclosure u 205 mm 8 in LF transducer u 90 x 50 Progressive Transition™
Field Rotatable Waveguide with a 25 mm 1 in exit compression driver u Dual Neutrik
NL4 connectors plus screw terminals u Multiple Attachment P...

lang:en score:24 filesize: 413.13 K page_count: 2 document date: 2016-09-06

[JBL AC18/95 Compact 2-way Loudspeaker System - Professional Audio Specifications](#)

Explore the detailed specifications, key features, and applications of the JBL AC18/95 compact 2-way loudspeaker system. This professional audio solution features an 8-inch LF transducer, rotatable waveguide, and robust construction for versatile installation.

lang:en score:22 filesize: 307.72 K page count: 2 document date: 2008-10-08



[pdf] Dimension Guide Borchure

Layout 1 AE SERIES JBL Professional250W Continuous 1000W Peak Coverage Pattern AC18 95 90° x 50° 26 120° 60° Dimensions H X W D 469 9 237 5 254 mm 18 4 10 inAE pact bro 0508 webjblpro en US site elements ae compact brochure Professionalae web250W inGP Cabling Fabricante HARMANAE webae brochuregpcabling br produto documento 94103 web |||

AE SERIES application engineered COMPACT MODELS AC 15 AC 25 AC 16 AC 26 AC 18/95 AC 18/26 AC 28/95 A ... us screw terminal Attachment points for U-bracket, OmniMount type bracket, and stand mount adapter **AC18/95** Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition Field Rotata...

lang:en score:22 filesize: 1022.39 K page_count: 4 document date: 2010-11-09



[pdf] Catalog

2014 JBL Installed Catalog jblpro 80 ProductAttachments

Harman Professional Catalog 2014 VP7315/95DP VP SERIES VPSB7118DP

VP7212/95DP VP7215/95DP VP721 ... MODELS INSTALLATION PRODUCTS

Harman Professional Catalog 2014 AC25 AC26 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26 AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY LEADING AE SERIES AC1...

lang:en score:18 filesize: 2.31 M page_count: 17 document date: 2014-02-21



[pdf] Decleration of Conformity Catalog

AE Compact AC Models 36 Harman Consumer Group mbaskins Additional ResourcesJBL Professional SRX906LA AF Array Frame for and SRX915SFJF SRX906LAF Resourcescdn adiglobaldistribution us

pim Original 10636 JF Resources ec declaration of conformity JBL ProfessionalAdditional

ResourcesBrand Family Name Model Names AC15 WH AC16 WRC WRX AC18 26 26JBL SRX915SFAE

COMPACT MODELSJF Resourcesjblpro es site elements ae compact ac models conformitycdn |||

EC-DECLARATION OF CONFORMITY Brand: Family Name: Model Names: JBL


Professional AE Compact - AC Models AC15, AC15-WH, AC16, AC16-WH, AC16-

WRC, AC16-WRX, AC18/26, AC18/26WH, AC18/26-WRC, AC18/26-WRX, **AC18/95,**

AC18/95-WH, AC18/95-WRC, AC18/95-WRX, AC25, AC25-WH, AC26, AC26-WH,

AC26-WRC, AC26-WRX, AC2...

lang:en score:18 filesize: 91.6 K page_count: 2 document date: 2018-01-23



[pdf] User Manual Documentation Guide

DownloadAC18 95 Advanced Communication Equipment International Company LtdJBL AC18 082016v4 cecdun yun300 cn 100001 2204265049 JBL 082016 Compact 2 Way Loudspeaker 1 x 8 single unit

GoKnightJBL 082016JBL 082016goknight content documentation ProfessionalDownloadThe is a

compact way loudspeaker with an LF transducer 90° 50° rotatable waveguide and compression driver

designed for maximum bandwidth AC18 082016jblpro pt site elements ac18 spec sheetv4 082016manual internal 2023 10 |||


AC18/95 Compact 2-way Loudspeaker System with 1 - 8 LF Key Features: u

Compact enclosure u 205 mm 8 in LF transducer u 90 x 50 Progressive TransitionTM

Field Rotatable Waveguide with a 25 mm 1 in exit compression driver u Dual Neutrik

NL4 connectors plus screw terminals u Multiple Attachment P...

lang:en score:17 filesize: 413.13 K page_count: 2 document date: 2016-09-06



[\[pdf\]](#) Guide Borchure


JBL AE Series Speakers AC AM Brochure 2022 10 19 22 jblpro en US site elements jbl professional ae series brochure |||

AE SERIES LOUDSPEAKERS INSTALLED AUDIO SOLUTIONS Contents Guide
About JBL..... ..

..... 6

AC18/95..... ..

lang:af **score:17** filesize: 5.71 M page_count: 9 document date: 2022-10-19



[\[pdf\]](#)

JBL PROFESSIONAL BUILDS ON SUCCESS OF AE SERIES WITH NEW COMPACT LOUDSPEAKER FAMILY KKapin Messe AECompact jblpro 80 press march08 |||

MUSIKMESSE HALL 8.0 WALKWAY G STAND 32 FOR IMMEDIATE RELEASE

Contact: Travis McGee, Griffin Integrat ... , with a power rating of 300W Continuous, 1200W Peak and a coverage pattern of 90 x 90 degrees. **AC18/95** compact, two-way loudspeaker system with one 8-inch lowfrequency transducer, weighing 12.8 k...

lang:en **score:17** filesize: 40.9 K page_count: 3 document date: 2008-10-27



[JBL Professional Catalog 2015: Comprehensive Audio Solutions](#)

Explore the 2015 JBL Professional Catalog, detailing a vast array of high-performance loudspeakers, subwoofers, drivers, and audio components for professional sound, cinema, studio, and installation markets. Discover innovative technologies and product series including EON, PRX, VTX, VERTEC, and more.

lang:en **score:17** filesize: 17.07 M page_count: 88 document date: 2020-03-27



[pdf] Specifications Catalog

jbl pro catalogue 2011 komora 80 uf File JBL Professional |||

JBLProfessional JBL is the largest brand within Harman. JBL s home base is part of the Harman Inter ... INSTALLATIONPRODUCTS f VERTICALORHORIZONTALORIENTATION f HIGHPERFORMANCE VS. COST AC28/95 AC 28/26 **AC18/95** AC 18/26 Harman Pro Group 2011 Section: 06 AC15 JBL continues to support artists worl...

lang:en **score:16** filesize: 7.08 M page_count: 70 document date: 2010-12-27




[pdf] Catalog

JBL PROFESSIONAL 550 jbl 488224959374 karadag tr UserFiles MenuFiles |||

Harman Professional Catalog 2014 JBL PROFESSIONAL JBL PROFESSIONAL JBL is the largest brand within ... MODELS INSTALLATION PRODUCTS Harman Professional Catalog 2014 AC25 AC26 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26 AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY LEADING AE SERIES AC1...

lang:en **score:16** filesize: 10.26 M page_count: 84 document date: 2014-02-21



[pdf] Declaration of Conformity Catalog

AE Compact AC Models 36 Harman Consumer Group mbaskins COMPACT MODELS jblpro en asia site elements ae compact ac models declaration of conformity filename* UTF 8

EC-DECLARATION OF CONFORMITY Brand: Family Name: Model Names: JBL Professional AE Compact - AC Models AC15, AC15-WH, AC16, AC16-WH, AC16-WRC, AC16-WRX, AC18/26, AC18/26WH, AC18/26-WRC, AC18/26-WRX, **AC18/95**, **AC18/95-WH**, **AC18/95-WRC**, **AC18/95-WRX**, AC25, AC25-WH, AC26, AC26-WH, AC26-WRC, AC26-WRX, AC2...

lang:en **score:15** filesize: 91.6 K page_count: 2 document date: 2018-01-23



[pdf] Guide

13952 1F899E04d01 fullcompass 80 common files

AC18/95 Compact 2-way Loudspeaker System with 1 - 8 LF Key Features: Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition™ Field Rotatable Waveguide with a 25 mm 1 in exit compression driver Dual Neutrik NL4 connectors plus screw terminals Multiple Attachment Points...


lang:en **score:15** filesize: 307.72 K page_count: 2 document date: 2008-10-08



JBL Professional Audio Systems: Portable and Installation Loudspeakers Catalog

Explore the comprehensive range of JBL Professional audio solutions, including portable PA systems like EON, PRX, JRX, MRX, SRX, VRX series, and installation sound systems such as VERTEC, VRX, PD, AE, Control, and CBT series. Discover high-performance loudspeakers for every professional audio need.

lang:en score:15 filesize: 3.56 M page_count: 70 document date: 2015-12-02



[pdf] Borchure

Installation Products Audiobizz 500 W 2000W peak 2 hrs 350 1400W 100 Narrow 125 dB JBL Control Contractor 60 Series Pendant loudspeakers bring renowned sound JB02500 static audiobizz eu files brochure |||

Installation Products Attractions A/V Systems Casinos Clubs Concert Venues Convention Facilities Cor ... INSTALLATIONPRODUCTS f
VERTICALORHORIZONTALORIENTATION f
HIGHPERFORMANCE VS. COST
AC28/95 AC 28/26 **AC18/95** AC 18/26 Harman Pro Group 2013 Section: 07 AC15
JBL continues to support artists world...

lang:en score:15 filesize: 9.96 M page_count: 33 document date: 2012-12-21



JBL Professional Catalog 2015: Comprehensive Loudspeaker Systems and Audio Solutions

Explore the extensive range of JBL Professional audio solutions, including portable PA systems, installation speakers, studio monitors, cinema sound, and components, as detailed in the 2015 Harman Professional Catalog.

lang:en score:15 filesize: 17.07 M page_count: 88 document date: 2020-03-27




[pdf] Borchure

Layout 1 19777 AEsSeriesBrochure fullcompass 80 common files

AE SERIES application engineered COMPACT MODELS AC 15 AC 25 AC 16 AC 26
AC 18/95 AC 18/26 AC 28/95 A ... us screw terminal Attachment points for U-bracket, OmniMount type bracket, and stand mount adapter **AC18/95** Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition Field Rotata...

lang:en score:14 filesize: 1009.93 K page_count: 4 document date: 2013-10-29



[\[pdf\]](#) Catalog

Layout 1 AE pact bro 0508 web www2 jblpro 80 catalog support getfile.aspx doctype 3 docid 972

AE SERIES application engineered COMPACT MODELS AC 15 AC 25 AC 16 AC 26 AC 18/95 AC 18/26 AC 28/95 A ... us screw terminal Attachment points for U-bracket, OmniMount type bracket, and stand mount adapter **AC18/95** Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition Field Rotata...

lang:en score:14 filesize: 1.27 M page_count: 4 document date: 2008-06-12




[\[pdf\]](#) Borchure Catalog

Layout 1 AE SERIES AC16 brochure pact bro 0508 web soundpro catalog documents jblpro en asia site elements ae compact 80 ProductAttachments

AE SERIES application engineered COMPACT MODELS AC 15 AC 25 AC 16 AC 26 AC 18/95 AC 18/26 AC 28/95 A ... us screw terminal Attachment points for U-bracket, OmniMount type bracket, and stand mount adapter **AC18/95** Compact enclosure 205 mm 8 in LF transducer 90 x 50 Progressive Transition Field Rotata...

lang:en score:14 filesize: 1022.39 K page_count: 4 document date: 2010-11-09



[\[pdf\]](#) Catalog

2012 hpro catalog JBL Section6 lowres harmanpro docs

2012 Full-Line Catalog Introduction: Corporate Overview Playback the last 60 years of music and mo ... ALLATION PRODUCTS f VERTICAL OR HORIZONTAL ORIENTATION f HIGH PERFORMANCE VS. COST AC28/95 AC 28/26 **AC18/95** AC 18/26 Harman Pro Group 2012 Section: 06 AC15 JBL continues to support artists world...

lang:en score:14 filesize: 27.14 M page_count: 91 document date: 2012-02-08



[\[pdf\]](#) User Manual

JBL Professional Hendrix Studio A rugged touring rack fitted with three Crown I Tech Instruction Manual damage resulting from the performance of repairs by someone not authorized by Celebrating sixty years success in speaker industry this book offers details on people and products that have made famous akusticheskaya sistema jpr jbl jrx hendrixstudio ru manual

JBL Professional Harman Pro Group 2013 JBL is the largest brand within Harman. JBL s home base i ... ALLATION PRODUCTS f VERTICAL OR HORIZONTAL ORIENTATION f HIGH PERFORMANCE VS. COST AC28/95 AC 28/26 **AC18/95** AC 18/26 Harman Pro Group 2013 Section: 07 AC15 JBL continues to support artists world...

lang:en **score:14** filesize: 17.16 M page_count: 98 document date: 2013-04-18



[JBL 2023 Install Full Line Product Catalog - Professional Audio Solutions](#)

Explore the comprehensive 2023 Install Full Line Product Catalog from JBL Professional, featuring a wide range of loudspeakers, PA systems, studio monitors, cinema sound solutions, and more. Discover innovative audio technologies and high-performance products for professional installations.

lang:it **score:14** filesize: 32.42 M page_count: 51 document date: 2023-06-07



[\[pdf\]](#) Installation Guide Catalog

JBL Professional Loudspeakers Italian Product CATALOG 2025 2 10 25 Web jblpro resource jbl install product catalog |||

VERSION 2.10.25 2025 Product Catalog Contents About

JBL..... inish. White available upon request. WRC/WRX finishes are available for extreme weather protection. **AC18/95** AC18/26 Compact enclosures with one 200mm 8in. LF transducer and a 90x 50 Progressive Tr...

lang:es **score:14** filesize: 37.86 M page_count: 57 document date: 2025-02-10



[JBL Professional 2024 Install Full Line Product Catalog](#)

Explore the comprehensive 2024 Install Full Line Product Catalog from JBL Professional, featuring a wide range of audio solutions including ceiling, surface mount, pendant, in-wall, landscape, column, point-source, portable PA, studio monitors, and cinema speakers. Discover innovative technologies and high-performance audio equipment for diverse installation and live sound applications.


lang:it **score:14** filesize: 35.6 M page_count: 104 document date: 2024-02-29



[\[pdf\] Catalog](#)

اسپیگر JBL JRX 212 Proavl 2015 JBLPRO Full Line Catalog original proavl net 2020 02 ||| HHaarrmmaannPPrrooffeesssional Catalog 2015 JBL PROFESSIONAL JBL PROFESSIONAL JBL is the largest b ... 5 AC26 Harman Professional Catalog 2015 Harman Professional Catalog 20145 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26 AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY LEADING AE SERIES AC1...


lang:en **score:14** filesize: 11.72 M page_count: 88 document date: 2020-02-03



[TMP Pro Audio Catalog 2011](#)

Explore the comprehensive 2011 Pro Audio Catalog from TMP Pro Distribution, featuring a wide array of microphones, speakers, amplifiers, mixers, and other audio equipment from leading brands.

lang:en **score:14** filesize: 15.43 M page_count: 126 document date: 2011-01-19



[pdf] Installation Guide Specifications Borchure Catalog

MAV JBL Install Brochure 2023 Final productmedia mge au Professional Attachments ||| Loudspeaker and Commercial Audio Products. 2023-2024 2023 Install Full Line Product Catalog innovate ... ion: 90x 90 HxV Response: 55Hz-20kHz Sensitivity: 92dB, Power: 180W 8 Suspension: M6 x4, M8 x6 **AC18/95** AC18/26 Compact enclosures with one 200mm 8 LF transducer and a 90x 50 Progressive Tran... lang:en score:14 filesize: 19.66 M page_count: 92 document date: 2023-08-09



JBL Professional 2023 Install Full Line Product Catalog - Loudspeakers & Audio Systems

Explore the comprehensive 2023 Install Full Line Product Catalog from JBL Professional, featuring a wide range of loudspeakers, installed audio systems, soundbars, and studio monitors for professional applications. lang:it score:14 filesize: 35.34 M page_count: 102 document date: 2023-10-11



[pdf] Catalog

2015 JBLPro Installed Catalog JBLPRO jblpro ProductAttachments axystunnel en US site elements installed sound full line catalog Harman Professional Catalog 2015 Harman Professional Catalog 2015 VP7315/95DP VP SERIES VPSB7118D ... 5 AC26 Harman Professional Catalog 2015 Harman Professional Catalog 20145 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26 AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY LEADING AE SERIES AC1... lang:en score:13 filesize: 2.59 M page_count: 17 document date: 2015-03-03

[pdf] Price List

TIPS AV Price Lists IES COMMUNICATIONSJBL MSRP List Feb 2024iescomm files ugd 6a4d6f c68c07500d414a7b8ddf8b2ee899b276 ||| SKU Category JBL Commercial Electronics Powered Pro Soundbars PSB-1 PSB-1/230 MIXERS NCSM14-U-US N ... -LS-BK AE Compact Series AC15 AC15-WH AC16 AC16-WH AC16-WRC AC16-WRX AC18/26 AC18/26-WH AC18/26-WRC **AC18/95 AC18/95-WH AC18/95-WRX AC18/95-WRC** AC25 AC25-WH AC25-WRX AC26 AC26-WH AC26-WRC AC28/26 AC28/... lang:de score:13 filesize: 188.12 K page_count: 14 document date: 2024-02-07



[\[pdf\]](#) Installation Guide Catalog

2024 Install Full Line Product Catalogue JBL CATALOGUE NZ web jpro co nz 05 |||

VERSION 02.29.24 NZ 10.05 2024 Install Full Line Product Catalogue Contents

About JBL..... inish. White available upon request. WRC/WRX finishes are available for extreme weather protection. **AC18/95** AC18/26 Compact enclosures with one 200mm 8in. LF transducer and a 90x 50 Progressive Tr...

lang:it **score:13** filesize: 57.99 M page_count: 104 document date: 2024-05-10



[\[pdf\]](#) Catalog

JBL PROFESSIONAL Techni Lux Perfect for performing musicians DJs Houses of Worship clubs and so many others the EON615 represents next step forward in portable loudspeaker ZZAL2040 srsItid

AfmBOoqotxq W85vKRr U0ifHSoWRN38N9Y97qO65kNr 2mn1XGMLfmd techni lux files documents lit |||

HHaarrmmaannPProoffeessssional Catalog 22001155 JBL PROFESSIONAL JBL

PROFESSIONAL JBL is the larg ... 5 AC26 Harman Professional Catalog 2015

Harman Professional Catalog 20145 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26

AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY

LEADING AE SERIES AC1...

lang:en **score:13** filesize: 17.12 M page_count: 88 document date: 2020-03-27



[\[pdf\]](#) Installation Guide Catalog

2023 Install Full Line Product Catalog jbl install full line product catalog leadingtech it media aj5laztf |||

2023 Install Full Line Product Catalog Contents About JBL.....

... inish. White available upon request. WRC/WRX finishes are available for extreme weather protection. **AC18/95** AC18/26 Compact enclosures with one 200mm 8in LF transducer and a 90x 50 Progressive Tra...

lang:it **score:13** filesize: 32.43 M page_count: 51 document date: 2023-06-07



lang:en score:12 filesize: 90.8 K page count: 13 document date: 2024-06-11



[\[pdf\]](#) Specifications Catalog

Loudspeakers Commercial Audio Products MAV JBL Catalogue Single Page Low Res Innovate Support Our team is dedicated to finding the best possible solution for every project provide a successful formula delivering innovation agility MTU 26 BK U Bracket For Model AC26 Black MadisonAV productmedia mge au Professional Attachments |||

Loudspeakers Commercial Audio Products. innovate / distribute / support Innovate. MadisonAV is a ... x 90 HxV Response: 55Hz-20kHz Sensitivity: 92dB, CD, WG Power: 180W 8 Suspension: M6 x4, M8 x6 **AC18/95** AC18/26 Compact enclosures with one 200mm 8 LF transducer and a 90x 50 Progressive Tran...
lang:en score:12 filesize: 9 M page_count: 76 document date: 2022-07-11




[JBL 2025 Product Catalog: Professional Audio Solutions](#)

Explore the comprehensive range of JBL Professional audio solutions, designed to deliver unparalleled sound quality and performance across diverse applications. From live sound reinforcement and installed audio systems to precision studio monitors and immersive cinema sound, JBL Professional consistently pushes the boundaries of audio innovation. Discover innovative solutions from JBL's 2025 product catalog.
lang:es score:12 filesize: 30.18 M page_count: 57 document date: 2025-03-27



[\[pdf\]](#) Catalog

Additional ResourcesJBL Professional JBL GSF3 TN 3 Coaxial Ground Stake Landscape Loudspeaker TanJF JBLGSF3TN Resourcescdn adiglobaldistribution us pim Original 10695 JF Resources ResourcesAdditional TanJBL ProfessionalJF ResourcesJF LCT81CT ProfessionalJBL C28 1JF C281BLK 1JBL GSB12 12 In Outdoor Subwoofer JBLGSB1TN CTRL226CT Control 85M 5 25 2 Way Mushroom Speaker GreenJF C85M GreenJBL SLP14 T BK 4 Sleek Low Profile On Wall BlackJF JBLSLP14T BlackJBL GN JBLGSF3GN 50S TJBL C50STWH 52 Surface Mount Satellite for System with Distortion 60 mm Pair WhiteJF C52BLK WhiteJBL 1LJF C281LBLK Tan 1 Green Black White 1L C10C v1 cdn C16CT 1LJBL SLP12 JBLSLP1BK GSB8 8 JBLGSB8TN ||| ||| VERSION 2.10.25 2025 Product Catalog Contents About JBL . 4-7 Ceiling Loudspeakers 8-19 LCT Series .8 CSS Commercial Series 9 8100 Series 10 Control 10 Series . 11 Control 20 Series . 12 Control 40 Series . 13 NEW Control 400 Series .14-17 ||| VERSION 2.10.25 2025 Product Catalog Contents About JBL . 4-7 Ceiling Loudspeakers 8-19 LCT Series .8 CSS Commercial Series 9 8100 Series 10 Control 10 Series . 11 Control 20 Series . 12 Control 40 Series . 13 NEW Control 400 Series .14-17
VERSION 2.10.25 2025 Product Catalog Contents About JBL..... inish. White available upon request. WRC/WRX finishes are available for extreme weather protection. **AC18/95** AC18/26 Compact enclosures with one 200mm 8in. LF transducer and a 90x 50 Progressive Tr...
lang:es score:11 filesize: 37.86 M page_count: 57 document date: 2025-02-10




[pdf]

201405 indd 2014 5 May 1 2014 · AC26 165 000 181 AC18 95 142 155 26 LC MW3
10 □ 20140501 hibino intersound co jp tools file cgi 7591 |||
20145 2014 3 14 Div. Div. 2014 5 1 2014 5 2014 5 1 Div. ... 588,000 536,000 588,000
536,000 588,000 AE Series Compact Models AC15 AC25 AC16 AC26 **AC18/95**
AC18/26 AC28/95 AC28/26 MTU-15 MTU-15-WH ACU16 ACU18 ACU25 ACU26
ACU28 BCH-140B SPH-140B SPA...
lang:de score:11 filesize: 1.56 M page_count: 60 document date: 2014-03-13



[pdf]

Download Jbl Lsr305 Price In India Jands Audio Dec 2016 List jands au data assets file 0005 21947 |||
Audio Pric2e01L6ist Effective 01st December 2016 Jands Pty Ltd 1995 2016
01/12/16 All rights re ... nting Bracket-U for AC16 Loudspeaker Mounting Bracket-U
for AC26 Loudspeaker Mounting Bracket-U for **AC18/95** AC18/26 Loudspeaker
Mounting Bracket-U for AC28/95 AC28/26 All MTU brackets are also ava...
lang:en score:11 filesize: 1.73 M page_count: 145 document date: 2016-12-16



[pdf] Catalog

2011 4 Div 2011 Sound System Products CATALOG AKG BSS AUDIO
CROWN AMCRON dbx JBL PROFESSIONAL 2 300 CK 31 32 33 W 30 ¥735 700 C 451
B HARMAN sougou 201104 hibino intersound co jp image custom |||
2011 Sound System Products CATALOG JW JW 3. /1SP 3. /1S ... eaker System AE
Compact Series 8BZ AC18 JBL PROFESSIONAL = 8BZ AC28 JBL PROFESSIONAL
= **AC18/95** 7 AC18/26 AC28/95 7 AC28/26 Wireless Microphone System 254 255
Preamp Channel Strip...
lang:de score:10 filesize: 45.55 M page_count: 234 document date: 2011-04-14



[\[pdf\]](#) Catalog

2015 JBLPro Full Line Catalog jblpro ProductAttachments |||

HHaarrmmaannPPrrooffeesssional Catalog 2015 JBL PROFESSIONAL JBL

PROFESSIONAL JBL is the largest b ... 5 AC26 Harman Professional Catalog 2015

Harman Professional Catalog 20145 AC28/95 AC 28/26 AC16 **AC18/95** AC 18/26

AC15 AE SERIES COMPACT MODELS AN EXTENSION OF THE INDUSTRY

LEADING AE SERIES AC1...

lang:en score:10 filesize: 11.74 M page_count: 88 document date: 2015-03-03