



Manuals.plus /

› Riccar /

› Riccar 8000 & Simplicity 7000 Type B Vacuum Bags Instruction Manual

## Riccar Type B

# Riccar 8000 & Simplicity 7000 Type B Vacuum Bags Instruction Manual

## INTRODUCTION

---

This manual provides essential instructions for the proper installation and use of Riccar 8000 and Simplicity 7000 Type B vacuum bags. Following these guidelines will ensure optimal performance and filtration efficiency for your compatible upright and commercial vacuum cleaners.

## CHANGING THE FILTER BAG

---

**Important Reminder:** For maximum filtration efficiency, please inspect the secondary filter (located under the filter bag) and/or the post filter. Replace filters if necessary. Refer to your vacuum cleaner's owner's manual for further instructions on filter replacement.

1. **1. Open the front cover and remove the used bag.**Carefully open the vacuum cleaner's front cover. Remove the used bag by pulling its collar off the bag holder. Discard the used bag responsibly.



Image: This illustration depicts the process of opening the vacuum's front cover and detaching the used bag from its holder.

2. **2. Prepare the new bag.** Before installing the new bag, gently open the tucks in the bag to expand it, as shown in the illustration.



Image: This illustration demonstrates how to unfold and open the tucks of a new vacuum bag prior to installation.


3. **3. & 4. Insert the new bag and close the front cover.** Slide the new bag completely onto the bag holder, ensuring it is securely seated. Then, close the vacuum cleaner's front cover firmly.



Image: These illustrations show the steps for inserting the new bag onto the holder and subsequently closing the vacuum's front cover.

## USAGE GUIDELINES

- **Optimal Fill Level:** For peak performance and to maintain suction power, fill the vacuum bag only to the indicated "For Peak Performance Fill To This Line Only" mark on the bag.



For Peak Performance Fill To This Line Only



Once bag is full, use closure to prevent leakage during disposal

1. Slide finger under door below arrow

2. Flip door up, push through intake hole

### TO CHANGE FILTER BAG:

Important Reminder: For maximum filtration efficiency, please inspect the secondary filter (located under the filter bag) and/or the post filter. Replace filters if necessary. See owners manual for further instructions.

1. Open front cover. Remove used bag by pulling bag collar off of bag. Discard bag.
2. Before installing new bag, open tucks in bag.



3. & 4. Insert the new bag onto the bag holder completely. Close front cover.



Image: Close-up of the