

Wagner Control Pro 350 M

WAGNER Control Pro 350 M Airless Paint Sprayer Instruction Manual

Model: Control Pro 350 M

1. IMPORTANT SAFETY INFORMATION

Always prioritize safety when operating the WAGNER Control Pro 350 M Airless Paint Sprayer. Failure to follow these instructions may result in injury or property damage.

- Wear appropriate personal protective equipment (PPE) including a protective mask, gloves, and eye/face protection when using this product.
- Avoid direct contact with skin and eyes.
- Operate the sprayer in a well-ventilated area to prevent inhalation of fumes.
- Do not spray near open flames or sources of sparks.
- Keep the unit away from heat sources and direct sunlight.
- Store the sprayer in a cool, dry place, away from incompatible materials.
- Dispose of all contents and containers in accordance with local, state, and federal regulations.

2. PRODUCT COMPONENTS

The WAGNER Control Pro 350 M includes the following components:

- Control Pro 350 M base unit
- High-quality Control Pro Airless spray gun
- 15-meter Airless hose
- HEA 311 and 517 reversible nozzles for thick or thin materials
- HEA Filter kit
- Instruction manual (this document)
- FFP2 protective mask



Image 1: Overview of the WAGNER Control Pro 350 M Airless Paint Sprayer and its included accessories, such as the spray gun, hose, nozzles, and protective mask.

3. SETUP INSTRUCTIONS

Follow these steps to prepare your WAGNER Control Pro 350 M for operation:

1. **Unpack and Assemble:** Carefully remove all components from the packaging. Assemble the base unit, attaching the wheels and telescopic handle if not already assembled.
2. **Connect the Hose:** Securely connect the 15-meter Airless hose to the sprayer unit and the spray gun. Ensure all connections are tight to prevent leaks.
3. **Install Nozzle:** Select the appropriate HEA nozzle (311 for thinner materials, 517 for thicker materials) and install it onto the spray gun.
4. **Prepare Paint:** Ensure your paint material is properly mixed and, if necessary, diluted according to the paint manufacturer's instructions and the sprayer's guidelines. The Control Pro 350 M is designed for direct suction from the paint container, allowing for quick and clean application.
5. **Position the Suction Tube:** Place the suction tube directly into the paint container.

6. **Prime the System:** Follow the priming procedure outlined in the detailed manual to remove air from the system and ensure a consistent paint flow.

A promotional graphic for the WAGNER DIY App. On the left, a large smartphone displays the app's interface, which is yellow and features the WAGNER logo at the top. Below the logo is a 'W DIY' icon. The app lists four features with corresponding icons: 'Full support at every step of your project' (hand icon), 'Perfect handling with the AR SprayTrainer' (sprayer icon), 'Optimal spray settings thanks to the material scan function' (paint bucket icon), and 'Inspiration and project management at a glance' (lightbulb icon). To the right of the phone, a man in a blue denim shirt is smiling and looking at his smartphone. The background is a light-colored wall. At the bottom of the graphic, there are two QR codes for downloading the app, with Android and Apple logos below them. To the right of the QR codes, the text reads 'Download the WAGNER DIY App now – for free'.

Image 2: A user preparing the sprayer by placing the suction tube directly into a paint bucket, demonstrating the direct suction feature.

For additional guidance on setup and optimal spray settings, consider downloading the WAGNER DIY App:



Image 3: The WAGNER DIY App provides full support, perfect handling with AR SprayTrainer, optimal spray settings via material scan, and project management. Download for Android [here](#) and iOS [here](#).

4. OPERATING INSTRUCTIONS

The WAGNER Control Pro 350 M is designed for professional Airless painting, offering up to 55% less overspray with maximum control. It is suitable for medium to large projects and frequent use.

1. **Power On:** Connect the sprayer to a suitable power source and turn it on.
2. **Adjust Pressure:** Set the desired pressure level. It is recommended to test the spray pattern on a piece of cardboard or scrap material before applying to your main surface.
3. **Maintain Distance and Speed:** Hold the spray gun at a consistent distance (typically 20-30 cm) from the surface and move it at a steady, even speed. Overlap each pass by approximately 50% for uniform coverage.
4. **Telescopic Handle:** Utilize the telescopic handle for easy transport and compact storage, especially useful when moving between different work areas.



Image 4: A user applying paint to an interior wall, demonstrating the sprayer's capability for indoor projects.

3+1

EXTRA YEAR

WAGNER

G U A R A N T E E

Image 5: A user applying paint to an exterior wall, highlighting the sprayer's versatility for outdoor applications.



Image 6: A user applying a protective coating to a wooden fence, showcasing the sprayer's use for wood preservatives and anti-corrosion materials.



Image 7: A user spraying a ceiling, demonstrating the ease of reaching elevated surfaces with the Airless system.

5. MAINTENANCE AND CLEANING

Proper maintenance and cleaning are crucial for the longevity and optimal performance of your WAGNER Control Pro 350 M. Clean the unit immediately after each use.

1. **Depressurize:** Always depressurize the system before cleaning or performing any maintenance.
2. **Flush with Water/Solvent:** For water-based paints, flush the system thoroughly with clean water. For solvent-based paints, use the appropriate cleaning solvent recommended by the paint manufacturer. Run the cleaning agent through the pump, hose, and spray gun until it runs clear.
3. **Clean Nozzle and Filter:** Remove the nozzle and filter from the spray gun and clean them separately. The HEA nozzles are reversible for easy clearing of clogs.
4. **Wipe Down Unit:** Wipe down the exterior of the sprayer unit and hose with a damp cloth to remove any paint residue.
5. **Storage:** Store the cleaned and dried unit in a cool, dry place.

Note: Neglecting cleaning can lead to clogged nozzles and pump issues, significantly impacting performance.

6. TROUBLESHOOTING

This section addresses common issues you might encounter during operation. For more detailed troubleshooting, refer to the full product manual or the WAGNER DIY App.

- **No Spray or Weak Spray:**
 - Check if the unit is properly primed and there's no air in the system.
 - Ensure the suction tube is fully submerged in paint.
 - Inspect the nozzle for clogs. Use the reversible feature to clear it.

- Check the filter for blockages.
- Verify that the paint is adequately diluted for the sprayer.

- **Inconsistent Spray Pattern:**

- Ensure consistent pressure settings.
- Check for worn or damaged nozzles.
- Verify paint consistency and proper mixing.

- **Leaks:**

- Tighten all hose connections.
- Inspect hoses and seals for damage.

7. TECHNICAL SPECIFICATIONS

Specification	Detail
Brand	Wagner
Model Number	2371057
Product Dimensions	81 x 81 x 43 cm
Item Weight	17.07 kg
Color	Black, Yellow
Material	Plastic and Metal
Power Source	Corded Electric
Hose Length	15 Meters
Special Features	Direct Suction, Lightweight Airless Gun
Recommended Use	Painting (Walls, Enamels, Glazes, Wood Preservatives, Anti-corrosion)

8. WARRANTY AND SUPPORT

WAGNER offers a standard three-year manufacturer's warranty for this product. You can extend this warranty by an additional year by registering your product online.






Image 8: WAGNER offers a 3+1 year extended guarantee upon online registration.

For any questions, issues, or technical support, please contact WAGNER customer service at: **+39 0341 212**


You can also visit the official WAGNER store for more information and products:[WAGNER Store](#).

Related Documents - Control Pro 350 M

 UNIVERSAL SPRAYER W 950 FLEXIO OPERATING INSTRUCTIONS	Wagner W 950 Flexio Universal Sprayer Operating Instructions Comprehensive operating instructions for the Wagner W 950 Flexio Universal Sprayer, detailing safety precautions, setup, operation for wall paints and varnishes, maintenance, troubleshooting, and technical specifications.
 PROSPRAY 4.23 BETRIEBSANLEITUNG - OWNER'S MANUAL MODE D'EMPLOI - ISTRUZIONE PER L'USO	Wagner PROSPRAY 4.23 Airless Sprayer Manual This manual provides comprehensive operating instructions, safety precautions, and maintenance guidelines for the Wagner PROSPRAY 4.23 airless sprayer. It covers setup, operation, cleaning, troubleshooting, and technical specifications.
 SPRAYPACK 18V SPRAYPACK 18V SELECT HIGH PERFORMANCE AIRLESS SPRAYER ORIGINALBETRIEBSANLEITUNG	WAGNER SPRAYPACK 18V / 18V SELECT Hochleistungs-Airless-Sprühgerät Bedienungsanleitung Umfassende Bedienungsanleitung für das WAGNER SPRAYPACK 18V und SPRAYPACK 18V SELECT Hochleistungs-Airless-Sprühgerät. Enthält detaillierte Informationen zu Sicherheit, Bedienung, Wartung, Reinigung, technische Daten und Fehlerbehebung.
 UNIVERSAL SPRAYER W 590 FLEXIO TRADUCCIÓN DEL MANUAL DE INSTRUCCIONES ORIGINAL TRADUÇÃO DO MANUAL DE INSTRUÇÕES DE SERVIÇO ORIGINAL	Wagner W 590 Flexio Universal Sprayer User Manual Comprehensive user manual for the Wagner W 590 Flexio Universal Sprayer, covering setup, operation, maintenance, and troubleshooting. Includes safety instructions and parts lists.
	Wagner Control 150 M Troubleshooting Guide A troubleshooting guide for the Wagner Control 150 M paint sprayer, covering common problems such as the sprayer not starting, not drawing paint, pressure drops, leaks, and poor spray patterns, with corresponding causes and solutions.

	Wagner W 350 Wood & Metal Sprayer Operating Instructions Comprehensive operating instructions for the Wagner W 350 Wood & Metal Sprayer, covering setup, usage, maintenance, and troubleshooting for various coating materials.
--	---


Documents - Wagner – Control Pro 350 M



[\[pdf\]](#)

Download Airless Sprayer Control Pro 350 M Farbsprühsystem WAGNER 2372676 D 350M 9Spr 062022
cdn wagner group fileadmin manuals home finishing |||


UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com DE EN FR NL IT ES PT PL RO a 2 1 4 5 **Control Pro 350 M** 3 6 8
HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 2 1. 1. 2. 2. ...
lang:de **score:36** filesize: 12.76 M page_count: 140 document date: 2022-06-23



[\[pdf\]](#)

UNIVERSAL SPRAYER CONTROL PRO 350 M 2383109 Control Pro 350M NOR 042017 wagner group
fileadmin manuals home finishing |||

UNIVERSAL SPRAYER NOR **CONTROL PRO 350 M** OVERSETTAV AV DEN
ORIGINALE BRUKSANVISNINGEN wagner-group.com a 2 1 4 5 **Control Pro 350 M**
3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2 1. 1. 1. 2. ...
lang:no **score:35** filesize: 5.81 M page_count: 20 document date: 2017-04-27



[\[pdf\]](#) User Manual

Buy %product title% Conrad Electronic manual 1629551 wagner control pro 350 m paint spray system

600 w max feed rate 1500 ml/min asset conrad media10 add 160267 c1 gl 001629551ML01 |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** EREDETI HASZNÁLATI TMUTAT

wagner-group.com a 2 1 4 o 3 5 0 M 3 SPRAY P R I M E SPRAY P R I M E **Control**

Pro 350 M A 0=OFF A B PRIME SPRAY PRIME SPRAY B 1 2 A B A B A 25 - 30 cm

Control Pro 350 M B C 20 - 25cm D 20 - 25 cm 20 - 25 cm ...

lang:no **score:31** filesize: 1.82 M page_count: 18 document date: 2023-05-30



[\[pdf\]](#) Instructions

Buy Wagner Control Pro 250 M Paint spray system 550 W Max feed rate 1250 ml/min Conrad

Electronic user safety instructions 1629550 wagner control pro m paint w max ml/min asset conrad media10

add 160267 c1 gl 001629550ML02 user ml/min ElectronicBuy ml/min user hu 001629550ML01 ||| |||

UNIVERSAL SPRAYER CONTROL PRO 350 M HASZNÁLATI TMUTAT wagner-group.com O C o n l P r o

3 5 0 M SPRAY P R I SPRAY P R I Control Pro 350 M A 0=OFF A B PRIME SPRAY PRIME SPRAY B A

B A B A 25 - 30 cm Control Pro 350 M B C 20 - 25cm D 20 - 25 20


UNIVERSAL SPRAYER **CONTROL PRO 350 M** HASZNÁLATI TMUTAT wagner-

group.com O C o n l P r o 3 5 0 M SPRAY P R I SPRAY P R I **Control Pro 350 M** A

0=OFF A B PRIME SPRAY PRIME SPRAY B A B A B A 25 - 30 cm **Control Pro 350**

M B C 20 - 25cm D 20 - 25 20 - 25 cm cm **Control Pro 350 M** ...

lang:no **score:30** filesize: 3.97 M page_count: 21 document date: 2023-05-02



[\[pdf\]](#) User Manual Instructions

Untitled Wagner Control Pro 350 ManualWagner Manuals MillinControl Manual e7399e74 d31c 4e9a

be77 8f6c4e642fa3cdn shopify s files 1 0748 2772 7135 8f6c4e642fa3 v 1740338293 |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG

wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8

HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG

wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SP...


lang:en **score:28** filesize: 3.68 M page_count: 22 document date: 2022-11-07



[\[pdf\]](#) User Manual


SLO NAVODILO ZA UPORABO IN MONTAŽO Št Katarina Buy %product title% Conrad Electronic manual 1629551 wagner control pro 350 m paint spray system 600 w max feed rate 1500 mlmin asset conrad media10 add 160267 c1 sl 001629551ML01 |||

SLO - NAVODILA ZA UPORABO IN MONTAŽO Kat. st.: 16 29 551 www.conrad.si
NAVODILA ZA UPORABO Sistem za pršilno barvanje Wagner **Control Pro 350 M**
Kataloska st.: 16 29 551 Wagner, proizvajalec: Wagner Group GmbH, Schleswigstrae 1-5, 30853 Langenhagen Kazalo VARNOSTNI NAPOTKI
lang:i-klngon **score:28** filesize: 936.66 K page_count: 24 document date: 2022-01-03



[\[pdf\]](#)

Manuale dell utenteWAGNER Airless Control Pro 350 M Spray Gun for Wall Paint No Mineral Flours Enamels and Veils Wood Preservatives Anti Corrosion Yield 15 m² 2 Min Flexible Hose m Amazon it DIY ToolsC15iPriw6qSm media amazon images I C15iPriw6qS ref dp product quick view |||
UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8
HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SPRAY...
lang:de **score:25** filesize: 7.78 M page_count: 132 document date: 2016-12-20



[\[pdf\]](#)

Centro di per le nostre attrezzature fai da te 2372676 F Control Pro 350M 375M 9Spr 042024 cdn wagner group fileadmin manuals home finishing |||
UNIVERSAL SPRAYER **CONTROL PRO 350 M** CONTROL PRO 375 M
ORIGINALBETRIEBSANLEITUNG wagner-group.com DE EN FR NL IT ES PT PL
RO a 2 1 4 5 **Control Pro 350 M** / 375 M 3 6 8 HIGH EFFICIENCY AIRLESS D
CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16
17 19 18 7 1 14 ...
lang:i-klngon **score:24** filesize: 12.76 M page_count: 140 document date: 2024-04-03



[pdf] Declaration of Conformity

Bedienungsanleitung Wagner Farbsprüngerät Airless Control Pro 350 M bei HORNBACH kaufen
6251104 Doc 01 DE 20190205144654 cdn hornbach de data shop D04 001 780 491 175 052 |||
UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8
HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SPRAY...
lang:de score:24 filesize: 7.78 M page_count: 132 document date: 2016-12-20




[pdf]

Zlatomir Технически характеристики Помпа Wagner за боядисване електрическа 1 5 л мин 600 W 4 мм Control Pro 350 M Tashev Galving 009 EUR 146 tashev galving files spec |||
Wagner 1.5 /, 600 W, 4 , **Control Pro 350 M** www.tas-hev-galving.com , , - 15 / 2 , ,
1.5 / 110 bar 600 W , 15 315 317 HEA . www.tas-hev-galving.com : Wagner 1.5 /, 600 W, 4 , **Control Pro 350 M** : : Wagner : Wagner ...
lang:de score:24 filesize: 807.6 K page_count: 2 document date: 2021-11-24



[pdf] User Manual


Buy %product title% Conrad Electronic manual 1629550 wagner control pro 250 m paint spray system
550 w max feed rate 1250 mlmin asset conrad media10 add 160267 c1 gl 001629550ML02 |||
UNIVERSAL SPRAYER **CONTROL PRO 350 M** HASZNÁLATI TMUTAT wagner-group.com O C o n l P r o 3 5 0 M SPRAY P R I SPRAY P R I **Control Pro 350 M** A
0=OFF A B PRIME SPRAY PRIME SPRAY B A B A B A 25 - 30 cm **Control Pro 350 M** B C 20 - 25cm D 20 - 25 20 - 25 cm cm **Control Pro 350 M** ...
lang:no score:24 filesize: 3.97 M page_count: 21 document date: 2023-05-02



[\[pdf\]](#)


UNIVERSAL SPRAYER CONTROL PRO 350 M ORIGINAL 26 Halten Sie ein Tuch vor den Schlauchanschluss und schalten das WAGNER high pressure hoses and spray nozzles For overview see „Spare parts media adeo 4357037 |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG wagner-group.com D GB F NL I E P PL ROM a 2 1 4 5 **Control Pro 350 M** 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 2 1. 1. 2. 2. SPRA... lang:de score:23 filesize: 11.26 M page_count: 144 document date: 2020-02-28



[\[pdf\]](#) Decleration of Conformity

2372676 C Control Pro 350M 9Spr 022020 adams Anleitung Wagner High Efficiency Airless FarbsprÃ¼hsystem 350 M Set Leistungsaufnahme 600 W FÃ¼rderleistung 1 5 l min BAUHAUS BH DOC 731175 media bahag cloud m ||| ||| UNIVERSAL SPRAYER CONTROL PRO 350 M ORIGINALBETRIEBSANLEITUNG wagner-group.com D GB F NL I E P PL ROM 1 Control Pro 350 M 3 2 4 5 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETR UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG wagner-group.com D GB F NL I E P PL ROM 1 **Control Pro 350 M** 3 2 4 5 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 1. 1. 2. 2. SPRAY ... lang:de score:23 filesize: 6.04 M page_count: 144 document date: 2020-06-17



[\[pdf\]](#) User Manual Instructions

Control Pro 350 Manual Wagner Australia Never put your fingers hands or any other parts of the body into spray jet! point gun at yourself persons animals 35e19a81 e52c 4841 85af 82c6958441e7

2ecffd01e1ab3e9383f0 07db7b9624bbdf022e3b5395236d5cf8 ssl cf4 rackcdn Product


UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG

wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8

HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG

wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SPRAY...

lang:en **score:23** filesize: 5.04 M page_count: 22 document date: 2017-10-12



[\[pdf\]](#)

UNIVERSAL SPRAYER CONTROL PRO 350 M 375 ORIGINAL BETRIEBSANLEITUNG media adeo 4210724 |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** CONTROL PRO 375 M


ORIGINALBETRIEBSANLEITUNG wagner-group.com DE EN FR NL IT ES PT PL

RO a 2 1 4 5 **Control Pro 350 M** / 375 M 3 6 8 HIGH EFFICIENCY AIRLESS D

CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16

17 19 18 7 1 14 ...


lang:i-klingson **score:23** filesize: 17.71 M page_count: 142 document date: 2024-07-05



[\[pdf\]](#) User Manual Instructions

Untitled Download Manual Control Pro 350 Extra Cart Suitable for the experienced Painter
 wagneraustralia au 2019 05 |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
 wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8
 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
 wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SP...
 lang:en **score:22** filesize: 3.68 M page_count: 22 document date: 2022-11-07



[\[pdf\]](#)

UNIVERSAL SPRAYER CONTROL PRO 350 M ORIGINAL 91ef9f022cd4 added 3c9d0f05020561dfdc88f
 gzhls at blob ldb 5 4 c 7

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
 wagner-group.com D GB F NL I E P DK S a 2 1 4 5 **Control Pro 350 M** 3 6 8 HIGH
 EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-
 group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 2 1. 1. 2. 2. SPRAY ...
 lang:de **score:22** filesize: 10.36 M page_count: 144 document date: 2018-02-09


[\[pdf\]](#) User Manual Flyer

Control Pro 350 M SCHNELLE HILFEScreen 350M Flyer 2019 DEwagner group fileadmin produkte
 Heimwerker 2 Airless Farbspritzsystem Screen DE |||

FARBSPRHSYSTEM PINSEL SAUBERES ARBEITEN Berührungsloser und
 gleichmiger Farbauftrag - keine Struktu ... info wagner-group.com wagner-group.com
 nderungen vorbehalten D 2413801 2020 AIRLESS SPRAYER **Control Pro 350 M**
 DOCH EINFACH wagner-group.com/diy AIRLESS SPRAYER **Control Pro 350 M**
 Produktvor...

lang:de **score:22** filesize: 1.31 M page_count: 2 document date: 2020-02-06






[\[pdf\]](#) User Manual Instructions

Click here for Downloadable ManualWagner Control Pro 350 Extra MillinControl Manualcdn shopify s files
1 0748 2772 7135 Manual v 1696816957 |||


UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S a 2 1 4 **Control Pro 350 M** 3 5 6 7 1 8
HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG
wagner-group.com 11 12 9 10 13 14 15 2 16 2. 1. 1. 2. 2. SPRAY...
lang:en **score:21** filesize: 5.04 M page_count: 22 document date: 2017-10-12



[\[pdf\]](#)

Control Pro 350M wagner ru upload iblock 208 |||

UNIVERSAL SPRAYER RU **CONTROL PRO 350 M** wagner-group.com a 2 1 4 5
Control Pro 350 M 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200
BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2
1. 1. 1. 2. 2. SPRAY PRIME SPRAY PRIME Control Pro ...
lang:it **score:19** filesize: 5.89 M page_count: 24 document date: 2020-02-26



[\[pdf\]](#)

Инструкция к wagner 2371057 Окраочный аппарат Wagner Control pro 350M HEA купить по низкой
цене в интернет магазине ТМК 495e84fb5cb1d6574ca603b35d7e1c65f5d2ba54 tmktools ru upload 49
5e 84 |||

UNIVERSAL SPRAYER RU **CONTROL PRO 350 M** wagner-group.com a 2 1 4 5
Control Pro 350 M 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200
BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2
1. 1. 1. 2. 2. SPRAY PRIME SPRAY PRIME Control Pro ...
lang:it **score:19** filesize: 6.1 M page_count: 24 document date: 2017-04-27

[\[pdf\]](#) User Manual Flyer

Screen 350M Flyer 2019 DE cdn wagner group fileadmin produkte Heimwerker 2 Airless

Farbspritzsystem Control Pro Download Sprayer 350 M Farbsprühsystem WAGNER |||

FARBSPRHSYSTEM PINSEL SAUBERES ARBEITEN Berührungsloser und gleichmiger Farbauftrag - keine Struktu ... info wagner-group.com wagner-group.com nderungen vorbehalten D 2413801 2020 AIRLESS SPRAYER **Control Pro 350 M** DOCH EINFACH wagner-group.com/diy AIRLESS SPRAYER **Control Pro 350 M** Produktvor...

lang:de score:18 filesize: 1.31 M page_count: 2 document date: 2020-02-06



[\[pdf\]](#)

Инструкция к Wagner 2371057 Окраочный аппарат Control pro 350M HEA купить по низкой цене в

интернет магазине ТМК aea2e55fb2a022288cee6f25faf1101b old tmktools ru upload iblock aea |||

UNIVERSAL SPRAYER RU **CONTROL PRO 350 M** wagner-group.com a 2 1 4 5

Control Pro 350 M 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200

BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2

1. 1. 1. 2. 2. SPRAY PRIME SPRAY PRIME Control Pro ...

lang:it score:17 filesize: 5.88 M page_count: 24 document date: 2017-04-27



[\[pdf\]](#)

Инструкция по эксплуатации Краскопульт электрический Wagner Control Pro 350M распылительная система 2371057 купить цене 109 990 руб в Екатеринбурге «Мастер»

4lat2be6s9e6h06zt4cdr4a9panb3j3r megamaster ru upload iblock 779 |||

CONTROL PRO 350 M RU wagner.ru a 2 1 4 5 **Control Pro 350 M** 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2 1. 1. 1. 2. 2. SPRAY PRIME SPRAY PRIME **Control Pro 350 M** A B 0 = OF...

lang:it score:17 filesize: 4.25 M page_count: 24 document date: 2023-03-23



[pdf]

Control Pro wagner ru upload iblock 4c4 |||

Control Pro 250 M / 350 M . . . Universal Sprayer Control Pro 250 M **Control Pro 350 M** CONTROL PRO Control Pro -- , HEA. . 55 Control Pro 55 , . HEA . , . , - . . Control Pro . . .

lang:en score:17 filesize: 866.06 K page_count: 12 document date: 2017-10-18



[pdf] Declaration of Conformity

Technisches Datenblatt Wagner Farbsprüngerät Airless Control Pro 350 M bei HORNBACH kaufen

6251104 Doc 02 DE 20190205144654 cdn hornbach de data shop D04 001 780 491 175 055 |||

WWaallnPdafainrbt en LaLcaqcuker LVAasrunriesnhes BESTELLINFORMATIONEN

Artikel Nr. EAN code Gewicht brutto Abmessung Master carton EUR 2371057 4004

025 086 472 17,93 kg B 50,6 x H 42,7 x T 80,5 - High Efficiency Airless **Control Pro 350 M** Airless Kolbenpumpe fr mittlere bis sehr groe Proj...

lang:de score:17 filesize: 346.89 K page_count: 1 document date: 2017-05-29

[pdf] Flyer

Screen 350M Flyer 2019 EN cdn wagner group fileadmin produkte Heimwerker 2 Airless

Farbspritzsystem Control Pro |||

SPRAYING SYSTEM BRUSH PERFECT RESULTS Contactless and even paint


application - no brush or roller ... I: info wagner-group.com wagner-group.com Subject

to changes EN 2413803 2020 AIRLESS SPRAYER **Control Pro 350 M**

SpraySIMPLY wagner-group.com/diy AIRLESS SPRAYER **Control Pro 350 M**

Product adv...

lang:en score:17 filesize: 1.31 M page_count: 2 document date: 2020-02-06






[\[pdf\]](#) Flyer

350M Flyer 2019 ITA indd Screen cdn wagner group fileadmin produkte Heimwerker 2 Airless

Farbspritzsystem Control Pro |||

UNITA A SPRUZZO PENNELLO RISULTATO PERFETTO Senza contatto anche con l'applicazione della vernice ... ia wagner-group.com wagner-group.com/it Soggetto a modi che ITA 2413803 2020 AIRLESS SPRAYER **Control Pro 350 M** SIMPLY go.wagner-group.com/diy4u AIRLESS SPRAYER **Control Pro 350 M** Vantaggi de... lang:it **score:17** filesize: 1.28 M page_count: 2 document date: 2022-03-29




[\[pdf\]](#)

Český manuál pro Wagner Airless Control PRO 350M Elektrický stříkací stroj Malířský systém 600W 110bar 1 5l min 10 5kg 2371057 J GmbH elektricky strikaci malirsky system 6c7fc2 jadal cz obchody jadal2 shop5 přílohy 362 |||

UNIVERSAL SPRAYER CZ **CONTROL PRO 350 M** PEKLAD PVODNHO NVODU K OBSLUZE wagner-group.com a 2 1 4 5 **Control Pro 350 M** 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2 1. 1. 1. 2. 2. SPRAY PRIME...

lang:hr **score:16** filesize: 5.91 M page_count: 20 document date: 2017-04-25



[\[pdf\]](#) Decleration of Conformity

ControlPro350M Offersheet English Wagner EMEA EXT 2018 11 23 Temme High Efficiency Airless

Control Pro 350 M TECHNICAL DATA Wall Paint ORDER INFORMATION Lacquer Varnishes 6251104

Doc 04 SE 20220112214650 cdn hornbach se data shop D04 001 780 492 242 530 |||

Wall Paint Lacquer Varnishes ORDER INFORMATION Article no. EAN code Product weight gross Dimension Master carton EUR 2371057 4004 025 086 472 17,93 W 50,6 x H 42,7 x D 80,5 - High Efficiency Airless **Control Pro 350 M** Airless piston pump for medium up to very large projects High Efficie...

lang:en **score:16** filesize: 271.09 K page_count: 1 document date: 2021-11-15



[\[pdf\]](#) Instructions

081 Finish 01 19 4 EN cdn wagner group fileadmin heimwerker FINISH INSPIRATION INFLUENCER EVENT HOW TO DO UPCYCLING the creative DIY magazine to read WAGNER |||
 SPRING / SUMMER 2019 CREATIVE IDEAS FOR DIY INSPIRATION Colour gradient: Creating your own wall desi ... he device ready, put on the dust mask and safety goggles, and let s go Jelena was working with our **Control Pro 350 M**. This is an airless sprayer that is ideal for experienced DIY-ers. So it s ideal i...
 lang:en **score:14** filesize: 24.05 M page_count: 21 document date: 2019-05-09





[\[pdf\]](#)

FINISH das kreative Heimwerker Magazin zum Lesen WAGNER 081 Finish 01 19 DE SCREEN cdn wagner group fileadmin heimwerker |||
 FRHLING/SOMMER 2019 KREATIVE IDEEN ZUM SELBERMACHEN INSPIRATION Farbverlauf: Individuelle Wandgestal ... Gert starkklar machen, Atemschutzmaske und Schutzbrille auf und los geht es Jelena hat mit unserer **Control Pro 350 M** gearbeitet. Das ist ein Airless Spritzgert, welches fr erfahrene Heimwerker genau ...
 lang:de **score:14** filesize: 23.59 M page_count: 21 document date: 2019-04-03



[\[pdf\]](#) Instructions

FINISH le magazine de bricolage créatif à lire WAGNER 081 Finish 01 19 4 FR cdn wagner group fileadmin heimwerker |||
 PRINTEMPS / T 2019 DES IDES CRATIVES RALISER SOI-MME INSPIRATION Dgrad de couleur : Dcoration mural ... reil, portez un masque et des lunettes de protection, et c est parti Jelena a travaill avec notre **Control Pro 350 M**. Il s agit d un appareil de pulvrisation Airless parfaitement adapt pour les brico...
 lang:fr **score:14** filesize: 24.18 M page_count: 21 document date: 2019-05-09



[\[pdf\]](#)

CONTROL PRO 350 M Descripción general Dispositivo de pulverización Airless potente y móvil para todos los trabajos pintura incluidos objetos grandes mediamedia adeo media 4914869 |||

WAGNER WG-2371057 **CONTROL PRO 350 M CONTROL PRO 350 M** Cdigo
articulo: WG-2371057 EAN-13: 400402508647 ... dos al bricolaje, proveedores de
servicios y artesanos que hacen un uso ocasional. Los dispositivos **Control Pro 350**
M, equipados con tecnologia High Efficiency Airless, con menor presin y una boquilla

...

lang:es score:13 filesize: 172.18 K page_count: 3 document date: 2025-08-13

[\[pdf\]](#) Decleration of Conformity

res 391bc748d3b527bd3f06e0d1ba7f3c0c bucket doc s1 s3 eu central 1 amazonaws products 13469

13468909 media |||

UNIVERSAL SPRAYER ROM **CONTROL PRO 350 M** TRADUCEREA MANUALULUI
DE INSTRUCȚIUNI DE UTILIZARE ORIGINAL wagner-group.com a 2 1 4 5 **Control**
Pro 350 M 3 6 8 HIGH EFFICIENCY AIRLESS D CONTROL PRO 200

BETRIEBSANLEITUNG wagner-group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 2
1...

lang:it score:12 filesize: 5.83 M page_count: 20 document date: 2017-04-28

[\[pdf\]](#)

untitled 4004025088025 prd FR CF media castorama fr is content Castorama |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S 1 **Control Pro 350 M** 3 2 4 5 6 8 HIGH
EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-
group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 1. 2. 2. SPRAY PR...

lang:de score:12 filesize: 5.96 M page_count: 144 document date: 2019-01-08



[pdf]

untitled wg 2371057 mandocs dateriumsystem 338 grupo cevik man |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S 1 **Control Pro 350 M** 3 2 4 5 6 8 HIGH
EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-
group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 1. 2. 2. SPRAY PR...
lang:de **score:12** filesize: 5.96 M page_count: 144 document date: 2019-01-08



[pdf]

Untitled dubiez s 4004025086472 prd fr media castorama is content Castorama |||

UNIVERSAL SPRAYER **CONTROL PRO 350 M** ORIGINALBETRIEBSANLEITUNG
wagner-group.com D GB F NL I E P DK S 1 **Control Pro 350 M** 3 2 4 5 6 8 HIGH
EFFICIENCY AIRLESS D CONTROL PRO 200 BETRIEBSANLEITUNG wagner-
group.com 12 13 9 10 11 15 16 17 19 18 7 1 14 2. 1. 1. 2. 2. SPRAY PR...
lang:fr **score:12** filesize: 2.89 M page_count: 21 document date: 2017-11-10



[pdf]

G hvj jjhv jDJÖSHFJhv jvhjbajghjlhgaheKDHLJKASFHKJASHFKJSAHDFKJ 3 J Wagner GmbH

Temme 2782e27a 50ad 414c 949c b4c28f64b8bc 2ecffd01e1ab3e9383f0

07db7b9624bbdf022e3b5395236d5cf8 ssl cf4 rackcdn Product |||

Wall Paint Lacquer Varnishes ORDER INFORMATION Part number Barcode
2371059 4004 025 086 496 High Efficiency Airless **Control Pro 350 M** Airless piston
pump for medium up to very large projects High Efficiency Airless: Innovative
technology that allows users to spray with highest controllabilit...

lang:en **score:10** filesize: 687.56 K page_count: 1 document date: 2017-10-04

Peintures murales

Laques et lasures

High Efficiency Airless
Control Pro 350 M

- Pompe Airless à piston pour de moyens à très grands projets
- High Efficiency Airless: Technologie innovante qui permet de pulvériser avec un haut niveau de contrôle et de performances avec une pression réduite
- Moins de brouillard: Réduire la pression permet d'éviter un jet plus fin avec un meilleur contrôle pour réduire l'effet de brouillard...
- Contrôle maximum: Aucune surcharge sur les buses lorsque l'on chasse les poussières (pas d'effet de rale...)
- Moins de fatigue: Réduire la pression du système permet de réduire l'effet de recul (le recul est supporté sur la gâchette, et celle-ci est aussi plus souple)
- Durée de vie plus longue: Une pression de pulvérisation plus faible met moins de pression sur le système

INFORMATION COMMANDE

Article no.

EAN code

Poids brut

Dimensions

2371057

4004 025 086 472

17,50

(W) 50,6 x (H) 42,7 x (D) 16,3

DONNEES TECHNIQUES

Taille du projet

Équipement

Débit de produit

Pression

Puissance

Pistolet

Longueur de tuyau

Moyen – Très grand

- Buses peintures murales
- Buses produits fluides

1,5 l/min

110 bar

600 W

Pistolet Hybride

15 m

Télécharger

[pdf] Dimension Guide

G hvj j jhvj jDJÖSHFJhvj jvhjbajghijlhgaheKDHLJKASFHKJASHFKJSAHDFKJ Temme Télécharger
Pompe Airless HEA Control Pro CS350M WAGNER Series Pro350M Fran ais 2296 media mr bricolage re
akeneo connector files C o |||

Peintures murales Laques et lasures High Efficiency Airless **Control Pro 350 M**
Pompe Airless piston pour de moyens trs grands projets High Efficiency Airless:
Technologie innovante qui permet de pulvrifier avec un haut niveau de contrle et de
performances avec une pression rduite Moins de brouil...

lang:fr score:9 filesize: 379.26 K page_count: 1 document date: 2017-02-01