

## ABUS 158CS/65

# ABUS 158CS/65 65mm Closed Shackle Combination Padlock User Manual

Model: 158CS/65

## 1. INTRODUCTION

Thank you for choosing the ABUS 158CS/65 65mm Closed Shackle Combination Padlock. This manual provides essential information for the proper setup, operation, and maintenance of your padlock. Please read these instructions carefully before first use to ensure optimal security and longevity of your product.

The ABUS 158CS/65 is designed for medium security applications, offering convenience with its resettable 5-digit combination mechanism and robust construction.

## 2. PRODUCT OVERVIEW

The ABUS 158CS/65 is a durable combination padlock featuring a solid die-cast zinc body and a hardened steel shackle. Its closed shackle design provides enhanced protection against cutting attacks. The 5-digit resettable combination allows you to choose your personal code for keyless convenience.



**Figure 1:** Front view of the ABUS 158CS/65 padlock, showing the 5-digit combination dials and the hardened steel shackle.

### 3. SETUP: SETTING YOUR COMBINATION

---

Your padlock is factory set to **0-0-0-0-0**. Follow these steps to set your personal combination:

- 1. Open the Padlock:** Dial the factory default combination (0-0-0-0-0) and pull up the shackle to open the padlock.
- 2. Rotate the Shackle:** With the padlock open, rotate the shackle 90 degrees counter-clockwise from its locked position.



## Cadenas 158 CS /65

**Figure 2:** The padlock shackle rotated 90 degrees, ready for combination setting.

3. **Press Down the Shackle:** While holding the shackle rotated, press it firmly down into the padlock body.



## Cadenas 158 CS /65

Figure 3: The shackle pressed down into the padlock body, exposing the combination setting mechanism.

4. **Set Your New Combination:** With the shackle pressed down, rotate the combination dials to your desired 5-digit code. Choose a memorable but secure combination.
5. **Release the Shackle:** Pull the shackle up to release it from the pressed-down position.
6. **Return the Shackle:** Rotate the shackle back 90 degrees clockwise to its original open position.
7. **Test the Combination:** Close the shackle and scramble the numbers. Then, dial your new combination to ensure it opens correctly.

**Important: Remember your combination. There is no master key or override function to reset the combination if it is forgotten.**

## 4. OPERATING THE PADLOCK

---

### 4.1. Unlocking

1. Align the combination dials to your personal 5-digit code.
2. Pull the shackle upwards to open the padlock.

### 4.2. Locking

1. Close the shackle by pressing it down into the padlock body until it clicks securely.
2. Scramble the combination dials to prevent unauthorized access.

## 5. MAINTENANCE

---

To ensure the smooth operation and longevity of your ABUS padlock, consider the following maintenance tips:

- **Cleaning:** Periodically wipe the padlock body and shackle with a soft, damp cloth to remove dirt and grime. Avoid abrasive cleaners.
- **Lubrication:** If the dials become stiff or the shackle mechanism feels rough, apply a small amount of graphite powder or a silicone-based lubricant specifically designed for locks into the shackle opening and around the dials. Avoid oil-based lubricants as they can attract dirt.
- **Environmental Exposure:** While weather-resistant, prolonged exposure to extreme weather conditions (e.g., saltwater, heavy industrial environments) may accelerate wear. Regular inspection and cleaning are recommended in such conditions.

## 6. TROUBLESHOOTING

---

- **Padlock will not open with the correct combination:**
  - Ensure each number is precisely aligned with the indicator marks.
  - Verify that you are using the correct combination. If you recently changed it, try the old combination as well, in case the change was not fully registered.
  - Check for any debris or foreign objects obstructing the shackle mechanism or dials.
- **Dials are stiff or difficult to turn:**
  - Apply a small amount of graphite powder or silicone-based lubricant to the dials as described in the Maintenance section.
  - Ensure the padlock is clean and free of accumulated dirt.
- **Shackle is stuck or difficult to close:**
  - Ensure the combination is scrambled before attempting to close the shackle.
  - Check for any physical damage or obstruction preventing the shackle from fully engaging.

If you continue to experience issues, please contact ABUS customer support.

## 7. SPECIFICATIONS

---

Feature	Detail
Model Name	ABU15865CS
Part Number	158CS/65 B/EFSPP
Lock Type	Combination Lock
Combination Digits	5-digit, resettable

Feature	Detail
Body Material	Die-cast Zinc
Shackle Material	Hardened Steel
Overall Width	65mm (2.56 inches)
Shackle Diameter	10mm (0.39 inches)
Shackle Clearance (Horizontal)	27mm (1.06 inches)
Shackle Clearance (Vertical)	40mm (1.57 inches)
Overall Height	116mm (4.57 inches)
Overall Body Thickness	26mm (1.02 inches)
Item Weight	1.32 pounds (0.60 kg)
Special Features	Resettable, Weather Resistant

## Dimensions

**ProtectHome.fr**  
SÉCURITÉ DES BIENS ET DES PERSONNES



**Cadenas 158 CS /65**

*Mesures en mm*

Figure 4: Dimensional diagram of the ABUS 158CS/65 padlock with measurements in millimeters.

## 8. WARRANTY AND SUPPORT

ABUS products are manufactured to high quality standards and undergo strict quality control. This product is covered by the manufacturer's warranty against defects in materials and workmanship under normal use. For specific warranty terms and conditions, please refer to the documentation provided with your purchase or visit the official ABUS website.




For technical support, inquiries, or warranty claims, please contact ABUS customer service through their official website or the retailer from whom you purchased the product.


## 9. OFFICIAL PRODUCT VIDEOS

No official product videos from the seller were found for this model at this time. Please refer to the written instructions and diagrams for guidance.

© 2023 ABUS. All rights reserved. Information subject to change without notice.


### Related Documents - 158CS/65

	<p><a href="#">ABUS U-Lock Combination Reset Guide</a></p> <p>Learn how to easily reset the combination on your ABUS U-Lock with this step-by-step visual guide. Includes instructions for setting a new personal code.</p>
	<p><a href="#">ABUS 155 Combination Lock Instructions</a></p> <p>Step-by-step instructions for setting and using the ABUS 155 combination padlock, including how to change the code.</p>
	<p><a href="#">ABUS CombiFlex 2501/2502 Combination Lock Instructions</a></p> <p>Step-by-step guide on how to set the combination code and operate the ABUS CombiFlex 2501/2502 cable lock for locking and unlocking.</p>
	<p><a href="#">ABUS Combiflex Rest 105 + CHR Instructions</a></p> <p>This document provides instructions for setting the combination and mounting the ABUS Combiflex Rest 105 + CHR lock. It includes steps for setting the factory default combination and attaching the lock to various surfaces.</p>



#### [ABUS 6950AM Bicycle Frame Lock: Installation and User Manual](#)

Comprehensive guide for installing and using the ABUS 6950AM bicycle frame lock. Includes safety warnings, mounting instructions for different options, operation details, and warranty information.



#### [ABUS Touch™ 57 Biometric Padlock User Manual and Safety Guide](#)

This user manual provides comprehensive instructions for the ABUS Touch™ 57 biometric padlock, covering battery installation, operation, fingerprint management, safety precautions, technical specifications, disposal guidelines, and warranty information.