

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Ariete](#) /

› [Ariete Pod Gasket for Konsuelo Professional Cialissima Coffee Machines - Instruction Manual AT4075593000](#)

Ariete AT4075593000

Ariete Pod Gasket Instruction Manual

Model: AT4075593000

1. PRODUCT OVERVIEW

This document provides instructions for the Ariete Pod Gasket, an original replacement part designed for specific Ariete pump espresso coffee machines. This gasket ensures a proper seal for optimal coffee brewing.

Compatible Models:

- CIALDISSIMA MP60 (Code: 00M134300AR0)
- KONSUELO PROFESSIONAL (Code: 00M134300KM0)
- CIALDISSIMA MP50 (Code: 00M134700AR0)

If your coffee machine model is not listed, please verify compatibility before purchase.

2. SAFETY INFORMATION

Always unplug the coffee machine from the power outlet before attempting any installation, removal, or maintenance of components.

Allow the coffee machine to cool down completely before handling any internal parts to prevent burns.

Use only original Ariete replacement parts to ensure proper fit and function.

If you are unsure about any step, consult a qualified technician.

3. PRODUCT COMPONENTS

The Ariete Pod Gasket is a circular sealing component, typically made of durable material to withstand high temperatures and pressure within the espresso machine's brewing head.



Image 1: Ariete Pod Gasket. This image shows the white, circular gasket with a black central component, designed to create a seal in the coffee machine's brewing mechanism.

4. INSTALLATION INSTRUCTIONS

- Preparation:** Ensure the coffee machine is unplugged and completely cool. Remove the portafilter and any existing pod or coffee grounds.
- Access the Gasket:** Depending on your specific Ariete model (Konsuelo Professional, Cialissima MP60, Cialissima MP50), you may need to remove the shower screen or other components to access the old gasket. Refer to your coffee machine's primary user manual for specific disassembly instructions.
- Remove Old Gasket:** Carefully pry out the old gasket using a small, non-abrasive tool. Be gentle to avoid scratching the brewing head.
- Clean Area:** Clean any coffee residue or debris from the gasket seating area in the brewing head. This ensures a proper seal with the new gasket.
- Install New Gasket:** Position the new Ariete Pod Gasket into the seating area. Ensure it is seated evenly and securely. You may need to apply gentle, even pressure to fully insert it.
- Reassemble:** Reattach any components removed in step 2, such as the shower screen.
- Test:** Plug in the coffee machine and perform a test brew with water only to check for leaks. If leaks occur, re-check the gasket installation.

5. MAINTENANCE AND CARE

Regular cleaning of the gasket area is crucial for optimal performance and longevity.

- Daily Cleaning:** After each use, remove the portafilter and wipe down the gasket and shower screen area with a damp cloth to remove coffee grounds and oils.
- Deep Cleaning:** Periodically, remove the gasket (following installation steps 1-3) and clean it thoroughly with warm, soapy water. Rinse well and ensure it is completely dry before reinstallation.
- Inspection:** Inspect the gasket regularly for signs of wear, cracking, or hardening. A worn gasket can lead to leaks and poor brewing pressure. Replace the gasket if any damage is observed.

6. TROUBLESHOOTING

Issue: Water leaking from around the portafilter during brewing.

- **Possible Cause:** Gasket is worn, cracked, or improperly seated.
- **Solution:** Inspect the gasket for damage. If damaged, replace it. If not damaged, remove and re-install the gasket, ensuring it is seated correctly and the seating area is clean.

Issue: Difficulty locking the portafilter into place.

- **Possible Cause:** New gasket is stiff, or old gasket is hardened.
- **Solution:** A new gasket may be slightly stiff initially; it will soften with use. If an old gasket is hardened, it needs replacement. Ensure the gasket is properly seated.

7. PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Ariete
Model Number	AT4075593000
Dimensions (L x W x H)	2.6 x 6 x 5.7 cm
Weight	20 grams

8. WARRANTY AND SUPPORT

This Ariete original replacement part is designed for durability and performance. For specific warranty information, please refer to the original purchase documentation or contact Ariete customer support directly.

For technical assistance or further inquiries, please visit the official Ariete website or contact their authorized service centers.