

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Ariete](#) /
- › [Ariete Steam Generator Replacement Hose and Handle User Manual](#)

### Ariete MVC5, MVC6, MVC7, 4143, 4203, 4204, 4207

# Ariete Steam Generator Replacement Hose and Handle

Models: Vaporì MVC5, MVC6, MVC7, 4143, 4203, 4204, 4207

## 1. PRODUCT OVERVIEW

This document provides instructions for the Ariete original replacement steam hose and trigger handle. This component is designed to restore the functionality of your compatible Ariete steam generator, ensuring efficient and safe operation. It includes the flexible steam hose and the ergonomic trigger handle for steam control.



**Image 1.1:** Ariete Steam Generator Replacement Hose and Handle. This image displays the complete replacement unit, consisting of the flexible hose and the attached trigger handle, ready for installation.

## 2. COMPATIBILITY

This replacement steam hose and handle is compatible with the following Ariete Vaporì steam generator models:

- Ariete Vaporì MVC5
- Ariete Vaporì MVC6
- Ariete Vaporì MVC7
- Ariete Vaporì 4143
- Ariete Vaporì 4203
- Ariete Vaporì 4204
- Ariete Vaporì 4207

To confirm compatibility, locate the identification plate on your steam generator, usually found on the underside of the appliance.

Verify that your model number matches one of the listed compatible models.

### 3. SAFETY INSTRUCTIONS

---

Before installing or using this replacement part, observe the following safety precautions:

- **Disconnect Power:** Always unplug the steam generator from the electrical outlet and allow it to cool completely before attempting any installation or maintenance.
- **Depressurize:** Ensure the steam generator is fully depressurized before opening any caps or attempting to remove the old hose.
- **Hot Surfaces:** Steam generators and their accessories can become very hot. Handle with care and allow sufficient cooling time.
- **Original Parts:** Use only original Ariete replacement parts to ensure proper fit, function, and safety.
- **Professional Assistance:** If you are unsure about any installation steps, consult a qualified technician.

### 4. INSTALLATION AND SETUP

---

Follow these steps to replace the steam hose and handle:

1. **Preparation:** Ensure the steam generator is unplugged, cool, and depressurized.
2. **Remove Old Hose:** Carefully disconnect the old steam hose from the steam generator unit. This usually involves unscrewing a coupling or releasing a locking mechanism. Refer to your specific steam generator's manual for detailed removal instructions if needed.
3. **Attach New Hose:** Align the new replacement hose connector with the steam outlet on the generator.
4. **Secure Connection:** Screw the coupling clockwise until it is hand-tight. Do not overtighten. Ensure a secure, leak-free connection.
5. **Check Handle Connection:** The trigger handle is pre-attached to the hose. Ensure all connections are firm.
6. **Initial Test:** After installation, fill the steam generator with water, plug it in, and allow it to heat up. Before using, direct the steam into a sink or bucket to check for any leaks at the connection point.

### 5. OPERATING INSTRUCTIONS

---

Once the replacement hose and handle are installed, operate your steam generator as follows:

- **Power On:** Plug in the steam generator and switch it on. Allow it to reach operating temperature and pressure, indicated by the appliance's ready light.
- **Trigger Control:** Press the trigger on the handle to release steam. Release the trigger to stop the steam flow.
- **Attachment Use:** Attach appropriate cleaning accessories (brushes, nozzles, etc.) to the end of the handle as required for your cleaning task.
- **Safety Lock:** Some handles feature a safety lock to prevent accidental steam release. Engage this lock when not actively steaming.

### 6. MAINTENANCE AND CARE

---

Proper care extends the life of your steam hose and handle:

- **Cleaning:** After each use, wipe the handle and hose exterior with a damp cloth. Do not use abrasive cleaners.
- **Storage:** Store the hose and handle neatly, avoiding kinks or sharp bends in the hose, which can cause damage over time.
- **Inspection:** Periodically inspect the hose for any signs of wear, cracks, or damage. Check the connection points for leaks. Replace the hose if any damage is observed.

## 7. TROUBLESHOOTING

---

If you encounter issues, consider the following:

- **No Steam from Handle:**
  - Ensure the steam generator is powered on and has reached operating temperature.
  - Check if the safety lock on the handle is disengaged.
  - Verify that the hose is securely connected to the steam generator.
- **Steam Leak at Connection:**
  - Ensure the steam generator is unplugged and cool.
  - Tighten the hose connection to the generator. Do not overtighten.
  - Inspect the rubber gasket or O-ring at the connection point for damage. Replace if necessary.
- **Hose Damage:** If the hose shows visible signs of wear, cracks, or punctures, it must be replaced immediately to prevent steam leaks and ensure safety.

## 8. SPECIFICATIONS

<b>Product Type</b>	Replacement Steam Hose with Trigger Handle
<b>Brand</b>	Ariete
<b>Compatible Models</b>	Vapori MVC5, MVC6, MVC7, 4143, 4203, 4204, 4207
<b>Dimensions (L x W x H)</b>	Approximately 30 x 3 x 40 cm (as packaged/overall component size)
<b>Weight</b>	Approximately 750 grams
<b>Components Included</b>	1x Steam Hose, 1x Trigger Handle

## 9. WARRANTY AND SUPPORT

---

For information regarding warranty coverage or technical support, please refer to the documentation provided with your original Ariete steam generator or contact Ariete customer service directly. Ensure you have your product model number and purchase details available when seeking support.

You can typically find contact information on the official Ariete website or within your original product manual.

